U.S. Patent Application for

METHOD FOR FACILITATING PRICING, SALE AND DISTRIBUTION OF FUEL TO A CUSTOMER

INVENTORS:

Louis MORRISON, III
Scott WILLIAMS
Susan SIMS
Jamie DULANEY
Leslie VANDAGRIFF
Gail WOODY
Shelly HARLAN
AI SHIELDS
Rick SURLES
Neil STRONG
Darin MORSE

Attorney Docket No. 068.0003

30

5

10

TITLE OF THE INVENTION

METHOD FOR FACILITATING PRICING, SALE AND DISTRIBUTION OF FUEL TO A CUSTOMER

COMPUTER SOFTWARE ADDENDUM

Attached hereto is a compact disc containing computer software and data including executable programs, scripts, and database management system tables that are used to implement the systems and methods provided by the present invention. More particularly, the attached compact disc contains software and data used to implement at least two distinct applications comprising the systems and methods provided by the present invention; such two distinct applications include a broad-based, general use energy management system (referred to as the Energy Management System "EMS"), and a limited user/function restricted application (referred to as the Producer Control Center "PCC") intended for use by fuel producers needing access to centrally stored and managed fuel deal data. Such material is protected by the Copyright Laws of the United States (17 U.S.C. § 101, et seq.) and may not be copied without the express, written authorization of the copyright holder (Highland Corporation). Copyright © 2001, Highland Energy Corporation. All Rights Reserved.

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to systems and methods used to facilitate pricing, sale, and distribution of fuel to a customer. More particularly, the present invention is directed to automated systems and methods that are used to price fuels such as natural gas, oil, gas, other petroleum based fuels, etc., to

10

15

20

25

30

facilitate commodity sales of such fuels, and to distribute such fuels to customers, and to track and report sales and distribution related data.

Description of the Related Art

Fuel sales and distribution systems and techniques are well known. Everyday millions of fuel sale contracts are completed in the U.S. and abroad. Fuels produced by a range of producers are transported over many modes of transportation (e.g., gas pipelines, etc.) to ultimately arrive at an intended destination. The steps involved in pricing fuel, selling a reserve, storing reserves, and ultimately transporting purchased fuel involve many parties including producers, agents, brokers, other middlemen and, ultimately, end customers. All of these parties have their own unique ways of doing business, reporting sale and purchase data, and collecting and paying against agreed upon contracts.

Unfortunately, many of the steps and processes carried out to facilitate fuel sales and distribution are archaic, inefficient, and, often, paper-based. Such inefficient ways of doing business cause many parties to engage large teams of personnel to manage the intricate details often involved in fuel sale and distribution. Fuel deal pricing provides a good example of the inefficiencies involved in moving large volumes of natural gas and other fuels.

Typically, pricing fuel deals in the natural gas arena involves manual processes related to gathering fuel index rates, manually computing sales prices across a multitude of fuel sales deals, laboriously factoring in transportation and other tangential costs, and managing for fuel overages and short falls often associated with transportation anomalies, etc. These processes typically involve the efforts of large teams of personnel within

organizations who are required to constantly monitor sales deals, set pricing limits for sales people, and track and record fuel deal progress.

While many systems have been developed to facilitate sale and distribution of fuel and other products, commodities, and services in general, no systems developed to date can effectively management the volume of transactions among a wide array of parties to efficiently and effectively get fuel from one place to another. Moreover, existing systems have heretofore not been able to facilitate pricing practices that factor in past fuel deal data across a multitude of prior fuel deals to better drive profit margins in the commodities and brokerage fields.

Accordingly, there exists a serious need to provide systems and methods that enable centralized location and management of fuel deal data, provide for application of pre-determined pricing techniques based on such fuel deal data, facilitate broad-based reporting based on such centrally stored fuel deal data to drive better business practices for parties to fuel deals, and increase productivity and make more efficient fuel sale and distribution practices. The present invention squarely addresses such a need and provides a new and improved systems and methods for facilitating fuel sale and distribution.

SUMMARY OF THE INVENTION

25

30

20

5

10

15

The present invention solves the problems mentioned above with regard to prior systems and methods used to facilitate sale and distribution of fuel to a customer. By squarely addressing the limitations of prior systems and methods, the present invention provides new and improved systems and methods that permit a wide array of users to broadly access a central data store to create and manage fuel deal data. Such new

10

15

20

25

30

and improved systems and methods further permit the inclusion of pricing processes into existing business processes that are based on prior fuel deal data and which take into account prior prices charged across collections of prior fuel deal contracts.

Accordingly, the present invention provides new and improved systems and methods for facilitating sale and distribution of fuel to a fuel customer. Such systems and methods include and involve a server facility configured to store fuel deal data and to process such fuel deal data to automatically generate pricing data based on the fuel deal data and in accordance with a pre-determined pricing technique. The system and method also include and involve a client facility that is coupled to the server facility via an electronic data network and which is configured to permit a user to enter such fuel deal data and to cause the server facility to store and process the fuel deal data to generate the pricing data. As such, fuel may be sold and distributed to a fuel customer via a fuel distribution system based on the fuel deal data and the automatically generated pricing data.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is described in detail below with reference to the following drawing figures, of which:

FIG. 1 is a timing diagram that depicts process flows within a business process that facilitates sale and distribution of fuel to customers in accordance with a preferred embodiment of the present invention;

FIG. 2 is a system diagram in which client systems can access server system(s) to facilitate sale and distribution of fuel to customers in accordance with the business process illustrated in FIG. 1;

10

15

20

25

30

FIG. 3A is an entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3B is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3C is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3D is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3E is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3F is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3G is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3H is another entity relationship diagram that depicts data relationships among tables and corresponding table entries

10

15

20

25

30

used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3I is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3J is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3K is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3L is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3M is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 3N is another entity relationship diagram that depicts data relationships among tables and corresponding table entries used to implement the systems that carry out the business process illustrated in FIG. 1;

FIG. 4A is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

10

15

20

FIG. 4B is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4C is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1:

FIG. 4D is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4E is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4F is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4G is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4H is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 41 is another screen shot of a data processing application running within a client system to facilitate at least

25

30

10

15

20

25

30

some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4J is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4K is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4L is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4M is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4N is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4O is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

FIG. 4P is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1;

10

15

20

25

30

FIG. 4Q is another screen shot of a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1:

FIG. 5A is a flow chart that illustrates the operations carried out to effect a pricing technique and, in particular, one that effectuates a weighted average sales price for fuel deals in accordance with a preferred embodiment of present invention; and

FIG. 5B is the conclusion of the flowchart started in FIG. 5A.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is now described in detail with regard to the drawing figures that were briefly described above.

The systems and methods described herein are illustrative of the exemplary system implemented by way of computer software within a networked data processing environment and which is contained within multiple files housed on the compact disc that is appended to this patent document. Accordingly, the discussion that follows refers to such an exemplary system and those skilled in the art are encouraged to review such appended software in the context of fuel deal management for a complete understanding of the present invention. As noted at the beginning of this patent document, the material contained on the attached compact disc is protected by the Copyright Laws of the United States (17 U.S.C. § 101, et seq.) and may not be copied without the express, written authorization of the copyright holder (Highland Energy Corporation). Copyright © 2001, Highland Energy Corporation. All Rights Reserved.

Referring now to FIG. 1, depicted therein is a timing diagram corresponding to the business process carried out within an organization to facilitate sale and distribution of fuel to a customer and which may be set up to utilize the systems and methods provided by the present invention. In particular, FIG. 1, illustrates a monthly or periodic business process involving several phases of operation that are carried out by the systems and methods provided by the present invention including, but not limited to: an availability phase, a bidding phase, a nominating (e.g., gas pipeline nominations, etc.) and routing phase, a third party and sanctioned sales period, a pricing period, an invoicing period, and an accounting period. Together, these periods make up what is referred to herein as a MONTH OF FLOW PROCESS The MFP is described next to further illustrate the (MFP). business operations that are handled by the systems and methods provided by the present invention.

THE MONTH OF FLOW PROCESS (MFP) Availability Period

20

25

5

10

15

During the availability period of the month of flow process, equity contracts for sale and distribution of fuel (those that need to roll from month to month) are established for the next month. These purchase deals define the anticipated volumes by well/meter for each producer. The status for the production month needs are set to 'Availability' at this point. Then, correspondence is transferred (via fax, email and phone conversations) to the various operators/producers in order to confirm the anticipated volumes to be produced.

30

The anticipated production volume for an entire well/meter is then entered into the system. An entitlement and makeup

10

15

20

25

30

percentage is used to indicate how much of this volume is actually available to be marketed (represents the owner interest in the production of the well/meter). New deals are setup on the system to represent the new month's purchases. The package description is utilized to assist with easy recognition of volumes, price, etc. (used for identification purposes only). process built within the system to automate the propagation of new deals to the next month (first time into a new month will automatically generate entries for the new month with zero volume amounts). The actual volume stored on the system (at this point) is zero. Only the nominated volumes contain the expected volumes for the production month. These 'nominated" volumes are equal to the estimates provided by the producers and entered into the system during this part of the month of flow. The primary area of the system utilized is the 'Availability' functions (off the system's main menu.)

Bid Week Period

During the bid week of the month of flow process, buyers are found for the volumes that were made available through the availability step described above. The status of the production month of the system needs is set to 'Sales' at this point. By setting the status to 'Sales' all of the price indices will be initially populated and 'seeded' with zero values. Each of the sales is confirmed by a dealmaker and is written up on a deal log sheet. These deal log sheets reflect the pipe/field, meter/well, company, contract, volume, and pricing instructions to support the sale. Prior to completing a deal, the dealmaker will work closely with the volume control group to ensure that appropriate volumes will be available at the well/meter of sale. The dealmakers then complete the deal log sheet entries for the sale and they are transferred to

the volume control group for deal creation and entry into the system. Most of the volumes sold during this particular phase are for the equity purchase deals created during the availability period.

5

10

15

20

25

Nominating and Routing

During the nominating and routing period of the month of flow process, the volumes to support the sales are routed from the producer's well/meters to the sales wells/meters (primarily to pooling points or field tanks). This process occurs throughout the entire month. When the volumes are routed to specific pool wells/meters, allowances are automatically made by the system for fuel, gathering and transport costs. These costs will net down the actual available volumes that can be applied to the sales deals. When volumes are routed to a pool/tank then these volumes reflect as 'Transport Out volumes'. The volumes then show up as "Transported In' (net fuel) on the receiving meter/well within the system. The primary area with the System utilized during this process is the "Route Volume" menu option within the Routing module (main menu selection of 'Routing' on the System.

Third Party Deals and Sanctioned Sales

During the Third Party Deals and Sanctioned Sales of the month of flow process, the dealmakers complete the third party deals. These deals are typically setup where a specific purchase deal (non equity type) is made to support a specific sales deal. These types of deals will usually have a specific price agreement and volume associated with them. Sanctioned sales represent sales from equity volumes with specific terms (prices, volumes, etc.) to specific sales meters. A sales price for a specific volume is set in advance of the production month with these types of

30

deals. All third party deals are excluded from Weighted Average Sales Price (WASP) calculations as discussed below with regard to FIGS. 5A and 5B (each third party purchase volume exists within its own WASP pool ('None')). All sanction sales deals are included within the WASP calculation but EACH combination sanction sales (purchase-to-sale) will utilize a 'Dedicated' WASP pool during the calculation. In this way, sanction sale costs etc. PLUS netback percentages can be applied. All equity deals combined with the 'Common' WASP pool where costs and prices are aggregated by meter/well based on volume weightings. All deals actually go through the calculation in order determine margins. However, the calculation has been setup to ensure that third party, sanctioned sale and equity pools are calculated without interfering with each other.

15

20

25

30

10

5

Pricing

During the pricing period of the month of flow process, all monthly index based prices are entered immediately when published. These are usually entered just before the beginning of the production month. Daily prices are keyed or otherwise entered throughout the month as they are received. When deals are setup the 'Pricing' function within the System is used to actually calculate a price for the deal ('Price' tab on deal detail screen). Each evening, for example, the 'Price All Deals' function of the System is started. This particular function will re-price all deals for the entire month (Price + WASP calculations). For months in the 'Sales' phase, the nominations are re-priced and recalculated. For months in the 'invoiced' phase, the pipe/field actuals are re-priced and recalculated. In addition, to this periodic process, an option exists within the System to price production months throughout a day, for example. Below, with reference to

10

15

20

FIGS. 5A and 5B, the details related to fuel deal pricing are described. The ability of the present invention to incorporate a pricing technique such as one that is predetermined and implemented as a modular component of a larger software system, represents a significant point of novelty to which the present invention is directed.

Invoicing

During the invoicing period of the month of flow process, invoices for all of the sales for the previous month are produced. This represents the final step of the month within the system. All marketing individuals directly involved with the system for the month (controllers, dealmakers, etc.) are informed that the month is closing out and that invoices are now being produced. The status for the production month is changed to 'Invoiced'. A final nomination calculation is automatically done with the status updated. Accounting is then notified that the month has been completed. Invoicing reports are then run for the month and sent to the buyers by an accounting group, for example. Additional reports may be run (Sales By Pipe/Field, Purchase By Producer, Balancing Reports, Pipeline Statement Comparison Reports, etc.) by the accounting group for historical reference and reconciliation.

Accounting

25

30

During the accounting period of the month of flow process, an accounting group creates a revenue and journal entry feed to track receivables within an automated accounting system. This feed is created directly out of the system. Pipe/Field statements begin appearing beginning as early as the 15th of the month. These statements represent volumes (by well/meter) for the previous month. Each accounting analyst is responsible for a

10

15

20

25

specific set of pipe/fields. The volumes from these statements are entered as actuals into the system. A copy of the Pipe/Field statements are sent to the controllers for sign off. Accounting analysts then balance all of the purchase meter routing information for their respective pipe/fields. Accounting analysts then balance all of the sales meters for their respective pipe/fields. Accounting analysts then adjust any route volumes that cross pipe/fields to ensure interconnect balances are synchronized with pipe/field statements. Reconciliation and voucher reports can be run immediately after the production month is promoted to 'Accounting' phase (meaning accounting is finished with the month). These reports can then be sent to producers and/or entered into to accounting system.

AN EXEMPLARY SYSTEM

Referring now to FIG. 2, depicted therein is a diagram of an exemplary system in which client systems can access server system(s) to facilitate sale and distribution of fuel to customers in accordance with the business process (MFP) illustrated in FIG. 1. In particular, system 100 includes both server(s) 102 and client systems 104. Additionally, a database management system and corresponding data store 106 (hereinafter data store 106) is used to store fuel deal data and programs. Servers 102 are configured to be accessed via wide area network connections such as those facilitated via the Internet using open standards based protocols. Client systems 106 are configured with software contained on the appended compact disc to access servers 102 to engage in fuel deal operations such as those described with reference to the month of flow process (MFP) discussed above with regard to FIG.

30 1.

10

15

20

25

30

In FIG. 2, client systems 104 may be configured as desktop computing systems, wireless computing clients, etc. to access servers 102. Such access may be made possible via applications and technology such as dbOvernet TCP/IP Socket Connection Middleware. Furthermore, servers 102 execute common SEServer applications and routines utilizing dbOvernet middleware technology.

Within the processing space of servers 102, a database server system such as Microsoft's SQLServer V.7.03 (a DBMS engine) may be instantiated. Such a database management system may control data store 106 and may be configured in accordance with the present invention to maintain all fuel deal data in accordance with the present invention.

The following discussion further defines an exemplary arrangement for a client-server system implemented in accordance with the present invention:

SERVERS

MS Windows NT 4.0 (SP6) may be chosen as a Network Operating System.

The DBMS may be Microsoft's SQL-Server (V7.0x) – Service Pack 3. All data generated and processed within the context of the present invention is stored in MS SQL-Server database tables. Such data is accessed via direct SQL statements (embedded in Windows applications, stored procedures, forms, and reports). There are several database views that have been setup to access aggregated information (for performance and consistency). In addition, all of the critical calculations and time consuming procedures such as pricing calculations, routing and rollover processes, etc. are written as Transact-SQL stored procedures and are contained on the

10

15

20

25

attached compact disc and are discussed in further detail below in the embedded description-tables found herein.

The SEServer may be a Middleware Server Application. The system database is accessed via middleware software that uses TCP/IP (SEServer/dbOvernet). All databases queried through the system come through this middleware component.

SECrystal (Crystal Reporting Engine Server Application) may be used for server side reporting functions, etc. All reports for the system utilizes a remote Crystal Reporting engine (SECrystal) server. These reports are run and saved on the server for electronic distribution. Crystal Report (V8.0) from Seagate Software is used for this function.

The SEFax (Fax Server Application) may be used for Fax distribution. This server application is responsible for sending out reports via a fax device. This software monitors a specific directory and when a fax file 'shows up' in the directory it will be faxed.

The MAPI Mail Client Software provides Email (like Microsoft Outlook or Outlook Express). The MAPI compliant email service needs to be running on the same machine as the report engine server (SECrystal). This provides the ability to email reports (Correspondence) automatically. Options should be set on this client to automatically check (send/receive) at periodic intervals.

The Adobe Acrobat Reader (Free PDF Viewer) is used to view reports, etc. The server machine that runs the SECrystal reporting server application needs to also have the PDF viewer installed. This is used in order to 'spool' to paper the print jobs.

WEB ACCESS - NETWORK CONNECTIVITY

All functions within the System are available over the Internet (with appropriate security). An individual wishing to log in to the system over the Internet will need to have appropriate application security to log in, the current application executable program (as contained on the attached compact disc) and an ISP account. System administrators will need to furnish access site addresses (e.g., IP addresses, domain names, etc.) to users to address the systems provided by the present invention.

10

15

20

5

CLIENT SYSTEMS

Client systems may utilize a Client Operating System such as MS-Windows 95/98/Me; MS-Windows NT 4.0/2000. TCP/IP network protocol is required. Access to the server TCP/IP address (either LOCAL address or REMOTE address is required.)

The system typically includes a single .EXE file(s) (plus approximately 8 disk compression and graphics DLL's). The system application require only a single executable with a few DLL's to reside on the client machine. No other client configuration software is required. Upgrades to the client software are automatically done when a user first connects (logs in) through the Internet (on application startup). A version number check will be made if necessary and a new installation program and script are automatically downloaded.

25

The Adobe Acrobat Reader (FREE PDF view) is used as a reporting system for files saved in the PDF 1.2 format. The default output for all reports on the system is the standard PDF format. This provides for email/electronic storage. In order to view reports this software (or other third party viewer with a file association to .pdf files) needs to exist on the client machine.

30

10

15

20

25

30

The MAPI Mail Client Software is used for electronic mail communications. A MAPI compliant email service needs to be running on the client machine to be able to highlight a report and email it using the client email address list. This software is not required to run the but is required to take advantage of the system's ability to attach reports automatically within an email client.

All client applications are written using DELPHI (V5+) including Delphi 3rd party tools and procedures. Such applications and stored procedures and identified 3rd party tools are further described in the description-tables found below.

DATABASES, AND CORRESPONDING ENTITY RELATIONSHIPS

The various database tables that make up the system have been divided into nine (9) database subject areas. A subject area within this context is simply a logical aggregation of tables that support a particular business or system function. All of the database tables physically reside in the same database, but are not required to so reside. Only the documentation (as described below) has been constructed to illustrate these subject areas. It is also important to note that there are linkages (not documented here) between the various subject areas.

These database subject areas and a description include:

Companies: All company related tables (including company name, contact name, addresses functions, etc.).

Contracts: All contract related tables (including contract provisions, notes, default standard reporting, etc.).

Deals: All deal related tables (includes other costs, deal classes, correspondence, etc.).

Volume Inventory: All volume inventory tables (includes production interests, daily monthly, calculated values, etc.).

Operational: All tables that were created to support the system (software application). These tables include fax queue tables, printer definition tables, system logs, system messages, reporting tables, etc.

Pipes/Fields: All pipe/field and meter/well related tables.

Pricing: All tables within the system that are related to pricing (indices, price descriptions, baskets, etc.).

Routing: All tables within the system that define routes (leg definitions, daily leg rates, monthly leg rates, nom and actual volume routing instructions, etc.).

Security: All security related tables within the system (includes user, logins, passwords, business functions, etc.).

The above-described nine (9) logical database subject areas are next broken down into the actual tables that reside on the attached compact disc. For purposes of brevity, such database subject areas are broken down in the following tables:

20

25

5

10

15

<THIS SPACE LEFT BLANK INTENTIONALLY>

Below is an inventory of the various database tables that are utilized by the Energy Management System. This particular inventory indicates the cut of the number of rows (through January 20 the database (MS SQL Server) and the database subject areas (logical grouping of tables).

Ref#	Table Name	Rows	Database	Subject Area	Description/Comments
	Companies Subject Area				
1.0	Address	1,384	SQL Server	Companies	Contains record entries for each address for ail companies and contacts within companies (multiple address types per company and/or contact).
2.0	Company	1,242	SQL Server	Companies	Contains a record entry for each company in the database. Information on this table includes company name, fax, phone and primary address reference identifier.
3.0	Contact_Group	908	SQL Server	Companies	Contains a record entry for each contact group relationship. This is the mechanism for grouping company contact individuals
4.0	Contact_GroupNames	8	SQL Server	Companies	Contains a record entry for each contact group name.
5.0	ContactFunction	997	SQL Server	Companies	Contains a record entry showing the contact to function relationships for a given company.
6.0	Contacts	3,347	SQL Server	Companies	Contains a record entry for each individual contact in the database. Includes full name, phone, fax, email, title, etc.
	Contracts Subject Area				
<u> </u>	<u> </u>				
	T T T	1,414	SQL Server	Contracts	This table contains a record entry for each contract within the system. Bank information (ABA), Evergreen indicators, termination date, fixed pricing, etc. type data attributes are stored on these records. Each contract on the system has an associated parent 'company' (on the Company table).
	KNetBack	334	SQL Server	Contracts	This table contains the netback pricing tiers associated with a given contract. The parent table for this entity is the contract table (K). The netback pricing tiers are volume and date influenced.
12.0	–Knotes ≟	589	SQL Server	Contracts	This table contains an optional record entry for each contract on the system. If there are no notes associated with a contract then the records are not inserted on the database. This provides the users with a free form area for keeping notes about a contract.
13.0	Kproducts	1,049	SQL Server		This table contains a reference to the products that are available (oil, gas, flquids, etc.) for a given contract. A product has to be associated to a contract before a deal can be setup using that contract for that product.
14.0	KreportDefaults	48	SQL Server		This table contains the entire standard reporting defaults for a particular entity. These reports include invoices, remittance, vouchers, deal confirmations, etc.
15.0	KreportOverrides	0	SQL Server		If a particular contract has its own unique standard reports then a reference to these unique reports is stored in this table for the contract in question.

Ref#	Table Name	S	Database	Subject	Desc n/Comments
16.0	Kservices	1,068	SQL Server	Aleas	This table contains a reference to the services that are available (marketing, end user, pass thru, tc.) for a given contract. A service has to be associated to a contract before a deal can be setup using that contract for that service.
	Deals Subject Area				
20.0	Rd aiClass	6	SQL Server	Deals	This table is a reference table that indicates the types of deal class options that are available. The context of each class is 0=Purchases. 1=Sales and 2=Both. The description field indicates the possible answers (but the rDealClassA table contains the actual answers that can be applied).
21.0	RdealClassA	23	SQL Server	Deais	This table is a reference table that indicates the possible deal classification options for each of the classifications defined in the rDealClass table.
22.0	RdeaiClassRules	448	SQL Server	Deals	This table contains record entries for every combination of deal classification answers (rDealClassA table). Each of these classification options can have its own set of calculation rules/etc associated with it.
23.0	Engine_Master	39,149	SQL Server	Deals	This table contains a record entry for each price entry effective date (header record).
24.0	Engin MasterPrice	79,244	SQL Server	Deals	This particular table contains the individual pricing components associated to a given deal on a given effective date (parent record is on the Engine_Master table). When the user of the Energy Management System enters a price, this is the table that gets updated.
	Package 	65,351	SQL Server	Deais	This table contains a record for each deal that has been setup on the system. Start Date, End Date, Deal Name, Contract, Company, etc. are specified on this table.
26.0	PackageCosts	381	SQL Server	Deais	This table contains entries for all 'other costs' associated with a given deal. Each of these 'other costs' will have unique STID's (deal or meter level) and have calculated 'Engine' records automatically generated (when a calculation runs).
	PackageCorrespondence	3,447	SQL Server	Deals	This table contains entries for all of the electronic correspondence between the parties to the deal (deal confirmations, availability reports, remittance detail, vouchers, etc.).
28.0	PriceComponents	19	SQL Server	Deais	This table contain record entries for each component that can be set aside for pricing purposes (on a deal). Examples include 'DAILY INDEX', 'MONTHLY INDEX', 'GATHERING', etc. These tags will be associated to each component of the price to allow for future queries and reporting. In addition, these tags will provide an audit trail of all pricing related information.
29.0	PriceDesc	33,877	SQL Server	Deals	This table contains a record for each deal description (or comments) within the system. These price description records (only 1 per deal) provide the users with a place to put free form text to help describe the price of the deal.
	Volume inv ntory Subject Area				A CONTROL OF THE CONT
				1	

	•				
Ref#	Table Name	Rows	Database	Subject:	Description/Comments
30.0	Engine	280,970	SQL Server	Volume Inventory	This table contains record entries for each calculated transaction that the system attaches to volume inventory items. Each transaction has a unique STID (transaction id) that are defined in the Engine_TransactionList table. Indicators on this table determine the disposition of the transaction.
31.0	Engine_TransactionList	36	SQL Server	Volume Inventory	This table contains record entries that define all of the transactions that can be calculated and stored in the Engine table. The STID field is the unique transaction identifier.
32.0	Gasinv	159.501	SQL Server	Volume Inventory	This is the primary table were all volumes (nominated and actual) are maintained. This table contains the header record entries that shows by month, company, transaction, pipe/field & meter/well the nominated volum and the estimated actual volumes. References to price types, contracts, etc. are stored on each record.
33.0	GastnvD	4,145,617	SQL Server	Volume Inventory	This table contains the detail (DAILY) nominated and estimated actual volumes for the Gasinv table.
34.0	Prodinterest	7,999	SQL Server	Volume Inventory	This table contains a record that lists the production interests that are held for a given meter/well and contract (with date effectiveness).
	ProdPkg	4,080	SQL Server	Volume Inventory	This table contains a record that indicates (by month) the contract and the deal ID of a deal that was generated automatically within the 'Availability' (equity purchase deal creation) area of the system.
36.0	ProdSum	39,296	SQL Server	Volume Inventory	This table contains records that indicate (by month and meter/well) the gross mmbtu's and the Btu factors.
37.0	ProdVol	44,187	SQL Server	Volume Inventory	This table contains record entries (by month and meter/well) which show the receipt and delivery mmbtu's per day.
	Operational Subject Area				
	ApplicationMessages	55,882	SQL Server	Operational	This table contains a 'rolling' 7 day listing of all application messages (such as those that are displayed to the console during a calculation).
41.0	ExceptionCategories	8	SQL Server	Operational	This table contains record entries to hold all of the exception 'reasons' that will be used whenever an exception even occurs. There can be multiple types of exception categories.
42.0	ExceptionList	2,171	SQL Server	Operational	This table contains entries for the actual exception events that get logged by the system. These represent an audit trail of non-normal or error type information. This table is linked to the ExceptionCategories table because each exception event (in this table) requires a reason category.
43.0	LogTable	4.	SQL Server	Operational	This table is used for debugging purposes only and is not used in any screens or reports.
44.0	PrinterDef	6	SQL Server	Operational	This table contains a record for each available printer (including driver and port).

Ref#	Table Name	Rows	Database	Subject	Description/Comments
45.0	RgasMonth	1,440	SQL Server	Op rational	This is a reference table that contains a record for each month from 1/1980 thru 12/2099. In addition, this table also contains the status and status update sequence number for the particular month. This status is used in order to enable/disable certain functions within the Energy Management System throughout the month.
46.0	RGasMonthStatus	1,873	SQL Server	Operational	This represents a historical audit table that will be updated every time the monthly status for a given production month is modified (via triggers on the RgasMonth table). This provides a mechanism of identifying who & when the changes were for the status, over time.
47.0	SEMessages	1,251	SQL Server	Operational	All system messages are stored in this table.
48.0	SEAudit		SQL Server	Operational	This table contains record entries for those events that are deemed 'auditable'. Some examples include 'Login' events, Actualization balancing events, standard report submission events, etc.
49.0	SEImages	2	SQL Server	Operational	This table contains record entries that contain graphic images for the screen and reports used throughout the system.
50.0	SELocations	3	SQL Server	Operational	This table contains record entries that defin the server paths (network folder locations) where certain key correspondence items are found. For example (report location, deal correspondence, etc).
51.0	SEProcessingCodeTypes	15	SQL Server	Operational	This table contains the 'Type' codes to the reference table 'SEProcessingCodes'. An example is the type code of 'CONTRCTPRD' which describes a reference code for contract products.
8	SEProcessingCodes	143	SQL Server	Operational	This table contains reference codes for various fields used throughout the Energy Management System.
	SERptsExecutedStats	19,117	SQL Server	Operational	This table contains record entries that lists the start and end date and times for all reports that were submitted. This provides statistics on how long to execute/etc.
}		218	SQL Server	Operational	This table contains entries of each specific report that exists within a reporting tab (group) within a specific reporting folder (category).
55.0	SERptsGroups	36	SQL Server	Operational	This table contains a list of all available reporting tabs (groups) within each reporting folder (category).
56.0	SERptsitemDetail	123	SQL Server	Operational	This table contains the list of all available reports within the system.
57.0	SERptsitemParms	657	SQL Server	Operational	This table contains record entries for each report parameter for each report defined to the system. Options exist for substituting a different label name than actual parameter field name.
58.0	SERptsQueue	5,667	SQL Server	Operational	This table contains record entries for all 'submitted' reports (report queue). When reports are automatically removed from the system the record is removed from this queue.
59.0	SERptsQueueDistribute	7,855	SQL Server	Operational	This table contains entries that dictate how to distribute the output of reports from the queue (fax, email, printer, etc.).
60.0	SERptsQueu Notify	276	SQL Serv r	Operati nal	This table contains entries that indicate who (and if) individuals or groups hav been notified that the report has finished.
61.0	SERptsSchedule	0	SQL Server	Operational	This table contains records that define specific schedules for the running of scheduled reports.

Ref#	· · · · · · · · · · · · · · · · · · ·	6	Database	Subject.	Des con/Comments
62.0	SERptsScheduledReports	0	SQL Serv r	Operational	This table contains record entries that define which reports to run as part of specific schedules.
63.0	SERptsScheduledGroups	0	SQL Serv r	Operational	This table contains 'groups' for scheduling. This provides the ability to assign multiple individuals to a specific group and have the group belong to the schedule.
64.0	SERptsScheduledUserGroup s	0	SQLS rver	Operational	This is the actual table that contains the members within a schedule group. Each entry in this table defines the group.
65.0	SERptsTablesUsed	896	SQL Server	Operational	This table contains documentation on what tables, views or stored procedures are used within each report.
	Pipes & Fields Subject Area				
80.0	Met r	4,335	SQL Server	Pipes and Fields	This table contains a record entry for each well/meter that has been setup on the system. The pipe/field, name, county and state are stored here.
81.0	MeterNotes	935	SQL Server	Pipes and Fields	This table contains a record for notes pertaining to meters/wells.
82.0	PipeField	372	SQL Server	Pipes and Fields	This table contains a record entry for each pip/field defined on the system. The company and the pipe/field description are stored here.
83.0	MeterRates	3,980	SQL Server	Pipes and Fields	This table contains the entire pressure bas . Blu factors by effective date for specific meters/wells.
84.0	MeterAllocations	551	SQL Server	Pipes and Fields	This table contains entries for the allocation information on the meter/well. This includes accounting cross-reference codes (id and deck).
	Pricing Subject Area	er egys.			
90.0	GCIndex	142,268	SQL Server	Pricing	This table contains record entries by Day for daily index prices AND/OR a single entry for monthly index prices (1st day of month for monthly indices).
	IndexRef	228	SQL Server	Pricing	This represents the master table of all defined price indices within the Energy Management System. One record entry per index exists within this table.
92.0	IndexBaskets	14	SQL Server		This table contains a record entry for each index basket established on the system. These index baskets can be associated to sales or purchase deals just as normal indexes are associated to them. Simple averages are calculated with all index items within an index basket.
93.0	IndexBasketLink	36	SQL Server		This table contains the actual indices that are currently associated with an index basket. An unlimited number of indices can exist in a basket. A simple average of all the prices within the basket is used.
	Routing Subject Area	The will disper			
101.0	LegR f	4,226	SQL Server	•	This table contains record for each unique transportation leg (meter-to-meter) on the Energy Management System.

Ref#	Table Name	Rows	Database	Subject:	Description/Comments
102.0	Leg	57,830	SQL Server	Routing	This table contains a record for each active leg within a given month. Nomination and actual rates that the leg utilizes during the month are posted on each record. These rates are used with the actual routing instructions (LegDetail table).
103.0	LegD	0	SQL Server	Routing	This table contains OPTIONAL entries for any daily leg rates that need to be utilized within a given month. Daily rates are checked PRIOR to the monthly rates (on the Leg table) when setting up the actual routing instructions (LegDetail table).
104.0	LegOetail .	1,716,695	SQL Server	Routing	This table contains the detail routing instructions for all volumes purchased all the way through the sales points for that particular volume. Nomination AND actual routing instructions are stored for each meter/well that had volume activity during the month. All volumes sold can be tracked back to originating purchase points.
105.0	WASPResovedRouting	34,304	SQL Server	Routing	This table contains record entries that show the pool level calculated totals for all receipt and delivery points within the system. 'Common', 'Dedicated' and 'None' pools are aggregated and the total numbers stored here. Only 'Common' pool volumes and dollars represent the totals from more than one purchase point (shows weighted average pricing based on volumes purchased and/or transported).
D	ž				
<u> </u>	Subj ct Area	· · · · · · · · · · · · · · · · · · ·	·		
110.0	GCUser	27	SQL Server	Security	This table contains a single record entry per unique user (employee) on the system. The character based (up to 12 character) login ID AND an internal user id (integer) are unique keys to this table.
111.0	GCButton	58	SQL Server	Security	This table contains records that represent the system functions that have specific security rules associated with them on the system. For example a system function of 'DEALS' has been setup in order to define security relationships between users (GCUser table) and this function.
112.0	GCSecurity	1,548	SQL Server	Security	This table stores the relationships between users on the system (GCUser table) and the system function that they have access too (GCButton table). A specific access privilege is stored for each of these relationships (like READ ONLY, READ/UPDATE, READ/UPDATE/DELETE or SUPER).

Referring now to FIGS. 3A-3N, depicted therein are entity relationship diagrams that illustrate data relationships among tables and corresponding table entries used to implement the systems and methods that carry out the business process illustrated in FIG. 1. The database tables used logically categorized above into the above-identified nine (9) subject areas are maintained within data store 106 (FIG. 1), and are included among the files present on the attached compact disc, and are further defined in detail in FIGS. 3A-3N. Those skilled in the art will readily understand the data relationships among relational database tables as shown in FIGS. 3A-3N. Accordingly, for purposes of brevity, further comments about FIGS. 3A-3N have been omitted.

In addition to the tables described and specified in the tables listed above, the following table illustrates an inventory of the various database views that utilized by the systems and methods provided by the present invention.

20

25

5

10

15

<THIS SPACE LEFT BLANK INTENTIONALLY>

VIEW DESCRIPTIONS

Ref#	View Name	Description/Comments:
1.0	V_SearchOB	Provides a view to search the database stored procedures and triggers for specific text items. Used for assessing the impact of system changes.
2.0	VAccountingRevenueFeed	Database view (3 select UNION) used for creating OGSYS journal and rev nue receivable data.
3.0	VCompany	Display of company information (name, address, etc.)
4.0	Vcontact_Accounting	Display the accounting contact for a given company.
5.0	Vcontact_Admin	Display the administrative contact for a given company.
6.0	Vcontact_Control	Display the control contact for a given company.

Ref#	***************************************	Display the production
7.0	Vcontact_Production	Display the production contact for a given company. This is the contact used for Availability estimates/etc.
8.0	Vcontact_volconfirm	Display the contact responsible for confirming volumes within a given company. This is the contact used for volume confirmations in the 'Availability' phase.
9.0	VcontactFunction	Display a list of all contacts for a given company along with their respective functions (accounting, volume confirmations, etc.)
10.0-		Display name and addresses for contacts.
11.0		Display the engine start, effective and end dates for a given engine transaction id (based on the control of th
16.0 [⊆]		package). This view is used VERY LITTLE because of performance issues. Display list of daily volumes where the nomination volumes are different between two successive days.
17.0	VKTermination	Displays specific contract termination information.
18.Q≔	VlegDetail_MeterTotals	Display routing information summarized by meter.
19.0	VlegDetail_PipelineComparis on	Display routing information in a format that is used for the pipe/field comparison made. Head for
20.0	VlegDetail_PurchasePointTot als	reconciling fuel, gathering, transport, pvr, etc to pipe/field statements. Display routing information that shows total routing costs/etc for given purchase points (hop 0's).
21.0	VlegDetail_Summary	Displays routing information (automation for
22.0	VlegDetail_SummarySales	Displays routing information (summarized) for reporting purposes (purchase meters/wells only).
23.0	VMeterAllocations	Displays routing information (summarized) for reporting purposes (sales meters/wells only). This view is used to liet the
D D		This view is used to list the current meter/well allocations (based on effective date) for each given meter/well. These allocations are the accounting deck and purchaser id information, which can be different from month to month.
24.0		This view is used to list the current meter/well rates (standard pressure base, pipe/field pressure base, Btu factor, etc.) for each given meter/well. These rates can be different from month to month.
25.0	VOurContact_Accting	Display the current HEC contact for accounting information.
6.0	VOurContact_Prod	Display the current HEC contact for production information
27.0	VPackage_info	Displays current month relation concerning a package (includes contacts, names, phones, etc.).
28.0	VPrevGasMonthStuff	Displays current month volume totals versus previous month volume totals.
29.0	VprodConfirmLetters	Display contact information for use with correspondence on production volumes. Specifically used in the confirmation process in the 'Availability' production month phase.
30.0	Vprodinterest	Display a list of contracts and meters to confirm the production interests. This is used primarily in the 'Availability' production month phase.
1.0	VRequestProduction	Display list of production interest volume and meter information. This is used primarily in the 'Availability' production month phase and is used when sending out estimate reports to producers.

10

15

20

25

30

Once all software and data as described above has been properly installed on one or more server systems 102 and within one or more coupled (networked) client systems 104 as illustrated in FIG. 1, use and operation of the systems and methods provided by the present invention may be commenced. Such operations may be in relation to the general use application (Energy Management System - EMS) or the limited use/user/function application (Producer Control Console - PCC) provided on the attached compact disc. In either case, the present invention facilitates a client-server application environment that includes, among other things, a user interface that is pleasing to users and which permits easy and ready access to system functions and Such a user interface may be a graphical user interface or GUI that is configured to permit a user to engage in window-operations to bring about database operations that affect fuel deal data and the like in accordance with the present invention. Such a GUI is illustrated by way of screen shots (images of computer monitor screens) that are used to permit generation of, manipulation of, reporting of, and all other system operations relating to fuel deals and corresponding fuel deal data.

For example, reference is now made to FIGS. 4A-4Q which illustrate a data processing application running within a client system to facilitate at least some of the operations carried out to effect the business process illustrated in FIG. 1. FIG. 1, for example, represents an opening main menu screen through which a user may select "PERSONAL" operations related to setting up a personal profile to affect user-preferred presentation of data (e.g., name, screen colors, etc.). Additionally, a user may select "PRICE-INDEX" to affect fuel pricing and index related data. A user may select "COMPANY" to control lists of producers, and other related company entities. A user may select other options

10

15

20

25

30

corresponding to the steps involved and described with regard to the MONTH OF FLOW PROCESS illustrated and described with reference to FIG. 1.

The other screen shots shown in FIGS. 4B-4Q further illustrate specific features of the GUI that has been designed to facilitate the implementation of the systems and methods provided by the present invention. For the purpose brevity, further detailed comments related to such screen shots has been omitted.

SYSTEM IMPLEMENTATION AND FUNCTIONALITY

As noted above, the present invention utilizes stored procedures in the form of database management system procedures and functions which are executed server-side and client-side to facilitate the present invention's systems and methods. Listed in the following tables, is a detailed break-down of all the stored procedures, tools, and modules used to facilitate such systems and methods. The actual source code and instructions contained with in such procedures, functions, and modules is contained on the attached compact disc.

STORED PROCEDURES

Below is an inventory of the various database-stored procedures (procedures and functions) that are utilized by the systems and methods provided by the present invention. Each of the stored procedures and functions are written in the Transact-SQL dialect. All of the stored procedures are prefixed with "usp_" which stands for "User Stored Procedure." This provides an ability to differentiate those procedures bundled with the DBMS versus those created for the systems and methods provided by the present invention:

STORED PROCEDURES

Below is an inventory of the various database-stored procedures (procedures and functions) that are utilized by the En rgy Management System. Each of these stored procedures and functions are written in the Transact-SQL dialect. All of the stored procedures are prefixed with "usp_" which stands for "User Stored Procedure". This provides an ability to differentiate those bundled with the DBMS versus those specifically created for the EMS application.

Ref#	Stored Procedure Name	Description/Comments:
1.0	Usp_DailyCleanup	This procedure is run everyday and is responsible for any cleanup activities (like rolling aged messages off the ApplicationMessages table).
2.0	Usp_fGetCalcindex	Retrieves the weighted average price for a given volume item. This routine is invoked during the WASP calculation in order to obtain the price for the meter/well and post it to the Engine database table.
3.0	Usp_fGetIndex	Retrieves the daily or monthly price index for a given day. Used during the pricing calculation routine.
4.0	Usp_fGetIndexBasket	Retrieves and calculates the index amounts for the price lines whenever an index basket price variable has been entered. This particular function will return the average price (simple average) of all indices within the basket for a given month/day.
5.0 	Usp_fGetNetbackPercentage	This function will return the actual netback percentage to be used for a given production month and contract. When it calculates the netback it looks at volumes and tier instructions that have been setup on the contract. The numb r it returns is the netback percentage to utilize. In addition, this routine brings back the specific percentage to use for the product being calculated (gas, liquids, oil, etc.).

Ref#	Stored Procedure Name	Description/Comm nts
6.0	Usp_fGetProdInterestID	This routine brings back the production in sest information for a particular ownership interest.
7.0	Usp_fGetProdPkg	This procedure brings back the 'deal id' (if one already exists) when posting volumes through the 'Availability' screens. If a deal does not already exist (in the current production month) then a new deal is created and that ID is sent back.
8.0	Usp_fGetWASPIndicator	This function accepts a deal id (package ID) as it's input. It then reads the DealClass table and the rDealClass table(s) to determine if this particular deal should be considered WASPable based on its classification scheme. The return values are either 'None', 'Common' or 'Dedicated'.
9.0	Usp_fGetWaspType	This procedure will send back the WASP type field (GAS, OIL or LIQUIDS) when passed a specific product ID. This procedure is used during the calculation in order to determine which set of netback rules off a contract to use.
10.0	Usp_flsLastDay	This procedure accepts a date and sends back the last date in a production month.
11.0	Usp_fLastDay	This procedure accepts a date and sends back the last date in a production month.
12.0	Usp_fPipeContactInfo	This procedure, when passed a pipe/field id, will send back the specific contact information requested (like accounting contact, volume contact, etc.).
_13.0	Usp_GasDayToGasMonth	This function will return the production month to use for a given production day.
14.0	Usp_GetProductVolumeRound	This routine will return the rounding precision necessary when calculating volume information for specify products (Oil calculates to 2 decimal places, Gas to zero, etc.).
15.0	Usp_LinePrice	This is the actual procedure that will calculate the Engine records for a given deal (volume related STID 8 or 9 type records).
16.0	Usp_message	This routine handles all of the 'progress' messages that are issued during the calculation, rollover, actualization, and etc. type events on the system. This routine will optionally post this information to the ApplicationMessages table for
17.0		historical reference (audit).
18.0	Usp_pActualize_BalPurchases Usp_pActualize_BalPurchasesCheck	This is the main driver routine for Step 2 of 4 of the actualization process.
		This routine will check to see if all of the meters/wells on a given pipe/field have been actualized. If not, then it sends back a bad return code. All meters/wells are required to be 'checked' (actualized) prior to balancing of purchase routing points.
19.0	Usp_pActualize_Ba!PurchasesClear	This routine is the actual routine that will adjust all purchase meter imbalances. These imbalances are adjusted forward THROUGH the sales point based on nomination routing instructions (used as a map).
20.0	Usp_pActualize_BalSales	This is the main driver routine for Step 3 of 4 of the actualization process.
21.0	Usp_pActualize_BalSalesCheck	This routine will check to see if all of the purchase meters/wells routing balances (from step 2 of 4) are balanced. If any meter/well on the pipe/field is out of balance then this routine sends back a bad return code. All meters/wells on the pipe/field are required to be 'balanced' prior to balancing of the sales points.
22.0	Usp_pActualize_BalSalesClear	This procedure is the final procedure invoked by the usp_pActualize_BalSales main driver procedure. It is responsible for posting imbalance amounts to the internal clearing purchase or sales deals.
23.0	Usp_pActualize_BalSalesOver	This procedure attempts to reconcile any outstanding balances that result in OVER supplying of volume to a particular sale. Nomination information is used by this routine as a 'road map' on how to allocate this volume.
24.0	Usp_pActualize_BalSalesUnder	This procedure attempts to reconcile any outstanding balances that result in UNDER supplying of volume to a particular sale. Nomination information is used by this routine as a 'road map' on how to allocate this volume.
25.0	Usp_pFillIndex	This procedure will initialize the records within the 'GCIndex' table with daily entries (for daily indices) and monthly entries (for monthly indices). The monthly record entries are only on the first day of the month.
26.0	Usp_pFillIndexSingle	This procedure will populate the 'GCIndex' table with a price index entry for a SINGLE index.
27.0	Usp_pGasinvD_Fill	This routine initially populates the daily volumes on the GasInvD table. These are initially populated with zeros (anytime a meter/well is added to a deal).
28.0	Usp_pGasInvD_NomEOM :	This routine is used in the 'Availability' area of the EMS system and is used to take a given volume amount and propagate that volume amount to all days in the month.
29.0	Usp_LogAuditInfo ,	This routine is used to post record to the audit table within the system.
30.0	Usp_pPackageRevision	This routine is used to increment the revision number field on the deal. Certain types of changes to a deal will automatically increment the revision number on a deal and this update is done through this routine.

Ref#	Stored Procedure Name	Dece-14-10
31.0	Usp_pPostClassificationRules	Description/Comm nts
31.0	Osp_prostciassification/dies	This procedure is executed (usually by triggers on the rDealClass and
		rDeaiClassA tables). It can be executed stand-alone. This procedure will
		ensure that a record is created in the rDealClassRules table for eviry
32.0	Usp_ProdPush	combination of deal classification codes (dcA values on the rDealClassA table).
32.0	CSP_FIOUFUSII	This routine is used in the 'Availability' phase of EMS and is used to initially
33.0	Usp_pPushMeter	populate a particular month with ownership interest information, by meter/well.
33.0	Osp_prositiviete:	This routine is used in the 'Availability' phase of EMS and is used to populate a
	·	single meter/well ownership interest to its respective deal (package) and volum
34.0	Usp_pRouteBuildLegHistory	inventory item (GasInv/GasInvD).
34.0	Osp_prodice discrete	This routine creates the 'Leg' records for a given meter/well. When a new 'route'
		(LegRef) is defined on the system then this routine will get invoked to initially
35.0	Usp_pRouteBuildLegHistoryAll	seed the 'Leg' table with entries in order to allow routing.
1 30.0	Osp_prouteboudesgrastory	This routine gets invoked when a production month is initially opened to the
		'Sales' phase. All ACTIVE meters and legs will have their respective 'Leg' table
36.0	Usp_pRouteCopyLegHistoryActuals	records populated for that production month by this routine.
00.0	Oap_probleOopyCegristory/Codes	This routine gets invoked when the status of a production month changes from
		'Sales' to 'Invoiced'. All nomination routine instructions (in the 'LegDetail' table)
		are then copied by this routine. This provides the mechanism to have actuals
37.0	Usp_pRoutePostChange	different than noms while preserving the nom instructions.
3		This procedure gets invoked whenever a change to a specific route is requested (i.e. modifications of volumes between hops).
38.0	Usp_pRoutePostDeailnfo	This procedure gets invoked to 'seed' the 'LegDetail' table with routing
55.5	COP_PICORCI COLDORNIIO	information. This is invoked when new meters/wells are added to deals.
39.0	Usp_pRoutePostDeaiInfoVols	This procedure gets invoked to populate the specific volumes on each of the
1		I has procedure gets invoked to populate the specific volumes on each of the
40.0	Usp_pRoutePostDelete	'LegDetail' entries (daily) for deal inventory items. This procedure gets invoked whenever a deletion is requested on the routing
		(LegDetail) information.
41.0	Usp_pRoutePostLegRates	This procedure gets invoked in order to post the rates (fuel, pvr, transport,
		gathering, etc) to each of the 'LegDetail' records in the database. Daily rates
	1	(LegD table) overrides monthly rates (Leg table) and this procedure ensures that
1	γ; ≈4	priority. If a rate gets changed for a leg this routine gets invoked to update all
1	≠ i •	existing routes (LegDetail) records.
42.0	Usp_pRoutePostSale	This procedure gets invoked in order to post volume (route it) to a sales item (in
	±.	the LegDetail table).
43.0	Usp_pRoutePostTransport	This procedure gets invoked in order to post volume (route it) to a transportation
L #		point (in the LegDetail table).
44.0	Usp_pRouteRemoveLegDetails	This routine will remove any/all 'LegDetail' (routing instructions) when a
		meter/well for a specific deal is removed.
45.0	Usp_pSERPT_GetAdditionalReportInfo	This routine is used by all of the 'standard' reporting procedures to obtain
4		specific report fields needed when running a standard report.
46.0 f	Usp_pSERPT_PostReportToCorrespondence	This routine will post a 'PackageCorrespondence' table record to a particular
1		deal that is affected by the 'standard' report being run. This routine is called by
		all standard report routines.
47.0	Usp_pSERPT_PostReportToDistribution	This routine will post a report distribution request to the SERptsQueueDistribute
		table. This is either a request to 'PRINTER', 'EMAIL' or 'FAX'.
48.0	Usp_pSERPT_PostReportToQueue	This routine is used by all of the standard report routines and will post an actual
		report request (queue item) to the SERptsQueue table.
49.0	Usp_pSERPT_RunReportAvailConfirms	This routine is responsible for running the 'Availability' confirm reports.
50.0	Usp_pSERPT_RunReportAvailEstimates	This routine is responsible for running the 'Availability' estimate reports.
51.0	Usp_pSERPT_RunReportDealConfirm	This routine is responsible for running the deal confirmation reports (from the
		deal detail screen on EMS).
52.0	Usp_pSERPT_RunReportInvoice	This routine is responsible for running all standard invoice reports.
53.0	Usp_pSERPT_RunReportRemittance	This routine is responsible for running all standard remittance reports.
54.0	Usp_pSERPT_RunReportVoucher	This routine is responsible for running all standard voucher reports.
55.0	Usp_pSERPT_SetAParameterBoolean	This routine is used by the standard reporting routines and converts Boolean
	<u> </u>	parameters for posting on the report queue (SERptsQueue) table.
56.0	Usp_pSERPT_SetAParameterDate	This routine is used by the standard reporting routines and converts date and
<u> </u>		date/time parameters for posting on the report queue (SERptsQueue) table.
57.0	Usp_pSERPT_SetAParameterDecimal	This routine is used by the standard reporting routines and converts decimal
	,,	(number) parameters for posting on the report queue (SERptsQueue) table.
58.0	Usp_pSERPT_SetAParameterInteger	This routine is used by the standard reporting routines and converts integer
		number parameters for posting on the report queue (SERptsQu u) table.
59.0	Usp_pSERPT_SetAParameterString	This r utine is used by the standard reporting routines and converts string
		parameters for posting on the report queue (SERptsQueue) tabl .

Ref#	Stored Procedure Name	Description/Comments:
60.0	Usp_pSERPT_WhichReport	This routine is used by the standard reporting routines and is responsible for
	-	determining WHICH report to use. The default reports are in KreportDefaults
		table. How ver, any given contract can override the default (KreportOv rrides
		table).
61.0	Usp_PSPrice	This is the main pricing routine for the volume inventory items (regular
		purchases and sales).
62.0	Usp_PSPriceAll	This is the main procedure for calculating the prices for a given month on a set
1	•	of deals (volume inventory pricing, STID 8 & 9). Parameters to this stored
1		procedure dictate the type of price to calculation (Nom or Pipe/Field Actual and
		Sales versus Purchase, etc.).
63.0	Usp_PSPriceAnyNewInvoicesNeeded	This routine is responsible for assigning new invoice and remittance numbers to
		the volume inventory table (Gasinv). If new meters/wells (volume entries) get
1	,	entered during the actualization process then this routine will ensure they are
		assigned unique numbers.
64.0	Usp_PSPriceAssignInvoiceNo	This routine assigns invoice numbers to all sales deals when the production
GE O	Hon OSDring Auto	month is promoted to the 'Invoiced' phase.
65.0	Usp_PSPriceAuto	This procedure run everyday and checks for any production month either in the
		'Sales' or the 'Invoiced' phase. If any production months are within these
		phases then this procedure will invoke the calculation routine
66.0	Usp PSPriceAutoMonth	(usp_osPriceAutoMonth) for them. This is the main driver routine for the calculation of an entire month.
67.0	Usp_PSPriceComponentsCheck	
55		This procedure will automatically insert system generated price components (like WASP or Netback Percentage) to the Engine Master table. It is invoked by the
1.		usp_PSPricel procedure when calculating prices on a deal for a given month.
68.0	_Usp_PSPriceCost	This is the routine that calculates the 'Other Cost' entries and posts calculated
		results in the Engine table.
69.0	Usp_PSPriceCostAll	This is the main driver routine for looping through all of the 'Other Costs' in a
		given month and invoking the usp_PSPriceCost routine for each one.
70.0	_Usp_PSPriceCreateActualEntries	This procedure copies the pricing entries setup on each deal
<u> </u>		(Engine_MasterPrice) from nom to actuals.
71.0	Usp_PSPriceMarkActualAdjustments	This procedure gets invoked by the calculation routine to mark any volume
ĺ		inventory item (Gasinv) whenever a difference is detected between nominations
<u></u>	1.	and actuals.
72.0	Usp_PSPricePopulateEngine	This procedure will populate the Engine table FROM the Engine_Master table.
1	<u>_</u>	For daily index price entries this procedure will automatically propagate the daily
1	<u>.</u>	index price to all days of the month where there is a volume (at least until a n w
73.0	∰ ≟ Usp_PSPriceTransportAll	pricing entry is found). Only volume entries are populated here (STID 8 & 9).
73.0	Day_Fartice Hallaholivili	This routine calculates all of the transport costs for a given production month. These transport costs (and volumes) are posted in the Gasinv (pricetype=3)
1		table and deals are posted (if needed). These deals are tagged with the specific
	F	transport contract.
74.0	Usp_PSPriceWASPCalc	Determines and resolves all wasp 'Common' and 'Dedicated' pools. Dedicated
		pools are sanctioned sales. This is the main driver procedure for the wasp
}	l ·	portion of the calculation. Third party (pool = 'None') are also processed within
		this procedure but not for the intent of obtaining a price for them, totals used
		primarily for profit margin reporting.
75.0	Usp_PSPriceWASPCalcResolveDriver	This is the main driver component for driving the WASP calculation.
76.0	Usp_PSPriceWASPCalcResolveN	Traces back sales totals from all sales meters back to their originating purchase
1		points. The table updated here is the WASPResolvedRouting table. The
		'LegDetail' table is used extensively in this calculation. This is a highly
		ITERATIVE process.
77.0	Usp_PSPriceWASPCalcResolveSalesN	This procedure creates the entries in the WASPResolvedRouting table and
		posts original sales volumes and amounts. This is done just prior to the routine
70.0	Her Oppier MACOC-1-C-1-C-1	that resolves these sales totals back to the purchase points.
78.0	Usp_PSPriceWASPCalcSalesN	Sums all WASPable sales by sales meter into the WASPSalesMeterTotals tabl .
79.0	Usp_PSPriceWASPClearMonth	This routine runs when a production month is promoted to 'Completed' phase.
I		Any volume inventory items (Gasinv and/or GasinvD) or routing items
	·	(LegDetail) that contain zeros are removed so that only relevant information is
80.0	Usp_PSPriceWaspDivieOutProceedsN	stored in the database for historical purposes. This procedure is the main procedure that will distribute the proceeds from those
00.0	OSH_LOLINGAAGShniaigonn_ioregasia '.	deals that have been designated to have their respective proceeds from those
İ	`	via the 'Financial Overrides' setup on the deal.
81.0	Usp_ProdVolSet	This routine is used in the 'Availability' phase to setup the own rship interest on
		a particular pipe/field and meter. ProdSum and ProdVol tables for the current
<u> </u>	<u></u> _	production month are populated with this procedure.

Ref#:	Stored Procedure Name	Description/Comm nts:
82.0	Usp_ProdVoiS tAll	This routine is used in the 'Availability' phase to setup the ownership interest on all pipe/fields and m ters. This routin invokes the usp_ProdVolSet routine for each meter/w in the loop.
83.0	Usp_PSRollover	This routine gets invoked when a production month goes from 'Availability' to 'Sales' and is responsible for copying deal information month-to-month.
84.0	Usp_PSRoilov rPopActuais3	This routin gets invoked by the usp_PSRollover routine and is responsible for populating noms with previous 3 months actuals numbers (primarily used for Oil).
85.0	Usp_PSRolloverPopNoms	This routine gets invoked by the usp_PSRollover routine and is responsible for populating noms with previous months nom numbers.
86.0	Usp_pStatusChanged	This routine gets invoked anytime the production month status is changed (Initial, Availability, Sales, Invoiced, Accounting, Completed). Other routines are invoked depending on the from and to status for the production month.
87.0	Usp_w.*	Any stored procedure that begins with Usp_w_ has been setup as a one time only procedure that is used to correct any database items/etc. These procedures can be permanently deleted and have no impact on existing functions within EMS.

Application Software

TECHNICAL SKILL SET REQUIRED

Support and maintenance of the Energy Management System requires the following technical skill set.

Ref # Skill Set	Used For
1.0 USQL-Server (Transact SQL)	All data is stored in MS SQL-Server database tables. This data is accessed via direct SQL statements (embedded in windows applications, stored procedures and reports). There are several database views that have been setup to access aggregated information (for performance and consistency). In addition all of the critical calculations and time consuming procedures (lik the main EMS calculation, routing and rollover process) are written as Transact-SQL stored procedures (and documented in this manual).
2.0 i Delphi (V5 +) (Includes Delphi 3 rd party too	All client applications are written using this particular RAD tool. In addition to knowing the
3.0 Crystal Reports (V8.0)	All reporting within EMS is done utilizing this tool from Seagate software.
F72 12	

CLIENT: SERVER APPLICATIONS W/TOOLS UTILIZED

This particular section contains the high level documentation relative to the Energy Management System software application. Each item documented is uniquely numbered to aid in reviews and/or future modifications.

Rf#	Item	Response	Comments
1.0	Client Application	Energy Management System	The Energy Management System is written in Delphi 5 (service pack 3 applied). Third party controls and components were used in the development. See other areas of this matrix for 3 rd party tools utilized.
2.0	Client Application	Producer Control Center	The Producer Control Center is written in Delphi 5 (service pack 3 applied). Third party controls and components were used in the development. See other areas of this matrix for 3 rd party tools utilized. This application provides a restricted view of information specific to the company/contact that is running the application. The data viewed is the same data that is maintained in the EMS system.
3.0	Server Application	Software Exp. rts, Inc. SECrystal (V8.00)	All reporting done within EMS utilizes Crystal reports. This server application runs and stores all output reports for the system. Besid s storing an electronic copy of the report, this server can distribute to a printer, fax folder OR an email address if instructed by the EMS application.
4.0	Server Application	Software Experts, Inc. SEFax (V2.00) (outbound faxing)	Some output reports (from SECrystal) are d signated to be faxed. This software is responsible for faxing all of the reports that were designated by EMS to be faxed.

Ref#	item .	Response	Comments:
5.0	Server Application	Software Experts, Inc. SEServer (V2.00g) (database request server)	All database requests for the Energy Management System AND the Producer Control Center go through this database serv r component. This serv r application typically runs on the same machine as the actual database.
6.0	3 rd Party Tool/Library	Adobe Acrobat Reader (V4.0 +)	This fre tool is used to view reports from EMS. The default for all reports is to print them to a PDF format. This output format is 'overrideable' by the user when the report is submitted. Other formats like Excel, Word, Text, etc. are also supported.
7.0	3 rd Party Tool/Library	Seagate Software Crystal Reports (V8.00)	All reports are written using the Crystal reporting tool from Seagate Software). In addition, the report server (SECrystal) utilizes the main Crystal reporting FREE runtime libraries to run these reports for all EMS client requests.
80	3 rd Party Tool/Library	Dalco Technologies DbOvernet (V200)	Delphi VCL components that provide internet (TCP/IP) access. The SEServer application utilizes this middleware.
9.0	3 rd Party Tool/Library	TurboPower Software Asynch Pro (V3.04)	The SEFax fax server application utilizes this 3 rd party Delphi VCL component list for sending and/receiving faxes. The SECrystal reporting server application uses this library to write out 'fax ready' files.
10.0	3 rd Party Tool/Library	TurboPower Software Orpheus (V3.08)	Many of the online screens for all client and server applications utilize the Orpheus controls for screen grid lists, combo boxes, etc. The server applications were written with this tool set also.
11.0	3 rd Party Tool/Library	TurboPower Software SysTools (V3.02)	Many of the online screens for all client and server applications utilize the SysTools components for string manipulations, spawning tasks, etc.
]3' [©] Paπy Tool∕Library]]	Woll2Woll Software InfoPower 2000.17	Many of the online screens for all client and server applications utilize these controls for screen grid lists, combo boxes, etc. The server applications were written with this tool set also.
	3' ^o Party Tool/Library	Inner Media Software Dynazip (V4.00)	These are Delphi software components that are for compression/decompression of files to and from the serv r. This is used by both the client and server applications.
	3 rd Party Tool/Library	Public Domain TEmail (V2.10)	This is a Delphi software component and is used by the client and server applications. It is responsible for the email interface.
	3 rd Party Tool/Library	TMS Software TwebUpdate (V1.00)	This is a Delphi software component that provides for 'over the internet' automatic software upgrades. The client applications each utilize this component.
16.0	3 rd Party Tool/Library	Skyline Software, Inc.: ImageLib Suite (V5.00)	These are Delphi software components that provide for graphic images displayed within the application. In addition, this software provides scanner input capabilities.

CLIENT APPLICATIONS, MODULE LIST/DESCRIPTIONS

This particular section contains the high level documentation relative to each software application module within the Energy Management System. Each item documented is uniquely numbered to aid in reviews and/or future modifications. The application reference listed below will either indicate EMS (Energy Management System) and/or PCC (Producer Control Center). This shows the level of interoperability between these two client applications. All of these modules are written in Delphi (Object Pascal, (Visual)).

Rf#	Module Name	Module Type	Application	Description/Comments:
1.0	DBAddress	Data Module	EMS PCC	This module contains all of the database communication components for the Address ('Company and Contact Addresses') table.
2.0	DBCommonDatabase	Data Module	EMS PCC	This module is responsible for setting all of the common properties for all other data modules within the system. Prior to invoking a query, all other database modules will invoke methods within this module to set communication ports, maximum number of records, etc. This module also stores the actual user id and contains methods for accessing this field.

Ref#	Madula Marra	- Cocinio so	1.4	
		Module Type		
3.0	DBCommonFil Operations	Data Module	PCC	This module handles all of the 'flat file' operations (compressing/decompressing/etc.) that is involved with the applications. Any temporary files that need to be created are also controlled by this data module.
4.0	DBCompany	Data Module	EMS PCC	This module contains all of the database communication components for the Company ('Company Information')
5.0	DBContactFunction	Data Module	EMS PCC	table. This module contains all of the database communication components for the ContactFunction ('Roles within their respective companies that contacts play") table.
6.0	DBContacts	Data Module	EMS PCC	This module contains all of the database communication components for the Contacts ('Individual contacts within companies') table.
7.0	DBContactGroup	Data Module	EMS PCC	This module contains all of the database communication components for the ContactGroup (Links contacts to groups they may be affiliated with) table.
8.0	DBContact_GroupNames	Data Module	EMS	This module contains all of the database communication components for the Contact_GroupNames (table contains a record for each group within the system) table.
9.0	DBEngine	Data Module	EMS	This module contains all of the database communication components for the Engine (contains transaction records for each volume inventory transaction item associated with
10.0	OBEngine_Master	Data Module	EMS	the deal) table. This module contains all of the database communication components for the Engine_Master (User enterable pricing area 'header' record) table.
11.0	OBEngine_MasterPrice	Data Module	EMS	This module contains all of the database communication components for the Engine_MasterPrice (User enterable pricing area 'detail' records (price tags)) table.
J	DBEngine_TransactionList	Data Module	EMS	This module contains all of the database communication components for the Engine_TransactionList (transaction descriptions) table.
13.0		Data Module	PCC	This module contains all of the database communication components for the ExceptionCategories ('Reasons for Exceptions') table.
14.0	DBExceptionList	Data Module	EMS PCC	This module contains all of the database communication components for the ExceptionList ('Actual Exception Events) table.
n a	DBGasinv	Data Module	EMS	This module contains all of the database communication components for the Gasinv (Volume Inventory 'header') table.
<u> </u>	DBGasinvO	Data Module	EMS	This module contains all of the database communication components for the GaslnvD (Volume Inventory Daily 'detail') table.
17.0	DBGCButton	Data Module	EMS PCC	This module contains all of the database communication components for the GCButton ('Business Functions') security table.
18.0	DBGCIndex	Data Module	EMS PCC	This module contains all of the database communication components for the GCIndex (Daily & Monthly Price Indices) table.
19.0	DBGCSecurity	Data Module	EMS PCC	This module contains all of the database communication components for the GCSecurity (Security Authorizations) for the applications.
20.0	DBGCUser	Data Module	EMS PCC	This module contains all of the database communication components for the GCUser (User Profiles) table within the applications.
21.0	DBImages	Data Module	EMS	This module contains all of the database communicatin components for the SEImages (company logos, etc.) table within the application.
21.0	DBIndexBasketLink	Data Module	EMS PCC	This module contains all of the database communication compon ints for the IndexBasketLink (Links actual indices to a particular basket) table within the application.
22.0	DBIndexBaskets	Data Module	EMS PCC	This module contains all of the database communication compon nts for the IndexBaskets (Grouping of Indices to be used in a 'simple' averaging calculation) table within the application.

Ref#	Module Name	dule Type	Application	Description/C
23.0	DBIndexRef	Data Module	EMS	This module contains all of the database communication
	Domidexive	Data Modele	PCC	components for the IndexRef (Each price index within the
			700	system contains a record entry h re) table within the
1				application.
24.0	DBK	Data Module	EMS	This module contains all of the database communication
			1	compon ints for the K (Contracts table within the
L			1	application).
25.0	DBKNetBack	Data Module	EMS	This module contains all of the database communication
1			j	components for the KNetBack (Contracts Netback
			.	Percentage Tiers) table within the application.
26.0	DBKNotes	Data Module	EMS	This module contains all of the database communication
1				components for the KNotes (Contract Notes) table within
37.0				the application.
27.0	DBKProducts	Data Module	EMS	This module contains all of the database communication
				components for the KProducts (products that are available
28.0	I DRICE- and Code with a	Doto Modula		within contracts) table within the application.
20.0	DBKReportDefaults	Data Module	EMS	This module contains all of the database communication
	1		ļ	components for the KReportDefaults (standard report defaults) table within the application.
29.0	DBKReportOverrides	Data Module	EVIC	
20.0	DUNNEHOROVERINES	Data Module	EMS	This module contains all of the database communication components for the KReportOverrides (standard report
		İ	1	overrides for a contract) table within the application.
30.0	DBKServices	Data Module	EMS	This module contains all of the database communication
				components for the KServices (services that are available
<u></u>	•		İ	within contracts) table within the application.
31.0	DBLeg	Data Module	EMS	This module contains all of the database communication
	+			components for the Leg (available routes and rates for the
	# ⁷ ₹2.			production month) table within the application.
32.0	DBLegD	Data Module	EMS	This module contains all of the database communication
[components for the LegD (available DAILY routes and
				rates for the production) table within the application.
33.0	DBLegDetail	Data Module	EMS	This module contains all of the database communication
F	4		İ	components for the LegDetail (specific routing instructions
[F 4		İ	for all volumes purchased and sold) table within the
34.0	DBLegRef □	Data Module	5346	application. This module contains all of the database communication
34.0	bolegker 	Data Module	EMS	components for the LegRef (master list of routes and rates)
₹		•		table within the application.
35.0	DBLocations	Data Module	EMS	This module contains all of the database communication
Ū			PCC	components for SELocations (locations) table within the
	1			application.
36.0	DBMessages	Data Module	EMS	This module contains all of the database communication
	# · · · · · · · · · · · · · · · · · · ·		PCC	components for the SEMessages (system messages) table
_ C				within the application.
37.0	[≞] DBMeter	Data Module	EMS	This module contains all of the database communication
<u> </u>	<u> </u>			components for the Meter/Well table within the application.
38.0	DBMeterAllocations	Data Module	EMS	This module contains all of the database communication
				components for the MeterAllocations (ownership interests
				in volume from a meter/well) table within the application.
39.0	DBMeterNotes	Data Module	EMS	This module contains all of the database communication
				components for the MeterNotes table within the
40.0	DRMotosCatas	Data Module		application.
+0.0	DBMeterRates	Data Module	EMS	This module contains all of the database communication
				components for the MeterRates (pressure base, Btu factor, etc. from a meter/well) table within the application.
41.0	DBMiscQueries	Data Module	EMS	This module contains all of the miscellaneous queries that
	, , , , ,	modele	PCC	were created to enable views of various tables within the
	•		. 55	application.
42.0	DBPackage	Data Module	EMS	This module contains all of the database communication
				components for the Package (Deals) table within the
		• • • • •		application.
43.0	DBPackageCorrespondence	Data Module	EMS	This module contains all of the database communication
				components for the PackageCorrespondence (lectronic
				copies of documents associated with deals) table within
I				the application.
		—·————————————————————————————————————		wie application.

	·			
_Ref #	Module Name	dul Type	Application	Description/Comments: (##2757%) ** *********************************
44.0	DBPackageCosts	Data Modul	EMS	This module contains all of the database communication
				components for the PackageCosts ('Other Costs'
		ł	1	
45.0	DBPipeField	Data Module		associated with deals) table within the application.
45.0	Doriperield	Data Module	EMS	This module contains all of the database communication
		İ		components for the PipeField (Pipe/Field information) table
	<u> </u>			within the application.
46.0	DBPriceComponents	Data Module	EMS	This module contains all of the database communication
		1	1	compon ints for the PriceComponents (tags to associate to
i	,		1 .	each portion of a price) table within the application.
47.0	DBPriceDesc	Data Module	EMS	This module contains all of the database communication
			LIVIO	
ĺ				components for the PriceDesc (Deal free form price
48.0	DBPrinterDef	Data Module		description) table within the application.
1 40.0	DBFIIIIteiDei	Data Middlife	EMS	This module contains all of the database communication
		1	1	components for the PrinterDef (printer definitions) table
10.0				within the application.
49.0	DBProcessingCodes	Data Module	EMS	This module contains all of the database communication
	·	1	PCC ·	components for the SEProcessingCodes (reference code
				description) table within the application.
50.0	DBProcessingCodeTyes	Data Module	EMS	This module contains all of the database communication
i			1 -	components for the SEProcessingCodeTypes (type codes
	ł		ľ	that classify sets of reference codes) table within the
İ	}		1	application.
51.0	OBPr ducerMessage	Data Module	PCC	This module contains all of the database communication
1				
		1	I	components for the ProducerMessage (dynamic messages
52.0	DBProdinterest	Data Module	1 51.5	posted to producers) table within the application.
J2.0	The state of the s	Data Module	EMS	This module contains all of the database communication
i	世	·	i	components for the ProdInterest (Availability royalty
	11			interests) table within the application.
53.0	DBProdPKG	Data Module	EMS	This module contains all of the database communication
i .	H			components for the ProdPKG (Availability deal ID to
	,t		ł	ProdVol cross reference) table within the application.
54.0	DBProdSum	Data Module	EMS	This module contains all of the database communication
İ		İ		components for the ProdSum (Availability summary totals
1		1		by meter/well) table within the application.
55.0	DBProdVol	l Data Module	EMS	This module contains all of the database communication
				components for the ProdVol (Availability detail owner
		į		interest totals by meter/well) table within the application.
56.0	DBrDeaiClass	Data Module	EMS	This module contains all of the database communication
			LIVIS	components for the rDealClass (All of the available deal
į	₽ •	1		
57.0	DBrDeaiClassA	Data Module	51.0	classifications) table within the application.
37.0	TODIDEAICIASSA	Data Module	EMS	This module contains all of the database communication
			[components for the rDealClassA (all possible answers
	•	1	ľ	available to the deal class rules (rDealClass table)) table
	<u></u>			within the application.
58.0	DBrDeaiClassRules	Data Module	EMS	This module contains all of the database communication
	}	1		components for the rDealClassRules (all rules associated
		ļ		with every combination of deal classification) table within
L		[the application.
59.0	DBrGasMonth	Data Module	EMS	This module contains all of the database communication
			PCC	components for the rGasMonth (an entry exists here for
		[. 55	every possible month within the system, with status
		ŀ		information) table within the application.
60.0	DBRptsControl	Data Module	EMC	
33.0		Care Module	EMS	This module represents the main driver module for
64.0	DRD ata Evanute d Class	Data Adaminta	PCC	submitting reports.
61.0	DBRptsExecutedStats	Data Module	EMS	This module contains all of the database communication
		1	PCC	components for the SERptsExecutedStats (Execution
				statistics for reports) table within the application.
62.0	DBRptsGroupitems	Data Module	EMS	This module contains all of the database communication
		1	PCC	components for the SERptsGroupItems (List of reports
				available within each tab/folder) table within the
				application.
63.0	DBRptsGroups	Data Module	EMS	This module contains all of the database communication
	• •		PCC	components for the SERptsGroups (List of all tabs within
		1		each reporting folder) table within the application.

Ref#	L Marinia Nama			
64.0	11100010 (10110	dule Type	Application -	Description/Companies
04.0	DBRptsItemDetail	Data Module	EMS	This module contains all of the database communication
			PCC	compon nts for the SERptsItemDetail (List of specific
		l]	reports available throughout all folders and tabs) table
CE O	1 200			within the application.
65.0	DBRptsitemParms	Data Module	EMS	This module contains all of the database communication
			PCC	components for the SERptsitemParms (List of all report
				parameters available to each specific report) table within
	<u> </u>			the application.
66.0	DBRptsQueue	Data Module	EMS	This module contains all of the database communication
			PCC	components for the SERptsQueue (actual report
	1	- 1		submission queue) table within the application.
67.0	DBRptsQueueDistribute	Data Module	EMS	This module contains all of the database communication
			PCC	components for the SERptsQueueDistribute (report
	1		1.00	distribution instructions area) table within the application.
68.0	DBRptsQueueNotify	Data Module	EMS	This module contains all of the database communication
•	, , , , , , , , , , , , , , , , , , , ,		PCC	components for the SERptsQueueNotify (report notification
			1.00	instructions area) table within the application.
69.0	DBRptsSchedule	Data Module	ENC	
		Para Module	EMS PCC	This module contains all of the database communication
			PCC	components for the SERptsSchedule (report schedule
70.0	DDBataCahaduladBasasa	l Doto 445		definition area) table within the application.
, 0.0	DBRptsScheduledReports	Data Module	EMS	This module contains all of the database communication
			PCC	components for the SERptsScheduledReports (reports
				belonging to schedule definition area) table within the
74.0	000			application.
71.0	DBRptsScheduleGroups	Data Module	EMS	This module contains all of the database communication
f	II.		PCC	components for the SERptsScheduleGroups (report
J				schedule groups definition area) table within the
Ą.				application.
72.0	DBRptsScheduleUserGroups	Data Module	EMS	This module contains all of the database communication
	<u> </u>	į į	PCC	components for the SERptsScheduleUserGroups (user list
1			1	belonging to a specific schedule group definition area)
¥	<u>.</u>			table within the application.
73.0	DBRptsTablesUsed	Data Module	EMS	This module contains all of the database communication
¥			PCC .	components for the SERptsTablesUsed (tables, views and
1	<u>a</u> _			stored procedures used by each report area) table within
	-			the application.
74.0	DBStoredProcedures	Data Module	EMS	This module contains all of the database communication
•			PCC	components for accessing and invoking all stored
#	1	j	. 55	procedures and functions on the application. Each of
I	•		1	these procedures are setup as methods within this class
1				and this particular class acts as a common wrapper for
Ŧ]		<u> </u>	invoking these OB procedures.
75.0	RTCrystalDriverParseMemo	Business Rules	ENE	
	i		EMS PCC	This module contains all of the string parsing routines used to store reporting parameters, formulas and selection
₹.	•			
76.0	PTDRAddman	Business Outs	ENG	criteria.
. 0.0	RTDBAddress	Business Rules	EMS	All business rules and edits associated with the application
]		1	PCC	addresses (Address table) are within this particular
77.0	OTORO	Dugi		module.
77.0	RTDBCompany	Business Rules	EMS	All business rules and edits associated with the application
1		1 '	PCC	companies (Company table) are within this particular
				module.
78.0	RTDBContactFunction	Business Rules		All business rules and edits associated with the application
			PCC	contact function (ContactFunction table) are within this
			The state of the s	particular module.
79.0	RTDBContacts	Business Rules		All business rules and edits associated with the application
ł				contacts (contacts table) are within this particular module.
30.0	RTDBContact_Group	Business Rules		All business rules and edits associated with the application
		1 .		contact group relationships (ContactGroup table) are within
81.0	PTDPContect Crountings	Business Cular		this particular module.
	RTDBContact_GroupNames	Business Rules		All business rules and edits associated with the application
		:		contact group names (Contact_GroupNames table) are
-		1	1	within this particular module.
-		D		
32.0	RTDBEngine	Business Rul s	EMS	All business rules and edits associated with the application
32.0	RTDBEngine	Business Rul s	EMS	All business rules and edits associated with the application engine pricing transaction (Engine table) are within this particular m dule.

Ref #	Module Name	ule Type	A	L Bassariation/Co.
83.0	RTDBEngine_Master	ness Rules	Application EMS	All business rules and edits associated with the application
			CIVIS	ngine pricing entry (Engine_Master table) are within this particular module.
84.0	RTDBEngine_MasterPrice	Business Rules	EMS	All business rules and edits associated with the application engine pricing components (w/price tags) entry (Engin _MasterPrice table) are within this particular module.
85.0	RTDBEngine_TransactionList	Business Rules	EMS	All business rules and edits associated with the application ngine transaction master list (Engine_TransactionList table) are within this particular module.
86.0	RTDBExceptionCategories	Business Rules	EMS PCC	All business rules and edits associated with the application exception categories (ExceptionCategories table) are within this particular module.
87.0	RTDBExceptionList	Business Rules	EMS PCC	All business rules and edits associated with the application exception list (ExceptionList table) are within this particular module.
88.0	RTDBGasinv	Business Rules	EMS	All business rules and edits associated with the application volume inventory transaction header (Gasinv table) are within this particular module.
89.0	RTDBGastnvD	Business Rules	EMS	All business rules and edits associated with the application volume inventory transaction detail daily (GasInvD table) are within this particular module.
90.0	RTDBGCButton	Business Rules	EMS PCC	All business rules and edits associated with the application business functions (GCButton table) are within this particular module.
91.0	RTDBGCIndex	Business Rules	EMS PCC	All business rules and edits associated with the application price indices (GCIndex table) are within this particular module.
92.0	BTDBGCSecurity	Business Rules	EMS PCC	All business rules and edits associated with the application security authorizations (GCSecurity table) are within this particular module.
93.0	RTDBGCUser	Business Rules	EMS PCC	All business rules and edits associated with the application users (GCUser table) are within this particular module.
94.0	ETDBImages	Business Rules	EMS	All business rules and edits associated with the application graphic images (SEImages table) are within this particular module.
95.0	FRTDBIndexBasketLink =	Business Rules	EMS PCC	All business rules and edits associated with the application index price basket link (IndexBasketLink table) are within this particular module.
96.0	ரிTDBIndexBaskets П	Business Rules	EMS PCC	All business rules and edits associated with the application index price baskets (IndexBaskets table) are within this particular module.
97.0	RTDBIndexRef	Business Rules	EMS PCC	All business rules and edits associated with the application price index master list (IndexRef table) are within this particular module.
98.0	RTDBK	Business Rules	EMS	All business rules and edits associated with the application contracts (K table) are within this particular module.
99.0	RTDBKNetBack	Business Rules	EMS	All business rules and edits associated with the application contract netback pricing tiers (KNetBack table) are within this particular module.
100.0	RTDBKNotes	Business Rules	EMS	All business rules and edits associated with the application contract free form note area (KNotes table) are within this particular module.
101.0	RTDBKProducts	Business Rules	EMS	All business rules and edits associated with the application contract products area (KProducts table) are within this particular module.
102.0	RTDBKReportDefaults	Business Rules	EMS	All business rules and edits associated with the application contract standard report defaults area (KReportDefaults table) are within this particular module.
103.0	RTDBKReportOverrides	• • • • •	EMS	All business rules and edits associated with the application contract standard report overrides area (KReportOverrides table) are within this particular module.
104.0	RTDBKS rvices	Business Rules	EMS	All business rules and edits associated with the application contract services area (KS rvices table) are within this particular module.

Ref#	" Module Mone			
105.0		ule Type	Application	Description/Col
103.0	RTDBLeg	Business Rules	EMS	All business rules and edits associated with the application
	· ·		1	leg (monthly) area (Leg table) are within this particular
106.0	I PTDDI			module.
100.0	RTDBLegD	Business Rules	EMS	All business rules and edits associated with the application
1 .	1		1	leg (daily) area (LegO table) are within this particular
107.0	I DTDD			module.
107.0	RTDBLegDetail	Business Rules	EMS	All business rules and edits associated with the application
ĺ				leg detail (main routing) area (LegDetail table) are within
100.5				this particular module.
108.0	RTDBLegRef	Business Rules	EMS	All business rules and edits associated with the application
				leg master list area (LegRef table) are within this particular
100.0	<u> </u>			module.
109.0	RTDBLocations	Business Rules	EMS	All business rules and edits associated with the application
			PCC	locations (SELocations table) are within this particular
J			1	module.
110.0	RTDBMessages	Business Rules	EMS	All business rules and edits associated with the application
1 .			PCC	messages (SEMessages table) are within this particular
	•		_	module.
111.0	RTDBMeter	Business Rules	EMS	All business rules and edits associated with the application
				meters (Meter table) are within this particular module.
112.0	RTDBMeterAllocations	Business Rules	EMS	All business rules and edits associated with the application
1	1			meter ownership allocations (MeterAllocations table) are
	1		1	within this particular module.
113.0	RTDBMeterNotes	Business Rules	EMS	All business rules and edits associated with the application
1				meter comment areas (MeterNotes table) are within this
•	-			particular module.
114.0	=RTDBMeterRates	Business Rules	EMS	All business rules and edits associated with the application
				meter rate areas (MeterRates table) are within this
<u> </u>	In			particular module.
115.0	RTDBPackage	Business Rules	EMS	All business rules and edits associated with the application
			- LIVIO	deals (Package table) are within this particular module.
116.0	RTDBPackageCorrespondence	Business Rules	EMS	
			CIVIO	All business rules and edits associated with the application deal correspondence (PackageCorrespondence table) are
L		1		within this particular module.
117.0	RTDBPackageCosts	Business Rules	EMS	All business rules and edits associated with the application
				deat 'Other Costs' (PackageCosts table) are within this
	# .			particular module.
118.0	RTDBPipeField	Business Rules	EMS	All business rules and edits associated with the application
			CINO	pipes/fields (PipeField table) are within this particular
<u> </u>	F . R :		· , '	module.
119.0	RTDBPriceComponents	Business Rules	EMS	All business rules and edits associated with the application
	Ш		-11.5	price components (PriceComponents table) are within this
			ļ	particular module.
	RTDBPriceDesc	Business Rules	EMS	All business rules and edits associated with the application
			EIVIS .	deal pricing free form text area (PriceDesc table) are within
		1	••	this particular module.
121.0	RTDBPrinterDef	Business Rules	EMS	All business rules and edits associated with the application
_			-1410	printer definitions (PrinterDef table) are within this
				printer definitions (PrinterDer table) are within this particular module.
122.0	RTDBProcessingCodes	Business Rules	EMS	
			PCC	All business rules and edits associated with the application
			700	processing codes (SEProcessingCodes table) are within
123.0	RTDBProcessingCodeTypes	Business Rules	ENC	this particular module.
	···· ··· ··· ··· ··· ··· ··· ··· ···		EMS	All business rules and edits associated with the application
			1	processing code types (SEProcessingCodeTypes table)
124.0	RTDBProdinterest	Rusinosa Cuta	- FMG	are within this particular module.
		Business Rules	EMS	All business rules and edits associated with the application
			ļ	'Availability' royalty interests (ProdInterest table) are within
125.0	RTDRRmdRVC		5110	this particular module.
120.0	RTDBProdPKG	Business Rules	EMS	All business rules and edits associated with the application
			1	'Availability' deal to ProdVol cross-reference (ProdPKG
128.0	BTDDD	2		table) are within this particular module.
128.0	RTDBProdSum	Business Rul s	EMS	All business rules and edits associated with the application
]	1	'Availability' monthly meter summary (ProdSum table) are
127.0	0770	<u> </u>		within this particular module.
127.0	RTDBProdVoi	Business Rul s	EMS	All business rules and edits associated with the application
			ļ	'Availability' monthly ownership volume (ProdVol table) are
L		<u>!</u>	i	within this particular module.

D-7 #	1 20 - 1 1 - 1			
Ref #	TOTAL TOTAL	Module:Type	Application	Description ments:
128.0	RTDBrDealClass	Business Rules	EMS	All business rules and edits associated with the application deal classification options (rDealClass table) are within this particular module.
129.0	RTDBrDeaiClassA	Busin ss Rules	EMS	All business rules and edits associated with the application deal classification answers (rDealClassA tabl.) are within this particular module.
130.0	RTDBrDealClassRules	Business Rules	EMS	All business rules and edits associated with the application deal classification wasp rules (rDealClassRules table) are within this particular module.
131.0	RTDBrGasMonth	Business Rules	EMS PCC	All business rules and edits associated with the application production month (rGasMonth table) are within this particular module.
132.0	RTDBRptsExecutedStats	Business Rules	EMS PCC	All business rules and edits associated with the application execution statistics for reporting (SERptsExecutedStats table) are within this particular module.
133.0	RTDBRptsGroupitems	Business Rules	EMS PCC	All business rules and edits associated with the application tab items for reporting (SERptsGroupItems table) are within this particular module.
134.0	RTDBRptsGroups	Business Rules	EMS PCC	All business rules and edits associated with the application tabs for reporting (SERptsGroups table) are within this particular module.
135.0	RTDBRptsitemDetail	Business Rules	EMS PCC	All business rules and edits associated with the application report files used for reporting (SERpts/temDetail table) are within this particular module.
136.0	RTDBRptsitemParms	Business Rules	EMS PCC	All business rules and edits associated with the application report file parameters used for reporting (SERptsitemParms table) are within this particular module.
138.0	RTDBRptsQueue	Business Rules	EMS PCC	All business rules and edits associated with the application report submission queue used for reporting (SERptsQueue table) are within this particular module.
That'r Thair T	RTDBRptsQueueDistribute	Business Rules	EMS PCC	All business rules and edits associated with the application report queue distribution options used for reporting (SERptsQueueDistribute table) are within this particular module.
oner to the	RTDBRptsQueueNotify	Business Rules	EMS PCC	All business rules and edits associated with the application report queue submission notifications used for reporting (SERptsQueueNotify table) are within this particular module.
141.0	RTDBRptsSchedule	Business Rules	EMS PCC	All business rules and edits associated with the application report schedules used for reporting (SERptsSchedule table) are within this particular module.
142.0	RTDBRptsScheduledReports	Business Rules	EMS PCC	All business rules and edits associated with the application report schedule actual reports used for reporting (SERptsScheduledReports table) are within this particular module.
143.0	RTDBRptsScheduleGroups	Business Rules	EMS PCC	All business rules and edits associated with the application report schedule groups used for reporting (SERptsScheduleGroups table) are within this particular module.
144.0	RTDBRptsScheduleUserGroups	Business Rules	EMS PCC	All business rules and edits associated with the application report schedule users (in groups) used for reporting (SERptsScheduleUserGroups table) are within this particular module.
145.0	RTDBRptsTablesUsed	Business Rules	EMS PCC	All business rules and edits associated with the application report tables used for reporting (SERptsTablesUsed table) are within this particular module.
146.0	RTM ssageStackClient	Business Rules	EMS PCC	This particular module is responsible for maintaining the current list of messages that will be displayed to the user. This module will provide for the storing of up to 50 messages (in memory tables) in between enter button or mouse clicks. This provides for any/all error messages
147.0	FmAbout	Form	EMS	concerning a specific event to be displayed at once versus one at a time. This form provides descriptive information about the
			PCC	application (version number, copyright notice, email and website support links, etc).

Ref	Module Name	Module Type	Application -	Description/Comments
148.0	FmActualizePurchases		EMS	This form provide method for performing (Step 2 of 4) of the actualization cess within EMS.
149.0	FmActualizeSales	Form	EMS	This form provides the method for performing (Step 3 of 4) of the actualization process within EMS:
150.0	FmAddressDetail	Form	EMS	This form provides for the updating of addresses for contacts and companies. The table that gets updated behind the scenes is the Address table.
151.0	FmAddressList	Form	EMS	This form provides a list of all available addresses that have already been setup for a company. Options on this form include an ability to change, add or delete address lines from the list.
152.0	FmBusinessFunctionsDetail	Form	EMS	This form provides for the updating of the business functions that are available within the Energy Management System AND the Producer Control Center. The table that gets updated (behind the scenes) is the 'GCButton' table.
153.0	FmBusinessFunctionsList	Form	EMS	This form provides a list of all available business functions that are currently within the Energy Management System AND the Producer Control Center. Options exist here to add, change and delete business functions. Each of these business functions represent areas within the application for setting system security.
154.0	FmCommon	Form	EMS PCC	This form provides for all of the common properties used by all forms. This form can be accessed via the main menus by selecting system properties. All of the color schemes, graphic images, etc. that are used by the system are included on this form. At runtime, all other forms within the system will invoke public methods within this form to set their respective screen fields.
	FmCompanyDetail	Form	EMS	This form provides the mechanism for updating detail information pertaining to a specific company. This includes identification of a primary company address.
156.0	∐FmCompanyList □	Form	EMS	This form provides a grid list of all companies that are currently stored on EMS. Options on this form include extensive lookup and tab options.
157.0	FmContactDetail	Form	EMS	This form provides the form for updating detail information about a contact at a particular company. This includes group memberships, functions, etc.
158.0	_FmContactFunctionDetail	Form	EMS	This form provides the mechanism for associating a contact within a company to a specific job function at that company (i.e. Accounting, production. etc.).
159.0	FmContactGroupDetail	Form	EMS	This form provides the mechanism for creating or updating contact groups on the system.
	FmContactGroupList	Form	EMS	This form lists all available contact groups on the system. Options on this form include the ability to add, change or delete a contact group.
	=FmContactList	Form	EMS	This for tists all contacts within all companies. Options on this form include an ability to add, change or delete a specific contact (with appropriate security). In addition, there are extensive data lookup capabilities.
162.0	fmContactSecurityAuth	Form	EMS	This form provides for the entry of external company security authorization rules (i.e. Enabling access to Producer Control Center, etc.).
163.0	FmContractDetail	Form	EMS	This form represents the detail form for entering contract specific information (netback pricing information, contract name, terms, provisions, etc.).
164.0	FmContractList	Form	EMS	This form provides a grid list of all existing contracts on the system. Options exist on this form to add, change or delete a contract. This form also includes extensive lookup and company letter tab's for searching all contracts.
165.0	FmDailyPrices •	Form	PCC	This form shows the graphs of the revenue detail information on the Producer Control Center.
166.0	FmDealClassificationUpdates	Form	EMS	This form provides the mechanism for changing any calculation rules associated with a given combination of deal classification codes. The WASP inclusion indicator is stored on this table.
167.0	fmDealCorrespondenceDetail	Form	EMS	This form provides an intry form for attaching electronic correspondence to a deal.

Ref#	Module Name	lodule Type	Application:	Description
168.0	FmDealCostsEntryDetail	Form	EMS	This form provides for the entry of 'Other Costs' associate with a particular deal.
169.0	FmDealDetail	Form	EMS	This is the main detail form that shows all of the information relative to a deat.
170.0	FmDealEntryNew	Form	EMS	This form represents a popup box that is displayed when a new deal has been requested. This box prompts the user for the type of deal (purchase or sale) and what product and service it is applicable toward.
171.0	FmDealList	Form	EMS	This form provides a listing of all 'Purchase' or 'Sales' deals within a given month on a grid. Options exist on this screen to add, change or delete a deal.
172.0	FmDealPrice	Form	EMS PCC	This is the form that is used whenever a user wants to calculate the prices for a given volume within a given month. The only options on this form are to 'Price All' and only for those production months and volumes that are applicable (based on monthly status).
173.0	FmDealPriceEntryDetail	Form	EMS	This is the main form for entering deal price information within the Energy Management System. The primary underlying tables that get updated include Engine_Master and Engine_MasterPrice.
174.0	FmException .	Form	EMS PCC	This form is invoked whenever a system exception occurs within the system. In order to complete the exception a particular user must have a 'Super ID' for the function and he/sho must provide an exception reason with a
	FmExceptionCategoriesDetail	Form	EMS	description. This form provides for a detail update screen to update reason code information for a given type of exception.
0	fmExceptionCategoriesList	Form	EMS	This form provides a listing grid of all reason code exceptions for a given type of exception.
	FmGraphicViewer	Form	EMS	This form provides an ability to view graphic images and/or scan in graphic images from a scanner. These images can be attached to a deal.
	fmGroupMemberDetail	Form	EMS	This form represents the detail form for associating a contact as a member of a specific group.
	-FmtmagesDetail	Form	EMS	This form represents the detail form used for posting updates to the application graphic images (logo's, etc.).
<u></u>	FmImagesList	Form	EMS	This form provides a list of all graphic images (logos) that are currently stored in the system.
	FmIndexBasketDetail	Form	EMS	This form provides a detail update screen to update index price basket information.
	FmindexBasketLinkDetail	Form	EMS	This form provides a detail update form to allow for the updating of index links to particular baskets.
Ħ	FmIndexBasketList	Form	EMS	This form provides a listing grid of all index baskets on the system.
	FmLegDailyDetail	Form	EMS .	This form provides the detail rate information associated with a daily leg rate (which overrides the monthly rate when setup on EMS).
	FmLegDailyList	Form	EMS	This form provides a listing of all daily rates that may be setup for a particular leg.
186.0	FmLegDetail ,	Form	EMS	This form provides the detail rate information associated with the a given leg, on a given production month within the system. Both nomination and actual rate information is available.
87.0	FmLegHistory	Form	EMS	This form provides a historical list of all monthly leg rates that have been established for a given leg.
	FmLegList	Form	EMS	This form provides a list of all legs on the system. Options exist from this screen to select and change (modify) the specific rate information about a leg.
	FmLegMonthlyView	Form	EMS ·	This form represents a 'view' form that provides a read- only view of all volumes transported in, out, sold and/or on balance for a specific meter.
	FmLegPurchaseLinkMonthlyView	Form	EMS	This form represents a 'view' form that provides a read- only view of all the purchase deals (volumes) that have been attributed to a selected sale.
191.0	FmLegPurchaseLinkView	Form	EMS	This form represents a 'view' form that provides a read- only view of all purchases linked to a specific sale on a given day.

				·
Ref#		odule Type-	Application	Description/C lents:
192.0	FmLegPurchasePointView	rom	EMS	This form represents a 'view' form that provides a read-
	1			only view of the originating (hop 0) information for any
				giv in volume that is displayed on the routing screen(s).
193.0	FmLegRoute	Form	EMS	This is the main routing screen. Options exist on this
} [1.			screen to select pipe/fields, days, noms or actuals, etc.
	1		[With appropriate security a person can transport and/or
				sell volume through this panel.
194.0	FmLegSale	Form	EMS	This form is used as a confirm form for posting volume
			•	balances to a sale.
195.0	FmLegSalesView	Form	EMS	This form represents a 'view' form that provides a read-
		ĺ		only view of all sales that exist on a given pipe/field for
L				either a single day or an entire month.
196.0	FmLegTransport	Form	EMS	This form is used as a confirm form for transporting
		ļ		volumes to other meters (pools). Options also exist on this
1.			-	form to selectively override transport, gathering, pvr or fuel
!L		ļ		rates associated with the transport.
197.0	FmLegChange	Form	EMS	This form is used whenever a request is made to change
.				the instructions (either volume or rates) on an existing
1				transport OR sale route item.
198.0	fmLegDelete	Form	EMS	This form is used whenever a routed volume (either
-				transported to a pool or posted to a sale) has been
1		İ		requested to be deleted.
199.0	FmLocationsDetail	Form	EMS	4
	,		EWI3	This form provides a detail update form to allow for the updating of location information. These location entries
	-			are used throughout the system (versus hardcoding
200.0	-fmLocationsList	Form	EMS	locations within the software).
	in the CaudinaList	Folini	EMS	This form provides a list form to allow for showing the
] .	1	į		location information. These location entries are used
	la		i i	throughout the system (versus hardcoding locations within
201.0	fmLogin	Form	Class	the software).
	Fig. (COR)	rom	EMS	This is the common login form used by the application(s).
			PCC	It provides the mechanism for authenticating users or
202.0	f fmLoginChange	Form	5110	company contacts upon entry into the system.
202.0		Folin .	EMS	This form provides the users of the system with the ability
203.0	mLookup	Form	5140	to change their login passwords.
200.0		Folin	EMS	This form provides a standard lookup dialog that allows for
1			PCC	queries to be run for nearly all other list forms within the
1	#1070 1-1-2			system. Most list screens provide a lookup button
204.0	[51.0	(binoculars) that will invoke this form.
204.0	fmMessageBox	Form	EMS	This form displays all system messages used within the
Į.	######################################		PCC	system. This particular form gets utilized by nearly all
				other form on the system. The messages displayed by this
	<u>_</u>	1]	form include all ERROR, CONFIRMATIONAL,
205.0	6-14-1-1			INFORMATIONAL and IN-PROCESS oriented messages.
· 4U3.U	fmMeterAllocationsDetail	Form	EMS	This form provides for an entry screen for entering
,				allocation companies and accounting cross reference deck
200.5				codes for a given meter/weil and effective date.
206.0	FmMeterDetail	Form	EMS	This form provides for a detail update form on meter/well
005.5				information within the system.
207.0	fmMeterList	Form	EMS	This form provides for a list form of all meters/wells within
200				the system.
208.0	fmMeterRatesDetail	Form	EMS	This form provides for an entry screen for entering rates
				(pressure base, Btu factor, pipe/field pressure base, etc.)
				for a given meter/well on a specific effective date.
209.0	FmMeterRevenue	Form	PCC	This form provides a meter/well form that shows graphic
<u> </u>				representation of calculated volumes and prices.
210.0	FmMeterTotalsView	Form	EMS	This form provides a 'view' which is a read-only view of all
	• •			the meter totals (actualized versus not actualized) for an
l		[entire month). A specific deal OR all deals within a month
		<u> </u>	1	can be viewed through this form.
1 211.0	FmMonthlyStatusDetail	Form	EMS	This form provides a screen for updating the detail
<u>, </u>		``		production month status information. This is where users
H				will go to change the status for each production month
<u> </u>				(depending on security level of the user).
				1

Ref#		Module Type	Application ·	Description/Comments:
212.0	FmMonthlyStatusList	Form	EMS	This form provides a grid list of all monthly status information (by status). Options exist here to invok the detail update screen to update monthly status information (with appropriate security).
213.0	fmN tBackTierDetail	Form	EMS	This form provides the detail form for updating the netback pricing tiers for a given contract. These tiers are referenced (for all WASP classified deals) during the pricing function.
214.0	FmOGISFeeds	Form	EMS	This form provides an entry form for specifying the parameters used to create the OGIS journal entry and revenue receivable accounting feeds. The actual text files are created from this form.
215.0	FmPickACompany	Form	EMS PCC	This form provides a common mechanism for displaying a list of companies to a user and having one of them selected and carried back to the requesting form.
216.0	FmPickAContact	Form	EMS	This form provides a common mechanism for displaying a list of contacts to a user and having one of them selected and carried back to the requesting form.
217.0	FmPickAContract	Form	EMS	This form provides a common mechanism for displaying a list of contracts to a user and having one of them selected and carried back to the requesting form.
218.0	FmPickADeal	Form	EMS	This form provides a common mechanism for displaying a list of deals to a user and having one of them selected and carried back to the requesting form.
	FmPickADealMeter	Form	EMS	This form provides a common mechanism for displaying a list of deal meters to a user and having one of them selected and carried back to the requesting form.
	FmPickALeg	Form	EMS	This form provides a common mechanism for displaying a list of leg (monthly routes) to a user and having one of them selected and carried back to the requesting form.
	FmPickALegRef	Form	EMS	This form provides a common mechanism for displaying a list of LegRef (master routes) to a user and having one of them selected and carried back to the requesting form.
	FmPickALegSale	Form	EMS	This form provides a common mechanism for displaying a list of sales points available for routing to a user and having one of them selected and carried back to the requesting form.
	jfmPickAMeter	Form	EMS	This form provides a common mechanism for displaying a list of meters/wells to a user and having one of them selected and carried back to the requesting form.
	FmPickAPipeline	Form	EMS	This form provides a common mechanism for displaying a list of pipe/fields to a user and having one of them selected and carried back to the requesting form.
225.0	fmPickAReport	Form	EMS	This form provides a common mechanism for displaying a list of reports to a user and having one of them selected and carried back to the requesting form.
226.0	FmPipeDetail	Form	EMS	This form provides the detail update form for updating pipe/field information on the system.
227.0	fmPipelineActuals	Form	EMS	This is the main form used for enter actual volumes for meters/wells on the system. The form includes a calculator function for propagating the volumes across all days for the highlighted meter/well.
228.0	fmPipeList	Form	EMS	This form provides the list form to show all pipe/fields currently defined within the system. Options exist on this form to add, update or delete a pipe/field.
229.0	FmPriceComponentsDetail	Form	EMS	This form provides the screen for updating the detail 'price tags' that have been setup on the system. These price tags allow us to identify the various portions of a sale or purchase price.
230.0	FmPriceComponentsList	Form	EMS	This form provides a grid list of all price components (tags) that have been setup on the system.

: Ref #	Module Name:	Module:Type:	Application	Description/Comments:
231.0	fmPriceIndexUpdates	Form	EMS	This form provides a list of all prices for the daily Index
		1		Prices. When entering this form the default date is set to
1			1	the current date. When prices are being entered on
		1	1	'Mondays' there is a 'copy to previous weekend' button
ŀ				which will allow for all prices to be propagated back to the
1				previous weekend. Monthly index prices are entered on
	1		1	day 1 only for a given month.
232.0	FmPriceIndicesDetail	Form	EMS	This form provides a screen for updating the price index
1	,			information on the database (IndexRef table). This
	1	1	1	includes display order, name, etc.
233.0	fmPriceIndicesList	Form	EMS	This form provides an 'updateable' grid list that shows all
}	1	1		price indices on the system. Options exist here to invok
<u></u>			1	the add/update function (fmPriceIndicesDetail).
234.0	fmPricesByIndexList	Form	EMS	This form provides a graphic and tabular view of index
<u></u>			PCC	prices for a given month.
235.0	FmPrinterDetail	Form	EMS	This form provides a detail entry form for updating the
	<u> </u>		1	printer information stored on the system.
236.0	fmPrinterList	Form	EMS .	This form provides a list form that shows all printers
		<u> </u>		currently defined on the system.
237.0	FmProcessingCodesDetail	Form	EMS	This form provides the detail form for updating a given set
			<u> </u>	of reference (processing codes).
238.0	FmProcessingCodesList	Form	EMS	This form provides the list form for showing all of the
	•	1		processing codes. Options exist on this form to add,
200.0				update or delete a given code.
239.0	FmProcessingCodesPick	Form	EMS	This form provides an ability to 'pick' a particular reference
240.5		 		code and send it back to the form that invoked the screen.
240.0	FmProcessingCodeTypesDetail	Form	EMS	This form provides the detail form for updating a given set
244.5				of processing code types (types of reference codes).
241.0	finProcessingCodeTypesList	Form	EMS	This form provides the list form for showing all of the
1	U			processing code types. Options exist on this form to add,
242.0		F		update or delete a given type.
242.0	FmProdVolCofirms	Form	EMS	This form provides the mechanism for recognizing volumes
	#* " = =]	that were returned by producers. In addition, options exist
243.0	_ FmProdVolHist	Form	C346	on this form to send out producer confirmations.
	= · ··································	Form	EMS	This form provides a history list of royalty and makeup
244.0	FmProdVolList	Form	EMS	percentage interests, by owner, for a given meter/well. This form provides the mechanism for entering initial
	U	' ' ' ' ' '	CIVIO	volumes (expected availability) from producers. Option
i			· · ·	exist on this form to send out producer availability estimate
	; = pa			reports.
245.0	EmReportDefaultsDetail	Form	EMS	This form provides a detail screen for setting up the default
•				reports that will be used by entity, product and service on
		[ĺ	the system. These reports include invoices, vouchers,
·				remittance, etc.
246.0	FmReportDefaultsList	Form	EMS	This form provides a list screen for showing all of the
	·	i		default reports that are setup by entity, product and service
			' I	on the system. These reports include invoices, vouchers,
				remittance, etc.
247.0	FmReportOverridesDetail	Form	EMS	This form provides a detail screen for setting up the
,	·		.	override reports that will be used by entity, product and
,			j	service on the system ASSOCIATE TO A SPECIFIC
1			1	CONTRACT. These reports include invoices, vouchers,
046.5				remittance, etc.
248.0	FmReportsList	Form	EMS	This is the primary form used for displaying a reporting
	• • • •		PCC	folder. Within this folder are all of the reporting 'tabs' that
.	- •			are available. Within each tab are all of the specific reports
. 1	•		1	that can be run. A submission, and view button are
249.0	E-Co	Fo-		available here.
275.U	FmReportsParaemeters	Form	EMS	This is the form that is used when entering the various
	. •		PCC	parameters when a report is submitted. Defaults are
. 1		,	ļ	automatically supplied and the parameters are listed in a
250.0	(mPanarta)/icu	Form	EME	grid list format.
	fmReportsView	POIM	EMS	This is the main view form for viewing all of the submitted reports. Options exist to view the reports specifically
			PCC	submitted by a user OR to view the reports that were
:			1	submitted by a user OK to view the reports that were submitted by the scheduler.
		<u> </u>		Submitted by the Sandadier.

Ref#	Module Name:	іше Туре:	Application	Description/Con miss
251.0	fmSecurityAuthDetail	Form	EMS	This form represents the form for establishing and updating security authorizations between users and business functions within the Energy Management System. Options exist here to allow for users to have NO ACCESS, READ ONLY, READ/UPDATE, READ/UPDATE/DELETE or SUPER access to a particular area of application.
252.0	fmSecurityAuthList	Form	EMS	This form provides a listing of all security authorizations that are set for each user on the Energy Management System. Options exist on this form to add, update and delete specific security authorizations for any given user of the system.
253.0	FmsRptsInvoice	Form	EMS	This is the primary form used for submitting standard invoice reports.
254.0	FmsRptsRemittance	Form	EMS	This is the primary form used for submitting standard remittance reports.
255.0	fmsRptsVoucher	Form	EMS	This is the primary form used for submitting standard voucher reports.
256.0	FmTransactionOetail	Form	EMS	This form provides for the entry of 'Other Cost' transactions within EMS. Once these transactions are setup in the system, then they can be attached to deals and calculations will be done against them.
_	FmTransactionList	Form	EMS	This form provides a list of all the 'Other Cost' transactions that have been setup on the system.
258.0	fmUserProfilesOetail	Form	EMS	This form represents the creation and update form for all users on the Energy Management System. This form provides an administrator with the ability to change name, password, title, default printer, etc. for all users on the system.
	fmUs rProfilesList	Form	EMS	This form provides a listing of all users that are capable of using the Energy Management System. Options exist on this form to add, update or delete a specific user.
# 40# of of	fmGasControlMainMenu	Form	EMS	This form represents the main menu for the Energy Management System. All menu options, speed buttons, etc are stored on this form. This particular form is also responsible for invoking the methods to establish a connection and set the form screen attributes (based on user preferences).
261.0	fmProducerControlCenterMain	Form	PCC	This form represents the main menu for the Producer Control Center. All menu options, speed buttons, etc are stored on this form. This particular form is also responsible for invoking the methods to establish a connection and set the form screen attributes (based on user preferences).

10

15

20

25

30

APPLICATION (CLIEN-SIDE) SOFTWARE

The table that follows contains the high-level documentation related to the systems and methods provided by the present invention and, in particular, those sub-functions and applications that run client-side in the context of the present invention. In the table that follows, the terms EMS and PCC are used to differentiate (as described above), between a full use application system and a limited use/user/function application system that are provided by the present invention. The actual source code for such application software is contained among the files found on the attached compact disc.

PRICING AND PRICING TECHNIQUES

So far in the aforementioned detailed discussion the present invention, it has been assumed that the particular pricing techniques may be employed to price one or more fuel deals automatically. The present invention certainly permits fuel deals to be priced based on a variety of factors germane to the energy field. Additionally, the systems and methods provided by the present invention permit fuel deals to be priced automatically, in batch or otherwise, based on pricing techniques which are modularized and which are carried out automatically based on prior or other collections of fuel deals and other fuel deal data. Accordingly, teams of sales personnel can have deals priced based on company specifications to meet margin requirements, etc.

One such technique implemented as a modularized process capable of pricing one or more fuel deals in accordance with the present invention is referred to as the WASP technique which stands for the Weighted Average Selling Price technique. WASP permits one or more fuel deals (usually a collection) to be

priced to meet organization pricing targets (and margin requirements) based on computed average sales prices across collections of fuel deals. The WASP technique and its supporting computer software are contained herein for purposes of example to illustrate the novelty of having a system that can incorporate a substitutable pricing technique (algorithm) into a business process like or similar to the one depicted in and discussed in regard to FIG. 1.

The WASP Calculation

10

5

This particular section contains information on the calculation that occurs to price deals. In the context of the present invention, it is envisioned that there are three situations that can trigger a pricing calculation:

15

The price calculation can be submitted at any time by individuals with appropriate security using the System online pricing screen (see FIGS. 4A-4Q). Only those production months in a 'Sales' (nomination recalculated) or 'Invoiced' (actual recalculated) status can be submitted through this screen:

20

2. When the status for a production month goes from 'Sales' to 'Invoiced' a final nomination is performed. In addition, when the status of a production month goes from 'Invoiced' to 'Accounting' a final actuals calculation is performed. These production month status 'promotions' occur through the EMS online screens (by individuals with an appropriate level of security); and

25

3. Each evening, for example, all production months that are in either the 'Sales' or 'Invoice' status will have a calculation cycle run for them. This

30

10

15

20

25

30

calculation begins at approximately 8:00 CST, for example. This ensures that all variables (price index entries, volumes, routing instructions, etc.) that could influence the price of a given set of deals are recalculated and presented as current, the first thing in the morning.

The entire calculation process is comprised entirely of MS SQL-Server Transact-SQL stored procedures. The 'flow' of the calculation can be described with reference to the following six (6) stages:

Stage 1. Sales Deal Calculations

Calculate all sales deals first (all pools and deal classifications). This is done because knowing the sales prices (by pool) is required for the following purchase deal calculations.

Stage 2 <u>WASP Deal Preparation</u>

This particular stage simply prepares the WASPResolvedRouting table with initial sales pool total dollars and volumes. This is the primary table that is used when repeatedly (such as via iteration) tracing all volumes from the sales point back to originating purchase points.

Stage 3 <u>Purchase Deal 'None' Pool (3rd Party)</u> Calculations

All third party purchase deals (belonging to the 'None' (pool) are calculated first. The reason for this is because of the potential that some of these deals having Financial Overrides that are to be distributed to either a 'Common' WASP pool OR to a specific deal. By doing these calculations first, the profit gain or

15

20

25

30

loss (for the financial overrides) can be determined and posted to the appropriate place in the WASPResolvedRouting table.

Stage 4 <u>Purchase Deal 'Dedicated' Pool</u> 5 (Sanctioned Sales) Calculations

All sanctioned sales purchase deals are now calculated. The price for these purchases is driven based on a weighted average basis of the sales meters. Sanctioned sale purchase exist in their own pool ('Dedicated') so that no other purchases volumes (and sales of those volumes) will impact the price calculated. Netback percentages are applied.

Stage 5 <u>Purchase Deal 'Common' Pool (Equity)</u> Calculations

All equity deals are then calculated. The price for these purchases is driven based on a weighted average basis of the sales meters. All purchases that are classified as 'equity' will share in pricing and costing (weighted). The pricing is based on the 'common' body. Any given purchase deal classified as equity could potentially impact the price that other purchase deals (in the 'common' pool) calculates. Netback percentages are applied.

Stage 6 <u>Transportation Costs</u>

This stage of the calculation aggregates all of the transport volumes throughout the month to special transport deals and volume inventory items.

Each of the aforementioned stages of the calculation are invoked from a stored procedure called usp_PSPriceAutoMonth. FIGS. 5A and 5B illustrate the process flows corresponding to these 'stages' and the flow of the stored

10

15

20

procedures (discussed above) invoked during the calculation. The ordering of these procedures can be tied back to the stages just described above. Actual WASP calculation routines are listed below to aid the reader to completely understand the nature using a predetermined pricing technique in accordance with the present invention.

Weighted Average Sales Price Calculation Routines

The following software routines implement a weighted average sales pricing technique that may be incorporated within a computing environment such as within a server-side processing system to facilitate fuel deal pricing in accordance with a preferred embodiment of the present invention. Accordingly, in the context of the instant invention, the following routines provide a predetermined pricing technique for pricing fuel deals based on past, present, or future deals, or combinations thereof. The following routines are found among the files contained on the attached compact disc, and also have been commented to assist those of ordinary skill in the art understand the details related to actual implementation.


```
25
           /* Microsoft SQL Server - Scripting
                                                                  •/
           /* Server: IS101
                                                                             */
*/
           /* Database: EMS
           /* Creation Date 02/13/2001 4:08:41 PM
30
           CREATE PROCEDURE usp_fGetIndex(
                                                        @GasMonthX DATETIME,
                                                       @GasDayX DATETIME,
                                                        @IX VARCHAR(15).
35
                                                       @IndexValuexx DECIMAL(19,6) OUTPUT
           AS
40
           Name: usp_fGetIndex
           Description: Get the most recent index value for a specified price index.
           Inputs:
45
           GasMonthx - Gas month for lookup
```

```
lx - Index id
            IndexValuexx - return index value
 5
            History:
            11/07/2000 JAMIE Modifications to convert from Watcom-SQL to
            Transact-SQL.
10
           BEGIN
            SELECT @IndexValuexx = 0
15
            * First get the maximum gas day that
            * has been entered for this index
            * id in this particular month.
20
            SELECT @GasDayX=(SELECT Max(GasDay) FROM GCIndex WHERE GasMonth=@GasMonthX AND
            GasDay<=@GasDayX AND IndexID=@IX AND IndexVal<>0)
25
            * Now get the index value for that
            * day.
            SELECT @IndexValuexx = IndexVal FROM GCIndex WHERE GasMonth=@GasMonthX AND GasDay=@GasDayX
30
           AND IndexID=@IX
           END
           GO
35
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
           GO
40
           CREATE PROCEDURE usp_fGetIndexBasket(
                                                       @GasMonthX DATETIME,
                                                       @GasDayX DATETIME,
                                                       @IndexBasketIDX VARCHAR(15),
45
                                                       @IndexValuexx DECIMAL(19,6) OUTPUT
                                                                  )
           AS
           BEGIN
50
                      fGetIndexBasket
           Name:
           Description: This function will get the index basket amount for the specified
           month and date. This function will return a simple average of all the non zero
55
           components within the index for the month and day.
           Inputs: GasMonthX (current gas month), GasDayX (day within month) and
           IndexBasketIDX (IndexBasket unique identifier).
60
           Outputs: Simple averaged price for the index basket.
           History
           xx/xx/xx (?) CHIP Original Creation.
65
           04/29/99 JAMIE Modified for WASP 2.10 Release. Structure changes
           made to the Engine and Engine_Master tables. In
           addition, all documentation added. This particular
           portion of the system required extensive changes
70
           due to the need to store a nom and actual number
```

GasDayx - Preferrable gas day used for lookup

```
off the Engine_MasterPrice table (STID's 8 and 9).
            11/08/2000 JAMIE Converted to transact-sql.
 5
10
            * Declare all exceptions, cursors
            * and local variables that will be
            * utilized by this procedure.
15
            DECLARE IndexBasketLink_Cursor CURSOR LOCAL FORWARD ONLY STATIC FOR
                       SELECT indexID FROM IndexBasketLink WHERE IndexBasketID=@IndexBasketIDX
            DECLARE @yTotalPrice DECIMAL(19,6)
           DECLARE @yTotalIndices INTEGER
DECLARE @yTotalPriceInterim DECIMAL(19,6)
20
           DECLARE @yIndexID VARCHAR(12)
            * Initialize all fields here...
25
            SELECT @yTotalPrice=0
            SELECT @yTotalIndices=0
            SELECT @indexValuexx=0
30
            * Loop through all of the indices within
            * the index basket. Obtain the price
            * information.
35
            OPEN IndexBasketLink_Cursor
            FETCH NEXT_FROM IndexBasketLink_Cursor INTO @yIndexID
            WHILE @@FETCH_STATUS = 0
40
                      BEGIN
                                 {\bf EXECUTE}\ usp\_fGetIndex\ @GasMonthX, @GasDayX, @yIndexID, @yTotalPriceInterim\ OUTPUT
                                 IF @yTotalPriceInterim<>0
                                            BEGIN
                                            SELECT @yTotalPrice=@yTotalPrice+@yTotalPriceInterim
45
                                            SELECT @yTotalIndices=@yTotalIndices+1
                                 FETCH NEXT FROM IndexBasketLink_Cursor INTO @yIndexID
                      END
            CLOSE IndexBasketLink_Cursor
50
            DEALLOCATE IndexBasketLink_Cursor
            * Take the simple average of the totals
55
            IF (@yTotalPrice<>0) AND (@yTotalIndices<>0)
                      BEGIN
                                 SELECT @IndexValuexx=(@yTotalPrice/@yTotalIndices)
60
                       END
           END
65
            GO
            SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
70
            GO
```


and because all price components are now stored



```
5
            * Declare all exceptions, cursors
            and local variables that will be
            * utilized by this procedure.
10
            DECLARE @zRound INTEGER
            DECLARE @zEntityCID VARCHAR(12)
            DECLARE @zKProductID INTEGER
            DECLARE @zKServiceID INTEGER
15
            DECLARE @tmpEndDate DATETIME
           DECLARE @tmpMaxEffective DATETIME
            DECLARE @tmpDaysInPeriod INTEGER
            DECLARE @tmpVolumeTotal DECIMAL(19,2)
20
            DECLARE @tmpAccumulatingTotal DECIMAL(19,2)
           DECLARE @tmpPrevBand DECIMAL(19,2)
           DECLARE @tmpCurBand DECIMAL(19,2)
           DECLARE @tmpBandTotal DECIMAL(19,2)
           DECLARE @tmpBandWeightPerc DECIMAL(19,8)
25
            DECLARE @tmpAccumulatingPrice DECIMAL(19,8)
            DECLARE @yNetbackMethod INTEGER
           DECLARE @yNetbackTierLevel VARCHAR(10)
            DECLARE @yAveragePerDay DECIMAL(19,2)
30
           DECLARE @yDailyTotal DECIMAL(19,2)
           DECLARE @yeffective DATETIME
           DECLARE @ymaxvoilevel DECIMAL(19,2)
           DECLARE @ynetprice DECIMAL(19,8)
DECLARE @ynetpricefloor DECIMAL(19,8)
35
           DECLARE @yKID INTEGER
            DECLARE @yCID VARCHAR(12)
            * Get netback method information off the
            * contract. The default will be all or
40
            * nothing (most common). However, this
            * should always be found on the contract.
            *0 = All or Nothing
45
            *1 = Accumulating
            * Also, this area of the code sets the
            * default for the netback to zero.
50
            * In addition, go and get the default
            * netback tier level off the contract
            * in order to know at what level to
            * summarize the volumes when
            * performing the calculation. The
            * default is 'DEAL' if it can't be found
55
            * or if one is not specified.
           SELECT @yNetbackPercentage=0
60
           SELECT @yNetbackMethod=ISNULL((SELECT tier FROM K WHERE KID=(SELECT KID FROM package WHERE
           PKG=@PIDx)),0)
           SELECT @yNetbackTierLevel=ISNULL((SELECT NetbackTierLevel FROM K WHERE KID=(SELECT KID FROM
           package WHERE PKG=@PIDx)),'COMPANY')
            SELECT @yKID=ISNULL((SELECT KID FROM package WHERE PKG=@PIDx),0)
65
           SELECT @yCID=ISNULL((SELECT CID FROM package WHERE PKG=@PIDx),")
            * Get the entity, product and service
            * information off the deal table. There
70
            * has to be a value on the deal (package)
```

```
* table for each of these...
           SELECT @zEntityCID=ISNULL((SELECT K.EntityCID FROM Package,K WHERE PKG=@PIDx and
 5
           K.KID=Package.KID),")
           SELECT @zKProductID=ISNULL((SELECT KProductID FROM Package WHERE PKG=@PIDx),0)
           SELECT @zKServiceiD=ISNULL((SELECT KServiceID FROM Package WHERE PKG=@PIDx),0)
10
           * Now calculate the average volume of
            gas per day that this particular
            package has on the system. Remember to
           * use the WhichPrice parameter to determine
           * which volume to get.
15
           * 0=(Nominated Volume)
           * 1=(pipeline actual volume)
           EXECUTE usp_fLastDay @GasMonthx,@tmpEndDate OUTPUT
20
           SELECT @tmpDaysinPeriod=(DATEDIFF(day,@GasMonthx,@tmpEndDate) + 1)
           IF @WhichPricex=0
                     BEGIN
                               IF @yNetbackTierLevel='DEAL'
                                         BEGIN
25
                                                    SELECT @tmpVolumeTotal=ISNULL((SELECT SUM(Nom) FROM
           GasInv WHERE PKG=@PIDx),0)
                                         END
                               IF @yNetbackTierLevel='CONTRACT'
                                         BEGIN
30
                                                    SELECT @tmpVolumeTotal=ISNULL((SELECT SUM(GasInv.Nom)
           FROM Gasinv, Package
                                                              WHERE GasInv.GasMonth=@GasMonthx AND
           Gasinv.DBCR=0 AND Gasinv.PriceType=1 AND Gasinv.KID=@yKiD
                                                                        AND Package.PKG=GasInv.PKG AND
35
           Package.KProductiD=@zKProductID),0)
                               IF @yNetbackTierLevel='COMPANY'
                                         BEGIN
40
                                                    SELECT @tmpVolumeTotal=ISNULL((SELECT SUM(GasInv.Nom)
           FROM GasInv, Package
                                                              WHERE GasInv.GasMonth=@GasMonthx AND
           GasInv.DBCR=0 AND GasInv.PriceType=1 AND GasInv.CID=@yCiD
                                                                        AND Package.PKG=GasInv.PKG AND
45
           Package.KProductiD=@zKProductID),0)
                                         FND
                     END
           IF @WhichPricex=1
                     BEGIN
50
                               IF @yNetbackTierLevel='DEAL'
                                         BEGIN
                                                    SELECT @tmpVolumeTotal=ISNULL((SELECT SUM(PipelineActuals)
           FROM Gasinv WHERE PKG=@PIDx),0)
                                         END
55
                               IF @yNetbackTierLevel='CONTRACT'
                                         BEGIN
                                                    SELECT @tmpVolumeTotal=ISNULL((SELECT
           SUM(GasInv.PipelineActuals) FROM GasInv,Package
                                                              WHERE GasInv.GasMonth=@GasMonthx AND
60
           Gasinv.DBCR=0 AND Gasinv.PriceType=1 AND Gasinv.KID=@yKID
                                                                        AND Package.PKG=Gasinv.PKG AND
           Package.KProductID=@zKProductID),0)
                                         END
                               IF @yNetbackTierLevel='COMPANY'
65
                                         BEGIN
                                                    SELECT @tmpVolumeTotal=ISNULL((SELECT
           SUM(GasInv.PipelineActuals) FROM GasInv,Package
                                                              WHERE GasInv.GasMonth=@GasMonthx AND
           GasInv.DBCR=0 AND GasInv.PriceType=1 AND GasInv.CID=@yCID
```

```
Package.KProductiD=@zKProductiD),0)
                                              END
                       END
 5
            IF (@tmpVolumeTotal=0) OR (@tmpDaysInPeriod<1)
                       BEGIN
                                   SELECT @yAveragePerDay=0
                       END
            ELSE
10
                       BEGIN
                                  EXECUTE usp_GetProductVolumeRound @PIDx,@zRound OUTPUT
                                  SELECT @yAveragePerDay=ROUND(@tmpVolumeTotal/@tmpDaysInPeriod,@zRound)
                       END
15
            * Determine which effective date of rules
            * should be used. This will be the max
            * effective date where the effective date
            * is either in or prior to the end of the
20
            * current gas month. Only the set of rules
            * associated with the most recent effective
            * date will be used. If a date cannot be
            * found then this function will return
            * a zero percentage (ie. one isn't on
25
            * the system that precedes the gas
            * month).
            SELECT @tmpMaxEffective=(SELECT MAX(effective) FROM knetback WHERE KID=(SELECT KID FROM package
30
            WHERE PKG=@PIDx)
                                              AND (effective<=@tmpEndDate) AND NetBackType=@TypeNetbackx)
            IF @tmpMaxEffective IS NULL
                       BEGIN
                                  SELECT @tmpMaxEffective='01-01-1900'
35
                       END
            * If method 0 (all or nothing) then go
            * and get the single tier percentage.
            * The tier record will loop through and
40
            * take the first tier record where the
            * volume is greater than or equal then
            * the average volume per day.
            * This is the all or nothing netback
45
            * pricing tier logic.
            IF @yNetbackMethod=0
                       BEGIN
50
                                  SELECT @yDailyTotal=@yAveragePerDay
                       END
            ELSE
                       BEGIN
                                  SELECT @yDailyTotal=0
55
                       END
            * Initialize any fields that may be
            * needed during the loop process.
60
            SELECT @tmpAccumulatingTotal=@yAveragePerDay
            SELECT @tmpPrevBand=0
            SELECT @tmpAccumulatingPrice=0
65
            * Now loop through all of the netback
            * price records attached to the contract.
70
```



	* Get the last accumulating price here * and use this price			
5	*/ IF @yNetbackMethod=1 BEGIN			
	SELECT @yNetbackPercentage=@tmpAccumulatingPrice END			
10	/* ***********************************			
15	* At this point a calculated netback * percentage has been derived. Now * check to see if the calculated netback * percentage is less than the 'floor' * amount setup on the contract. If so, * then use the floor amount.			
20	*/ SELECT @ynetpricefloor=ISNULL((SELECT NetPriceFloor FROM K WHERE KID=(SELECT KID FROM Package WHERE PKG=@PIDx)),0) IF @ynetpricefloor<>0 BEGIN			
25	IF @ynetpricefloor>@yNetbackPercentage BEGIN SELECT @yNetbackPercentage=@ynetpricefloor			
30	END END END .			
35				
40	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO			
45	SET QUOTED_IDENTIFIER ON SET ANSI_NULLS ON GO			
	CREATE PROCEDURE usp_fGetWASPIndicator(@PIDx INTEGER,			
50	@yWaspIndicator VARCHAR(10) OUTPUT) AS			
55	BEGIN /*			
55	Name: usp_fGetWaspIndicator			
60	Description: This function will return the WASP indicator for the package ID that was sent as an input parameter. The WASP indicator is based on the combination of deal classifications that have been established for this deal. The default indicator is 'None' (ie if classification information can't be found/etc.). All combinations of deal classifications should be setup.			
65	Inputs: PIDx (package ID). Outputs: A 'Comon' or 'Dedicated' or 'None' indicator which specifies whether or not this package is considered 'WASP'able.			
70	History:			

```
05/12/1999 JAMIE Original Creation.
             08/03/1999 JAMIE Modification to use the deal classification indicators
             off of the package table versus the dealclass table.
  5
10
             * Declare all exceptions, cursors
             * and local variables that will be
             * utilized by this procedure.
             DECLARE @yDealContextID INTEGER DECLARE @yDealTypeID INTEGER
15
             DECLARE @yDealVolumeVollD INTEGER
             DECLARE @yDealPricePeriodID INTEGER DECLARE @yDealInterruptibleID INTEGER
20
             * Populate the various deal classification
             * identifiers based on the information
             * stored on the package table.
25
             SELECT
                         @yDealContextID = PackageDBCR,
                        @yDealTypeID = DealTypedcID,
@yDealVolumeVolID = VolumeVolatilitydcID,
@yDealPricePeriodID = PricePerioddcID,
30
                         @yDealInterruptibleID = InterruptibledcID
                        FROM
                                    Package
35
                         WHERE
                                    PKG=@PIDx
             * Now go and get the WASP indicator for
40
             * this particular deal.
             SELECT @yWaspindicator=ISNULL((SELECT IncludeInWasp FROM rDealClassRules
                                                            WHERE
45
                                                                        DealContext=@yDealContextID AND
                                                                        DealTypedclD=@yDealTypelD AND
                                                                        VolumeVolatilitydcID=@yDealVolumeVolID AND
                                                                        PricePerioddcID=@yDealPricePeriodID AND
                                                                        InterruptibledcID=@yDealInterruptibleID),'None')
50
             END
             GO
             SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
55
             SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
             GO
60
             CREATE PROCEDURE usp_fGetWaspType(
                                                                        @PIDx INTEGER,
                                                                        @yWaspType VARCHAR(12) OUTPUT
             AS
65
             BEGIN
             Name: usp_fGetWaspType
```


Description: This function will return the WASP type field to use for the

specific package (deal) that is being looked at. This type is based on the product id setup for the deal.

```
5
            Inputs:
            PIDx (package ID).
            Outputs:
10
            yWaspType - 'OIL','LIQUIDS', OR 'GAS'.
            History:
15
            12/03/2000 JAMIE Original Creation.
20
            * Declare all exceptions, cursors
            * and local variables that will be
            * utilized by this procedure.
25
            DECLARE @yDealProduct VARCHAR(50)
DECLARE @yDealProductID INTEGER
30
            * Initialize the return value to be GAS
            SELECT @yWaspType='GAS'
35
            * Get the contrat ID off the deal
            * (package) table.
            SELECT @yDeaiProductiD = ISNULL((SELECT KProductiD FROM package where PKG=@PIDx),0)
40
            * If a contract ID was found then
            * based on the value then convert
45
            * the netback type.
            IF @yDealProductID <> 0
                       BEGIN
                                  SELECT @yDealProduct = ISNULL((SELECT shortdescription FROM SEProcessingCodes
50
            WHERE processingcodeid= @yDealProductiD), 'Gas')
                                  iF @yDealProduct = 'Gas'
                                              BEGIN
                                                         SELECT @yWaspType='GAS'
55
                                              END
                                   IF @yDealProduct = 'Oil'
                                              BEGIN
                                                         SELECT @yWaspType='OIL'
                                              END
60
                                   IF @yDealProduct = 'Liquids'
                                              BEGIN
                                                         SELECT @yWaspType='LIQUIDS'
                                              END
                       END
65
            END
```

70

```
GO
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
           GO
 5
           SET QUOTED_IDENTIFIER ON SET ANSI_NULLS ON
           GO
           CREATE PROCEDURE usp_flsLastDay(
                                                              @DT DATETIME
10
           AS
           BEGIN
           DECLARE @LDx DATETIME
DECLARE @a INTEGER
15
           EXECUTE usp_fLastDay @DT,@LDx OUTPUT
           IF @LDx=@DT
                     BEGIN
                               SELECT @a=1
                     END
20
           ELSE
                     BEGIN
                               SELECT @a=0
                     END
           RETURN(@a)
25
           END
           GO
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
30
           GO
           SET QUOTED_IDENTIFIER ON SET ANSI_NULLS ON
           GO
35
           CREATE PROCEDURE usp_flastday(
                                                    @lastdate DATETIME,
                                                    @ldx DATETIME OUTPUT
           AS
40
           BEGIN
           * Initially, just set the return value to be
           * equal to the date coming in.
45
           SELECT @ldx=@lastdate
           * Now, loop thru adding 1 day to the date
50
           * while the month is still equal.
           WHILE MONTH(@idx)=MONTH(@lastdate)
                     BEGIN
55
                               SELECT @ldx=DATEADD(DAY,1,@ldx)
                     END
60
           * Since the loop would have finished with
           * the date being 1 day greater than the
           * last day of the month, then back it off
           * one day here to get the true end of
           month value...
65
           SELECT @idx=DATEADD(DAY,-1,@idx);
           END
70
```



	None					
	History:					
5	11/23/2000 JAMIE Original creation.					
10	*/ BEGIN DECLARE @zRoundNumber INTEGER SELECT @zRoundNumber = ISNULL((SELECT SP.TypeLimit FROM SEProcessingCodes AS SP, Package WHERE					
15	SP.ProcessingCodeID = Package.KProductID AND Package.PKG=@PKGx),0); SELECT @RoundNumber = @zRoundNumber END					
13						
20	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO					
25	SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO					
	CREATE PROCEDURE usp_LinePrice(@nETID INTEGER, @nNomOrAct INTEGER					
30	AS BEGIN /*					
35	Name: usp_LinePrice					
40	Description: This procedure will calculate the line price for a specific Engine record. The input parameter nETID represents a unique key to a specific Engine record. In addition, the nNomOrAct parameter specifies whether or not to post the price line information to the nomination area or the actual area of the engine record. The volgroup field on the engine record contains the unique package (deal) id. This is used in the link to get the actual price components for the package.					
45	Inputs:					
	nETID = Engine Key nNomOrAct = (0=Nomination,1=Actualization)					
50	Outputs:					
	Either an updated PriceOrRateNom or PriceOrRateAct field on the Engine record. The precise field updated depends on the input parameter sent to this process (nNomOrAct).					
55	History:					
	xx/xx/xx (?) CHIP Original Creation.					
60	04/29/99 JAMIE Modified for WASP 2.10 Release. Structure changes made to the Engine and Engine_Master tables. In addition, all documentation added. This particular portion of the system required extensive changes due to the need to store a nom and actual number and because all price components are now stored off the Engine_MasterPrice table (STID's 8 and 9).					
65	06/22/2000 JAMIE Modified to pull in the entity, product and service in order to get the correct price off the wasp table (values are passed to the wasp routine).					
70 ·	11/10/2000 JAMIE Converted to Transact-SQL					

	* information and loop * the price componen * result price will ultim * updated on the engi	t records. The end lately be			
5	***************************************				
10	*/ OPEN Engine_MasterPriceAll FETCH NEXT FROM Engine_MasterPriceAll INTO @xETID,@xSequenceNo,@xPriceTag,@xOperandVariable,@xPriceVariable,@xPriceEntryType, @xEffective,@xTID,@xEntityCID,@xKProductID,@xKServiceID				
	WHILE @@FETCH_				
	BEGIN	/ *			

15		* Derive the gas month based on the * effective from the engine * record.			
		7			
20		SELECT @xEngine_Effective=(SELECT effective FROM engine WHERE ETID=@nETID) EXECUTE usp_GasDayToGasMonth @xEngine_Effective,@yMonthDate OUTPUT /*			
		* Convert the price variable portion to a			
25		* number. If an index then get the index			
		* amounts. The default price for any			
		* component not in this case statement is * zero (ie WASP, UNKNOWN, etc.).			

30		9			
		SELECT @yPriceInterimValue = 0 IF @xPriceEntryType='Numeric'			
		BEGIN			
35	DECIMAL (10.6))	SELECT @yPriceInterimValue=CAST(@xPriceVariable AS			
33	DECIMAL(19,6))	END			
		IF @xPriceEntryType='Monthly IDX' BEGIN			
40	@yMonthDate,@yMo	EXECUTE usp_fGetIndex nthDate,@xPriceVariable,@yPriceInterimValue OUTPUT END			
		IF @xPriceEntryType='Daily IDX' BEGIN			
		EXECUTE usp_fGetIndex			
45	@yMonthDate,@xEng	gine_Effective,@xPriceVariable,@yPriceInterimValue OUTPUT END			
		IF @xPriceEntryType='Basket IDX' BEGIN			
50	@uMenthData @vEn	EXECUTE usp_fGetIndexBasket gine_Effective,@xPriceVariable,@yPriceInterimValue OUTPUT			
30	@ywontinbate,@xcnt	END			
		IF @xPriceEntryType='Wasp'			
		BEGIN EXECUTE usp_fGetCalcindex			
55	@xTID,@nNomOrAct	.@xEntityClD,@xKProductlD,@xKServiceID,@yMonthDate,@yPriceInterimValue OUTPUT END			
		IF @yPriceInterimValue IS NULL BEGIN			
60		SELECT @yPriceInterimValue = 0 END			
00	•	<i>I</i> * .			
		* At this point the vOriginatories Volus			
		* At this point the yPriceInterim Value * contains the individual price component			
65		* amount. Now, depending on the operator,			
		* apply this to the current total			
		* (yPrice). The end result is yPrice * being updated with this component amount.			

70		7			

Ę

70

Name: usp_PSPrice

AS

@messagex VARCHAR(255)


```
History:
  5
            xx/xx/xx (?) CHIP Original Creation.
            05/03/99 JAMIE Modified for WASP 2.10 Release. Structure changes
            made to the Engine and Engine_Master tables. In
10
            addition, all documentation added. In addition modifications were made to drive the
            pricing off package identifier versus Gas Inventory Transaction Identifier (TID). Since
            all pricing is done at a package level.
            Only those entries within the gas inventory with pricetype=1
            will be processed by this procedure. These entries represent
15
            only the purchase and sale items AND SHOULD HAVE Engine_Master
            records associated with them.
            07/12/2000 JAMIE Modified to check for the actualizedflag on the
            gasinv record. If the flag is set to a 'Y' then set the price accordingly. If
20
            the flag is set to something other than a 'Y' (ie.. 'N' or null) then the
            price will automatically get a zero. The price or rate number for actuals
            will still calculate AND it is possible that some meters within a deal will
            calculate (if the flag is set) while other meters on the same deal will not
25
            (if the flag is not set). The engine record is where all calculated results
            are stored and will contain zeros for the entries that have not been
            setup to be actualized.
30
            * Declare all variables and cursors
            * that are needed by this process.
35
            DECLARE @tmpEndDate DATETIME
            DECLARE @tmpNextEffectiveDate DATETIME
            DECLARE @tmpNumberDays INTEGER
40
            DECLARE @tmpVolumeInPeriod DECIMAL(19,2)
            DECLARE @tmpDateToUse DATETIME
            DECLARE @yTID INTEGER
            DECLARE @yActualizedFlag VARCHAR(1)
            DECLARE @ySTID INTEGER
45
            DECLARE @yEffective DATETIME
            DECLARE @yETID INTEGER
            DECLARE @zRound INTEGER
50
            DECLARE GasInventoryCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                        SELECT
                                   DISTINCT
                                   TID,
                                   ActualizedFlag
55
                                   FROM
                                               Gasinv
                                   WHERE
                                               (PKG=@PIDx) AND
                                               (PriceType=1) AND
60
                                               (DBCR=@DBCRx)
            * At this point the calculation needs to
            * happen. Iterate through each of the
65
             * inventory items attached to this particular
             * package... Only STID's of 8 or 9 are
            * priced here... (STID=8 is DBCR=0 is a
             * purchase) (STID=9 is DBCR=1 is a sale).
70


    Within each inventory item go through
```

Description: Price all of the gas inventory items.


```
* each effective date/STID and use the
            * pricing rules to determine whether the
             pricing accumulates or is all or
            * nothing.
 5
            EXECUTE usp_GetProductVolumeRound @PIDx,@zRound OUTPUT
            OPEN GasInventoryCursor
            FETCH NEXT FROM GasInventoryCursor INTO @yTID,@yActualizedFlag
            WHILE @@FETCH_STATUS = 0
10
                                 DECLARE EngineCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                                            SELECT
                                                       DISTINCT
15
                                                       e.ETID,
                                                      e.Effective.
                                                      e.STID,
                                                      e.TID
                                                      FROM
20
                                                                 Engine AS e.
                                                                 Engine_Master AS em
                                                       WHERE
                                                                 (em.ETID=e.EM ETID) AND
                                                                 (em.PID=e.VolGroup) AND
25
                                                                 (e.TID=@yTID)
                                                       ORDER BY
                                                                 e.ETID
                                 OPEN EngineCursor
                                 FETCH NEXT FROM EngineCursor INTO @yETID,@yEffective,@ySTID,@yTID
30
                                 WHILE @@FETCH_STATUS = 0
                                            BEGIN
                                                       * Calculate and update the engine with the
35
                                                       * the actual price from the engine_master
                                                       * via call to the following function.
                                                      EXECUTE usp_LinePrice @yETID,@WhichPricex
40
                                                       * Determine the volume total to be applied
                                                       * to this price line here. This represents
                                                       * the sum of the volume between the
45
                                                       * effective date and the end of the
                                                       * month OR the next price effective
                                                       * date for this item. The value of
                                                       * tmpNumberDays contains the number of
                                                       * days to apply the price and volumes
50
                                                       * toward within the calculation.
                                                      EXECUTE usp_fLastDay @GasMonthx,@tmpEndDate OUTPUT
                                                      SELECT @tmpNextEffectiveDate=(SELECT MIN(effective)-1 FROM
55
           engine AS e WHERE (e.TID=@yTID) AND (e.STID=@ySTID) AND (e.Effective>@yEffective))
                                                      IF @tmpNextEffectiveDate IS NULL
                                                                 BEGIN
                                                                           SELECT
           @tmpNextEffectiveDate=@tmpEndDate
60
                                                                 END
                                                      IF @tmpNextEffectiveDate<@tmpEndDate
                                                                 BEGIN
                                                                            SELECT
           @tmpDateToUse=@tmpNextEffectiveDate
65
                                                                 END
                                                      ELSE
                                                                 BEGIN
                                                                           SELECT @tmpDateToUse=@tmpEndDate
                                                                 END
```

SELECT





		IF @WhichPricex=1 BEGIN UPDATE
5		package SET
	FinancialActAmount=0	WHERE
10	PKG=@yPKG	END
		/*
15		* Create any system generated pricing * components for this package These * pricing components are tightly related * to the Engine_Master. This is needed * to be done prior to populating the * Engine with pricing information.
20		*/
	@yPKG,@WhichPricex,@GasMonthx,@DebitCreditx	EXECUTE usp_PSPriceComponentsCheck
25		* Now create all engine items for all * Engine_Master records. This is where
30		* the engine will be populated with entries * based on information stored in the * Engine_Master. Included is the daily * index price 'proliferation' routine. */
35	@yPKG,@WhichPricex,@GasMonthx,@DebitCreditx	EXECUTE usp_PSPricePopulateEngine /*
40		* Finally, now go and price the actual * engine entries that were created in the * previous step
		*/ EXECUTE usp_PSPrice
45	@yPKG,@WhichPricex,@GasMonthx,@DebitCreditx END	
	END COMMIT WORK FETCH NEXT FROM PackageCursor INTO (@yPKG
50	END CLOSE PackageCursor DEALLOCATE PackageCursor END	
55		·
60	GO, SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
65	SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
	CREATE PROCEDURE usp_PSPriceAnyNewInvoicesNeeded(@GasMonthx DATETIME, @EntityCIDx VARCHAR(12)
70)



GasInv.PipeField * Determine the prefix to use for the 5 * creation of the invoice numbers. If more * than 10 years then these numbers begin * to be reused. * This routine is CHEAP but it should 10 * suffice. SELECT @zYear=YEAR(@GasMonthx) SELECT @zYearString=RIGHT(CONVERT(VARCHAR(4),@zYear),1) SELECT @zMonth=MONTH(@GasMonthx) 15 IF @zMonth=1 **BEGIN** SELECT @zMonthString='A' **END** 20 IF @zMonth=2 **BEGIN** SELECT @zMonthString='B' **END** IF @zMonth=3 25 **BEGIN** SELECT @zMonthString='C' **END** IF @zMonth=4 **BEGIN** 30 SELECT @zMonthString='D' **END** IF @zMonth=5 **BEGIN** SELECT @zMonthString='E' 35 END IF @zMonth=6 **BEGIN** SELECT @zMonthString='F' END 40 IF @zMonth=7 **BEGIN** SELECT @zMonthString='G' END IF @zMonth=8 45 **BEGIN** SELECT @zMonthString='H' END IF @zMonth=9 **BEGIN** 50 SELECT @zMonthString='l' END IF @zMonth=10 **BEGIN** SELECT @zMonthString='J' 55 **END** IF @zMonth=11 **BEGIN** SELECT @zMonthString='K' END 60 IF @zMonth=12 **BEGIN** SELECT @zMonthString='L' END 65 * Find the starting point to begin * assigning new invoices from just * in case some numbers need to be * assigned. 70

```
SELECT @zNumToUse=0
            SELECT @zMaxAcctgldentifier=(SELECT max(Acctgldentifier) FROM GasInv WHERE GasMonth=@GasMonthx AND
            DBCR=1 AND PriceType=1)
  5
            IF LEN(@zMaxAcctgIdentifier) = 6
                      BEGIN
                                 SELECT @zWorkString=RIGHT(@zMaxAcctgIdentifier,4)
                                SELECT @zWorkString=LEFT(@zWorkString,3)
                                SELECT @zNumToUse=CONVERT(INTEGER,@zWorkString)
10
                      END
            * Now go get the records that do not
            * yet have a invoice number assigned
15
            * to them (ie. execute the cursor).
           OPEN GasInvCursor
           FETCH NEXT FROM GasInvCursor INTO @yTID,@yCID,@yPipe
20
           WHILE @@FETCH_STATUS = 0
                      BEGIN
                                * Now go and find one, if one exists.
25
                                SELECT @zAcctgldentifier=(SELECT DISTINCT(Acctgldentifier) FROM GasInv WHERE
           GasMonth=@GasMonthx AND
                                                                          DBCR=1 AND PriceType=1 AND CID=@yCID
30
           AND PipeField=@yPipe AND Acctgldentifier IS NOT NULL AND Acctgldentifier<>")
                                IF @zAcctgldentifier IS NULL
                                           BEGIN
35
                                                     * For each of these combinations generate
                                                     * and invoice number and update the GasInv
                                                     * table... Make sure that the number
                                                     * to use is padded with zeros in order
40
                                                     * to create a complete invoice number.
                                                     * REALLY CHEAP ZERO PADDING.
                                                     SELECT @zNumToUse=@zNumToUse+1
45
                                                     SELECT
           @zNumToUseString=CONVERT(VARCHAR(3),@zNumToUse)
                                                     SELECT @zNumToUseLength=LEN(@zNumToUseString)
                                                     SELECT @zNumToUseZeros="
                                                     IF @zNumToUseLength < 3
50
                                                               BEGIN
                                                               IF @zNumToUseLength=2
                                                                                    BEGIN
                                                                                     SELECT @zNumToUseZeros='0'
                                                                                    END
55
                                                                IF @zNumToUseLength=1
                                                                                     BEGIN
                                                                                     SELECT
           @zNumToUseZeros='00'
                                                                                    END
60
                                                                END:
                                                     SELECT
           @zAcctgldentifier=@zMonthString+@zYearString+@zNumToUseZeros+@zNumToUseString+'N'
65
                                                     * Finally, post the invoice number that
                                                     * was just created to the gas inventory
                                                     * table.
70
                                                     UPDATE
```

GasInv SET Acctgldentifier=@zAcctgldentifier WHERE 5 GasMonth=@GasMonthx AND DBCR=1 AND PriceType=1 AND CID=@yCID AND PipeField=@yPipe AND 10 TID=@yTID **END** FETCH NEXT FROM GasInvCursor INTO @yTID,@yCID,@yPipe **END** CLOSE GasinvCursor 15 DEALLOCATE GasinvCursor 20 GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO 25 SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON CREATE PROCEDURE usp_PSPriceAssignInvoiceNo(@GasMonthx DATETIME 30 AS **BEGIN** SET NOCOUNT ON 35 Name: usp_PSPriceAssignInvoiceNo Description: This routine will clear out any existing invoice numbers on the gas inventory table AND generate/assign an invoice number and post to the gas 40 inventory table. This particular routine is only looking at 'Sales' (DBCR=1) within the specified gas month (GasMonthx) that have a price type of '1' (ie.. not a transport inventory 45 The format of the invoice number that gets generated will be as follows: Character 50 Represents alph code for month (A=January, B=February, etc.). 2 Represents the last digit of the year (1999=9, 2000=0, etc.). 3-5 Represents unque number assigned. 6 Represents 'N' for Nominations. 55 These invoice numbers are generated uniquely for all sales meters within a given pipe and company identifier. This procedure will assign the invoice number to both the nom and actual fields. Later (during actual calculations) the actual invoice number may or may not get updated based on the modifications made to the volumes or prices. 60 Inputs: GasMonthx (Gas Month to calculate), History: 10/27/1999 JAMIE Original creation 65 11/19/1999 JAMIE Modified the number creation to post the final character as an 'N'. 12/21/1999 JAMIE Modified the number creation process to put the monthly 70 alphabetic code at the beginning of the invoice number instead of the 2nd

	character.

	*1
5	<i>i</i> *
•	******************************
	* Declare all variables and cursors
	* that are needed by this process.

10	*/
	DECLARE @yCID VARCHAR(12)
	DECLARE @yPipe VARCHAR(12)
	DECLARE @zAcctgldentifier VARCHAR(12)
45	DECLARE @zyear INTEGER
15	DECLARE @zYearString VARCHAR(1)
	DECLARE @zMonth INTEGER DECLARE @zMonthString \/ARCHAR(1)
	DECLARE @zMonthString VARCHAR(1) DECLARE @zNumToUse INTEGER
	DECLARE @zNumToUseLength INTEGER
20	DECLARE @zNumToUseString VARCHAR(3)
20	DECLARE @zNumToUseZeros VARCHAR(3)
	/*


	* Determine the prefix to use for the
25	* creation of the invoice numbers. If more
	* than 10 years then these numbers begin
	* to be reused.
	•
20	*This routine is CHEAP but it should
30	* suffice.
	*/
	/ SELECT @zYear=YEAR(@GasMonthx)
	SELECT @zYearString=RIGHT(CONVERT(VARCHAR(4),@zYear),1)
35	SELECT @zMonth=MONTH(@GasMonthx)
00	IF @zMonth=1
	BEGIN
	SELECT @zMonthString='A'
	END
40	IF @zMonth=2
	BEGIN
	SELECT @zMonthString='8'
	END
45	IF @zMonth=3
45	BEGIN OF Manufacture 101
	SELECT @zMonthString='C'
	END IS Contact to 1
	IF @zMonth=4 BEGIN
50	SELECT @zMonthString='D'
30	END
	IF @zMonth=5
	BEGIN
	SELECT @zMonthString='E'
55	END
	IF @zMonth=6
	BEGIN
	SELECT @zMonthString='F'
	END
60	IF @zMonth=7
	BEGIN
	SELECT @zMonthString='G'
	END 15 Oct to 18 oct to 18
G.F.	IF @zMonth=8
65	BEGIN SELECT @zMonthString="U"
	SELECT @zMonthString='H'
	END IF @zMonth=9
	BEGIN
70	SELECT @zMonthString='I'
, 0	CEECT @Briditalounig-1

```
END
             IF @zMonth=10
                        BEGIN
                                   SELECT @zMonthString='J'
  5
                        END
             IF @zMonth=11
                       BEGIN
                                   SELECT @zMonthString='K'
                       END
10
             IF @zMonth=12
                       BEGIN
                                   SELECT @zMonthString='L'
                       END
15
            * Clear out the invoice number that may
             * have preexisted for this particular
             * gas month (this number will always be
            * empty UNLESS the gas month is opened
            * and closed more than once).
20
            BEGIN TRANSACTION
            UPDATE
25
                       Gaslnv
                       SET
                                   Acctgldentifier=NULL
                       WHERE
                                   GasMonth=@GasMonthx AND
30
                                   DBCR=1 AND
                                   PriceType=1 AND
                                   (Acctgidentifier IS NOT NULL OR Acctgidentifier<>")
            COMMIT WORK
35
            * Now build a cursor that contains all of
            * the unique combinations of company and
            * pipeline (ordered by company and pipeline).
40
            SELECT @zNumToUse=0
DECLARE GasinvCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                       SELECT
                                   DISTINCT
45
                                   (Gasinv.CID),
                                   (GasInv.PipeField)
                                   FROM
                                              Gasinv
                                   WHERE
                                              Gasinv.GasMonth=@GasMonthx AND Gasinv.PriceType=1 AND
50
                                              Gasinv.DBCR=1
                                   ORDER BY
                                              Gasinv.CID,
55
                                              GasInv.PipeField
            OPEN GasInvCursor
            FETCH NEXT FROM GasInvCursor INTO @yCID,@yPipe
            WHILE @@FETCH_STATUS = 0
                       BEGIN
60
                                   BEGIN TRANSACTION
                                   * For each of these combinations generate
                                   * and invoice number and update the Gastny
65
                                   * table... Make sure that the number
                                   * to use is padded with zeros in order
                                   * to create a complete invoice number.
* REALLY CHEAP ZERO PADDING.
70
```

```
SELECT @zNumToUse=@zNumToUse+1
                                SELECT @zNumToUseString=CONVERT(VARCHAR(3),@zNumToUse)
                                SELECT @zNumToUseLength=LEN(@zNumToUseString)
                                SELECT @zNumToUseZeros="
 5
                                IF @zNumToUseLength < 3
                                          BEGIN
                                                    IF @zNumToUseLength=2
                                                               BEGIN
                                                                         SELECT @zNumToUseZeros='0'
10
                                                               END
                                                    IF @zNumToUseLength=1
                                                               BEGIN
                                                                         SELECT @zNumToUseZeros='00'
                                                               END
15
                                          END
                                SELECT
           @zAcctgIdentifier=@zMonthString+@zYearString+@zNumToUseZeros+@zNumToUseString+'N'
20
                                * Finally, post the invoice number that
                                * was just created to the gas inventory
                                * table.
                                UPDATE
25
                                          Gasinv
                                          SET
                                                    Acctgldentifier=@zAcctgldentifier
                                          WHERE
30
                                                    GasMonth=@GasMonthx AND
                                                    DBCR=1 AND
                                                    PriceType=1 AND
                                                    CID=@yCID AND
                                                    PipeField=@yPipe
35
                                COMMIT WORK
                                FETCH NEXT FROM GasInvCursor INTO @yCID,@yPipe
                     END
           CLOSE GasInvCursor
           DEALLOCATE GasInvCursor
40
           END
45
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
50
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
           CREATE PROCEDURE usp_PSPriceAuto
55
           AS
           BEGIN
           Name: usp_PSPriceAuto
60
           Description:
           This procedure will be scheduled at automatically calculate the gas months
           in their respective stages. Noms get calculated for gas months in the 'Sales' stage.
           Pipeline actuals get calculated for gas months in the 'Invoiced' stage. All other gas
65
           months are ignored by this process.
           Inputs:
70
           None
```

```
History:
           07/29/1999 JAMIE Original Creation.
  5
           10/20/1999 JAMIE Modified to invoke the PSPriceCostAll routine which will
           calculate other costs for deals and post them to the engine table.
           03/22/2000 JAMIE Modified to invoke the single month calculation routine. This will
10
           ensure easier (non duplicated) maintenance on procedures to update price calculations.
15
           * Declare all variables and cursors
           * that are needed by this process.
20
           DECLARE @yGasMonth DATETIME
           * First, calculate all of the nom
           * numbers (each gas month).
25
           DECLARE GasMonthCursor1 CURSOR LOCAL STATIC FORWARD_ONLY FOR
                      SELECT
                                GasMonth
30
                                FROM
                                          rGasMonth
                                WHERE
                                          CurrentStatus='Sales' AND
                                          (LockedUser IS NULL OR LockedUser=")
                                ORDER BY
35
                                          GasMonth
           OPEN GasMonthCursor1
           FETCH NEXT FROM GasMonthCursor1 INTO @yGasMonth
           WHILE @@FETCH_STATUS = 0
40
                     BEGIN
                                EXECUTE usp_PSPriceAutoMonth @yGasMonth,0
                                FETCH NEXT FROM GasMonthCursor1 INTO @yGasMonth
                     END
           CLOSE GasMonthCursor1
45
           DEALLOCATE GasMonthCursor1
           * Now calculate based on the pipeline
           * actuals each month.
50
           DECLARE GasMonthCursor2 CURSOR LOCAL STATIC FORWARD_ONLY FOR
                      SELECT
                                GasMonth
55
                                FROM
                                          rGasMonth
                                WHERE
                                          CurrentStatus='Invoiced' AND
                                          (LockedUser IS NULL OR LockedUser=")
60
                                ORDER BY
                                          GasMonth
           OPEN GasMonthCursor2
           FETCH NEXT FROM GasMonthCursor2 INTO @yGasMonth
           WHILE @@FETCH_STATUS = 0
65
                     BEGIN
                                EXECUTE usp_PSPriceAutoMonth @yGasMonth,1
                                FETCH NEXT FROM GasMonthCursor2 INTO @yGasMonth
                     END
           CLOSE GasMonthCursor2
70
           DEALLOCATE GasMonthCursor2
```

5	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON			
10	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO			
15	CREATE PROCEDURE usp_PSPriceAutoMonth(@GasMonthx DATETIME, @WhichVolumex INTEGER			
20	AS BEGIN SET NOCOUNT ON /* Name: usp_PSPriceAutoMonth			
25	Description:			
30	This procedure will be execute all of the price calculation procedures required for a given month INCLUDING locking the month from other executions This particualr procedure will be executed asynchronously by the system through the online screens.			
00	Inputs:			
35	GasMonthx (Gas month to calculate) WhichVolumex (Price noms=0, Price actuals=1)			
33	History:			
	08/31/1999 JAMIE Original Creation.			
40	12/15/1999 JAMIE Modified to execute a new stored procedure once the gas month has been changed to the 'Accounting' status. This new procedure will mark and 'zap' the invoice numbers (amongst other things) on those gas inventory items were some sort of a price or volume adjustment was made.			
45	03/22/2000 JAMIE Modified this process to handle all of the calculations for gas months, etc. Moved the 'Divie' process to this routine (was buried within the transport cost module).			
50	05/24/2000 JAMIE Modified to enable an outer cursor on company entity (CID). This will allow for the partitioning of the calculations based on company ID (so we don't mix WASP Pool results/etc.).			
55	07/26/2000 JAMIE Modified to incorporate the changes to process calculations for certain types of deals prior to others (ie. 3rd party first so that profits can be distributed. This change included passing a new parameter to the PSPriceAll function (on which pool (" for all)			
60	08/25/2000 JAMIE Modified to remove logic that invoked the older calculation routines.			
	02/01/2001 JAMIE Modified to remove the transport section (commented out).			
65	DECLARE @yCIDEntity VARCHAR(12) DECLARE @yGasMonth DATETIME DECLARE @yCurrentStatus VARCHAR(20)			
70	DECLARE EntityCIDCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR			



	* to	o WASP pools/etc
_	EX	KECUTE usp_PSPriceCostAll
5	@GasMonthx,@WhichVolumex,@yCIDEntity,1," /*	

		Now create the temporary WASPRouting able entries for all products, services
10	*a	and wasp types. The calculations will
		not 'walk back' from sale to purchase nere (unless OLD routing month)
	***	***************************************
15	7/ EX	KECUTE usp_PSPriceWASPCalc
	@GasMonthx,@WhichVolumex,@yCIDEntity	
	/* ****	***********
00		f new routing method then resolve based
20		on entity and IncludeInWasp pool. This some this way in order to potentially
	* d	listribute proceeds from 3rd party
		leals back to either a WASP pool meter or to another deal
25	•	Penalty and price 'None' neel
	*2	l. Resolve and price 'None' pool. 2. Divie out any proceeds.
		Resolve and price 'Dedicated' pool. Resolve and price 'Common' pool.
30	****	Accessive and price Common poor.
	*/ EX	(ECUTE usp_PSPriceWASPCalcResolveDriver
	@GasMonthx,@WhichVolumex,@yCIDEntity,'None'	'
35	@GasMonthx,0,@WhichVolumex,0,@yClDEntity,'No	(ECUTE usp_PSPriceAll lone'
	EX @GasMonthx,@WhichVolumex,@yCIDEntity,0,'Non	(ECUTE usp_PSPriceCostAll
	EX	ECUTE usp_PSPriceWASPDivieOutProceedsN
40	@GasMonthx,@WhichVolumex,@yCIDEntity EX	(ECUTE usp_PSPriceWASPCalcResolveDriver
	@GasMonthx,@WhichVolumex,@yClDEntity,'Dedic	cated' (ECUTE usp. PSPriceAll
	@GasMonthx,0,@WhichVolumex,0,@yCIDEntity,'Do	edicated'
45	EX @GasMonthx,@WhichVolumex,@yClDEntity,0,'Ded	(ECUTE usp_PSPriceCostAll
	EX	(ECUTE usp_PSPriceWASPCalcResolveDriver
	@GasMonthx,@WhichVolumex,@yCIDEntity,'Comm EX	mon' (ECUTE usp_PSPriceAll
50	@GasMonthx,0,@WhichVolumex,0,@yCIDEntity,'Co	ommon'
50	@GasMonthx,@WhichVolumex,@yClDEntity,0,'Con	(ECUTE usp_PSPriceCostAll mmon'

		Calculate Transport contract gas inventory
55		ems (create them along with any ransport deals).
	****	***************************************
	@GasMonthx,@WhichVolumex,0,@yCIDEntity	(ECUTE usp_PSPriceTransportAll
60	•/	
	, I ⁻	***************************************
		ndicate that the gas month is finished and commit the updates.
65	*****	
	*/ UP	PDATE
	.	rGasMonth
70		SET LockedUser="
=		


WHERE

	WHERE
	GasMonth=@GasMonthx
5	 Check to make sure that any items that require an invoice number gets created. This is only applicable when the gas month
10	* is in an 'Invoiced' state already. This * picks up any new deals/meters created * after the gas month promoted to 'Invoiced'.
	*/ IF (@yCurrentStatus='Invoiced')
15	BEGIN EXECUTE usp_PSPriceAnyNewInvoicesNeeded @yGasMonth,@yCIDEntity
	END FETCH NEXT FROM GasMonthCursor INTO @yGasMonth,@yCurrentStatus
20	END CLOSE GasMonthCursor DEALLOCATE GasMonthCursor FETCH NEXT FROM EntityCIDCursor INTO @yCIDEntity
25	END CLOSE EntityCIDCursor DEALLOCATE EntityCiDCursor END
30	
35	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO
40	SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO
	CREATE PROCEDURE usp_PSPriceComponentsCheck(@PIDx INTEGER,
45	@WhichPricex INTEGER, @GasMonthx DATETIME, @DBCRx INTEGER)
50	AS BEGIN I*
	Name: usp_PSPriceComponentsCheck
55	Description: Create any system generated pricing components automatically. Any existing
60	system generated pricing components are deleted. Then they are recreated within this particular process. This procedure should be invoked for all packages that were created within a given gas month. Current System Generated Items include price components tagged as 'NETBACK PERCENTAGE' or 'WASP'.
	Inputs:
65	PIDx - Package Identifier WhichPricex - 0=Nominations, 1=Actuals GasMonthx - Gas Month for Price Calculations DBCRx - 0=Purchase, 1=Sales
70	History:

```
07/28/2000 JAMIE Modify this process so that OIL, GAS or LIQUIDS is used when
  5
            obtaining the netback percentage. This is based on the product ID for the deal.
            08/17/2000 JAMIE Modify the process to eliminate any pricing entries on
            WASP/EQUITY deals ('Common' pool). This will ensure that the only pricing
            entries on the wasp deals are those that are system generated.
10
15
            * Declare all variables and cursors
            * that are needed by this process.
            DECLARE @zProductiD INTEGER
            DECLARE @zProductNetbackType VARCHAR(12)
DECLARE @yWaspindicator VARCHAR(10)
20
            DECLARE @yEngineMasterRecords INTEGER
            DECLARE @yEngineMasterETID_Key INTEGER
            DECLARE @yEngineMasterPriceSequence INTEGER
25
            DECLARE @yNetBackPercentage DECIMAL(19.8)
            DECLARE ETIDCursor CURSOR LOCAL STATIC FORWARD ONLY FOR
                       SELECT
                                  DISTINCT
30
                                  ETID
                       FROM
                                  Engine_Master
                       WHERE
                                  PID=@PIDx
35
            * Get the WASP indicator for this
            * particular deal via a function call.
             This is based on how the deal is
40
             classified.
            EXECUTE usp_fGetWaspIndicator @PIDx,@yWaspIndicator OUTPUT
45
            * All deals should have system generated
            * price entries removed here...
            * In addition, 'Common' wasp pool deals
50
            * will have all non system generated
            * price entries removed. Only purchase
            * deals are impacted by system generated
            * entries.
55
            OPEN ETIDCursor
            FETCH NEXT FROM ETIDCursor INTO @yEngineMasterETID_Key
            WHILE @@FETCH_STATUS = 0
                       BEGIN
60
                                  IF @yWaspIndicator='Common'
                                             BEGIN
                                                        IF @DBCRx=0
                                                                   BEGIN
                                                                              DELETE
65
                                                                                          FROM
                                                                                                     Engine_MasterPrice
                                                                                          WHERE
```

05/12/1999 JAMIE Original Creation.

(Engine_MasterPrice.ETID=@yEngineMasterETID_Key) AND



INTO

Engine_Master

	5	(PID,Effective,STID,VolLevel,VolGi	roup,VarFixe	d,MMBtuMC	F,TierThreshold)			
	3			VALUES	(@PIDx,@GasMonthx,8,0,@PIDx,1,1,1)			
		END SELECT @yEngineMa	asterETID_K	ey = ISNULL	((SELECT MIN(ETID) FROM Engine_Master			
	10	AND Effective=@GasMonthx AND STID=8 ANI	D VoiLevei=(0),0)	WHERE PID=@PIDx			
	15	* At this point we now e * ETID (key) to the Eng * There should be only * the Engine_Master fo * packages.	either have a gine_Master a single rec	valid or 0. ord on				
	20	* Now insert the 'WASF	*********	oonent.				
		IF @yEngineMasterET BEGIN	ID_Key > 0					
	25	MAX(SequenceNo) FROM Engine_MasterPrice		DyEngineMa	sterPriceSequence = ISNULL((SELECT			
-					NomOrActual=@WhichPricex),0) sterPriceSequence =			
4 ħ	30	@yEngineMasterPriceSequence+1	INSERT					
j				INTO	Engine_MasterPrice			
		(ETID,PriceTag,OperandVariable,PriceVariable,CreateUser,CreateDate,LastUpdateUser,						
1	35	(ETID, Flice Lay, Operatio variable, P	nce variable,	,Createuser,	LastUpdateDate,SequenceNo,NomOrActua			
= <u>1</u>				VALUES				
		(@yEngineMasterETID_Key,'WASF	(@yEngineMasterETID_Key,'WASP','+','WASP',UPPER(user_name()),					
	40	getdate(),UPPER(user_name()),get END /*	tdate(),@yEr	ngineMasterF	PriceSequence,@WhichPricex)			
IP: that the time	45	* Now invoke the 'NETE * calculation routine and * particular price compo * put the netback perce * 'string' representation.	BACK PERC d then insert onent. Reme entage into its	ENTAGE' this ember to				
	50	*/ IF @yEngineMasterET		•				
	55	BEGIN @PIDx,@GasMonthx,@zProductNetbackType,	@WhichPrica		ge IS NULL			
	60 05:	AvEnging Master Price Sequence 4	SELECT @	END gyEngineMa	SELECT @yNetBackPercentage = 0 sterPriceSequence =			
	60	@yEngineMasterPriceSequence+1	INSERT	INTO	Engine_MasterPrice			
	65	(ETID,PriceTag,OperandVariable,PriceVariable,CreateUser,						
		CreateDate,LastUpdateUser,LastUp						
	70	PERCENTAGE','*,LTRIM(STR(@yNetBackPerc	centage,8,4)		(@yEngineMasterETID_Key,'NETBACK			

		UPPER(CURRENT_USER),getdate(),UPPER(CURRENT_USER),getdate(),@yEngineN,@WhichPricex)	asterPriceSequence
	5	END END END	
	10		
	15	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
	20	SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
	20	CREATE PROCEDURE usp_PSPriceCost(@GasMonthx DATETIME, @WhichPricex INTEGER,	
	25	@PKGx INTEGER, @STIDx INTEGER, @PCIDx INTEGER, @TIDx INTEGER,	
ike Kanti mudi danti bada bada Kasi	30	@CostLevelx VARCHAR(12), @CostBasisx VARCHAR(40), @CostRateOrAmountx DECIMAL(19,6), @TotalVolumex DECIMAL(19,2), @MeterVolumex DECIMAL(19,2)	
	35	AS BEGIN	
å		Name: usp_PSPriceCost	
updates to the engine table (for		Description: This particular procedure will perform the actual calculations and post updates to the engine table (for other costs associated with deals). This is done for each meter within a deal for an other cost item.	
	45	Inputs:	
<u>ā</u>	50	GasMonthx (Gas Month to cost) WhichPricex (0=Nominations, 1=Actualizations) PKGx (deal id) STIDx (engine transaction id) PCIDx (deal other cost unique id (see PackageCosts table) TIDx (gas inventory identifier)	
	55	CostLevelx (Level that cost is appropriated towards) CostBasisx (rules governing calculation of the cost) CostRateOrAmountx (rate or amount involved in cost) TotalVolumex (total volume for deal) MeterVolumex (total volume for meter within deal).	
		History:	
	60	10/20/99 JAMIE Initial creation.	
		03/26/00 JAMIE Modified to allow for zero volume deals to have other (fixed) costs assigned to them.	
	65	10/03/20 JAMIE Modified to correct problem associated with 'METER' calculations using entire deal volume.	
	70	12/01/2000 JAMIE Modified to apply the netback percentage to the other cost when it is calculated. This percentage is only applicable to purchase deals that are in the 'Common' or 'Dedicated' pools.	

```
12/10/2000 JAMIE Modified to check for the apply netback flag on the
            cost record in order to determine if the netback percentage should be
            applied to the cost.
  5
10
            * Declare all variables and cursors
            * that are needed by this process.
            DECLARE @zNetbackPercent DECIMAL(19,6)
15
            DECLARE @zProductNetbackType VARCHAR(12)
            DECLARE @yWaspIndicator VARCHAR(10)
            DECLARE @zDBCR INTEGER
            DECLARE @zApplyNetback VARCHAR(1)
20
            DECLARE @zPercentToApply DECIMAL(19,4)
            DECLARE @zAmountToApply DECIMAL(19,2)
            DECLARE @zTotalSaleOrPurchValue DECIMAL(19,2)
            DECLARE @zTotalMeters INTEGER
25
            ,
*****************
            * Initialize any fields required.
30
            SELECT @zNetbackPercent=0
            SELECT @zAmountToApply=0
            SELECT @zPercentToApply=1
            SELECT @zTotalSaleOrPurchValue=0
35
            * Get the WASP indicator for this
            * particular deal via a function call.
            * This is based on how the deal is
            * classified.
40
            EXECUTE usp_fGetWaspIndicator @PKGx,@yWaspIndicator OUTPUT
            SELECT @zDBCR=ISNULL((SELECT packagedbcr FROM package WHERE pkg=@PKGx),0)
            SELECT @zApplyNetback=ISNULL((SELECT applynetback from packagecosts WHERE pcid=@PCIDx),'Y')
45
            * Determine the correct product type in order
            * to get the correct contract netback
            tier information.
50
           IF @zDBCR=0
                      BEGIN
                                 IF (@yWaspIndicator='Common') OR (@yWaspIndicator='Dedicated')
55
                                           BEGIN
                                                      EXECUTE usp_fGetWaspType @PKGx,@zProductNetbackType
           OUTPUT
                                                      EXECUTE usp_fGetNetbackPercentage
           @PKGx,@GasMonthx,@zProductNetbackType,@WhichPricex,@zNetbackPercent OUTPUT
60
                      END
           * Determine the percentage of whatever the
65
           * cost will calculate to here.
            * involved with this calculation. If it
            * is a deal level fixed cost then show
           * zeros IF there is no volume.
70
```

```
IF (@MeterVolumex<>0) AND (@TotalVolumex<>0)
                       BEGIN
                                  IF @CostLevelx='DEAL'
                                             BEGIN
  5
                                                        SELECT
            @zPercentToApply=CONVERT(DECIMAL(19,4),@MeterVolumex)/CONVERT(DECIMAL(19,4),@TotalVolumex)
                                             END
                       END
            IF (@MeterVolumex = 0) AND (@CostLevelx='DEAL')
10
                       BEGIN
                                  SELECT @zPercentToApply=0
                       END
15
            * If the cost is a FIXED AMOUNT and there
            * is no volume for the deal then determine
            * the amount to apply based on the number
            of meters involved in the deal. If 1
            * meter only then 100% of cost assessed to
20
            * that meter. If 2 meters then 50% assessed
            * to each one. etc..
            IF (@MeterVolumex=0) AND (@TotalVolumex=0)
25
                       BEGIN
                                  IF @CostBasisx='Fixed Amount'
                                            BEGIN
                                                       SELECT @zTotalMeters=ISNULL((SELECT count(*) FROM GasInv
            WHERE PKG=@PKGx AND GasMonth=@GasMonthx),0)
30
                                                       IF @zTotalMeters <> 0
                                                                  BEGIN
                                                                             SELECT
            @zPercentToApply=(1/CONVERT(DECIMAL(19,4),@zTotaiMeters))
                                                                             SELECT
35
            @zAmountToAppiy=(@CostRateOrAmountx*@zPercentToApply)
                                            END
                       END
40
            * Calculate based on fixed amount
            * here... Since this is a fixed amount
            * then the amount should be calculated
            proportionately based on the total
45
            volume percentage to the deal.
           IF @CostBasisx='Fixed Amount'
                      BEGIN
50
                                 IF (@CostRateOrAmountx<>0) AND (@zPercentToApply<>0)
                                            BEGIN
                                                       SELECT
            @zAmountToApply=(@CostRateOrAmountx*@zPercentToApply)
                                            END
55
                      END
            * Calculate based on a rate applied
            * against MMBTU's here... Regardless
60
            * of whether or not this is a 'DEAL'
            * level or 'METER' level charge the
            * cost should be based on meter
            * volume.
65
           IF (@MeterVolumex<>0)
                      BEGIN
                                 IF @CostBasisx='Rate Applied to MMBTUs'
                                            BEGIN
70
                                                       IF (@CostRateOrAmountx<>0)
```

BEGIN SELECT @zAmountToApply=((CONVERT(DECIMAL(19,4),@MeterVolumex)*@CostRateOrAmountx)) END END


```
5
                        END
             * Calculate based on the total dollar amount
10
             * previously calculated here... Since
             * this particular cost is calculating on
             * just the amount for the associated
             * meter (ie., sum of engine based on
             * TID) then the 'PercentToApply' is
15
             * not applicable.
            IF (@MeterVolumex<>0) AND (@TotalVolumex<>0)
                       BEGIN
20
                                   IF @CostBasisx='Rate Applied to Value'
                                              BEGIN
                                                          IF @WhichPricex=0
                                                                     BEGIN
                                                                                SELECT
25
            @zTotaiSaleOrPurchValue=ISNULL((SELECT SUM(amount) FROM engine WHERE tid=@tidx AND (stid=8 OR
            stid=9)),0)
                                                         IF @WhichPricex=1
                                                                    BEGIN
30
                                                                                SELECT
            @zTotalSaleOrPurchValue=ISNULL((SELECT SUM(amountact) FROM engine WHERE tid=@tidx AND (stid=8 OR
            stid=9)),0)
                                                         if(@CostRateOrAmountx<>0) AND (@zTotalSaleOrPurchValue<>0)
                                                                    BEGIN
35
            @zAmountToApply=(@zTotalSaleOrPurchValue*@CostRateOrAmountx)
                                              END
40
                       END
            * Finally, post the cost amount to the
            * Engine table. If the engine table for
45
            * this transaction does not yet exist then
            * insert it, otherwise just update it...
            * Make sure that actual calculations and
            * nomination calculations are done within
50
            * their respective 'buckets'.
55
            * First apply the netback if it
            * is there AND if the apply
            * netback flag has been set
            on the cost item.
60
            IF @zApplyNetback = 'Y'
                       BEGIN
                                  IF @zNetbackPercent<>0
                                             BEGIN
65
                                                         SELECT
            @zAmountToApply=ROUND((@zAmountToApply*@zNetbackPercent),2)
                                             END
                       END
70
```

-	* Apply and post the amount * here				
5	*/ IF @WhichPricex=0				
	BEGIN IF (SELECTION OF THE CONTROL O	evel=0)=0	ROM Engine	WHERE TI	D=@TIDx AND STID=@STIDx AND
10		BEGIN	INSERT	INTO	
					Engine
15	(TID,STID,Effective,Vo meAct,AmountAct,EM_ETID)	ILevel,VolGro	oup,MMBTul	MCF,Volume	e,Amount,PriceOrRateNom,PriceOrRateAct,Volu
	(@TIDx,@STIDx,@Ga)PKGx,1,0,R		AmountToApply,2),0,0,0,0,@PCIDx)
20	ELSE	END BEGIN			
		220	UPDATE	engine	
25	A Accessed BOI	IND/O-A	. .	SET	
	Amount=Amount+ROL	JND(@zAmoi	unt l'oApply,2	2) WHERE	TID=@TIDx AND
30					STID=@STIDx AND Effective=@GasMonthx AND
	END	END			VolLevel=0
35	IF @WhichPricex=1 BEGIN	T count(*) EE	OM Engine	WHERE TH	D=@TIDx AND STID=@STIDx AND
	Effective=@GasMonthx AND VolLe	evel=0)=0 BEGIN	-	WHERE III	ט-שווטג אווט פווט-שפווטג אונט
40			INSERT	INTO	Engine
		Level,VolGro	up,MMBTuN	MCF,Volume	,Amount,PriceOrRateNom,PriceOrRateAct,Volu
45	meAct,AmountAct,EM_ETID)			VALUES	
		sMonthx,0,@ END	PKGx,1,0,0,	0,0,0,ROUN	ID(@zAmountToApply,2),@PCIDx)
50	ELSE	BEGIN	UPDATE		
			OFDATE	engine SET	
55	AmountAct=AmountAct	t+ROUND(@	zAmountTo/	Apply,2) WHERE	
			•		TID=@TIDx AND STID=@STIDx AND
60	,	END			Effective=@GasMonthx AND VolLevel=0
	END .	LIND			
65					
70	GO				

```
SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
            SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
 5
            GO
            CREATE PROCEDURE usp_PSPriceCostAll(
                                                                    @GasMonthx DATETIME,
                                                                    @WhichPricex INTEGER,
                                                                    @EntityCIDx VARCHAR(12),
10
                                                                    @DBCRx INTEGER.
                                                                    @IncludeInWaspx VARCHAR(10)
            AS
            BEGIN
15
            Name: usp PSPriceCostAll
20
            Description: Loop through all other costs associated to deals within a given month
            then apply the cost to the dean (posting engine records reflecting the cost amounts).
            or sale) and invoke the price procedures.
            Inputs:
25
            GasMonthx - Gas Month to price),
            WhichPricex - 0=Nominations, 1=Actualizations
            EntityCIDx - owning entiry company identifier
            DBCRx - 0=Purchases, 1=Sales (deals)
30
            IncludeInWaspx = " for all or specific pool (ie. 'Common', etc.).
            History:
            10/20/99 JAMIE Initial creation.
35
            03/26/00 JAMIE Modified to allow for zero volume deals to have other (fixed) costs
            assigned to them.
            05/24/2000 JAMIE Modified to make sure that the calculation was within a specific
40
            10/03/2000 JAMIE Modified to accept two additional parameters to dictate which
            pool and whether or not purchases or sales were to be calculated upon...
45
            * Declare all variables and cursors
50
            * that are needed by this process.
            DECLARE @zMessage VARCHAR(254)
DECLARE @zTotalVolume DECIMAL(19,2)
            DECLARE @zMeterVolume DECIMAL(19,2)
55
            DECLARE @zVolumeStatus INTEGER
            DECLARE @zPriceStatus INTEGER
            DECLARE @zincludeinWasp VARCHAR(10)
60
            DECLARE @yPCID INTEGER
            DECLARE @yPKG INTEGER
            DECLARE @ySTID INTEGER
            DECLARE @yCostLevel VARCHAR(12)
            DECLARE @yCostMID INTEGER
DECLARE @yCostBasis VARCHAR(40)
65
            DECLARE @yCostRateOrAmount DECIMAL(19,4)
            DECLARE @wTID INTEGER
            DECLARE @wNom DECIMAL(19,2)
70
            DECLARE @wPipelineActuals DECIMAL(19,2)
```

DECLARE @eETID INTEGER DECLARE @eVolume DECIMAL(19,2) 5 DECLARE @ePriceOrRateNom DECIMAL(19,6) DECLARE @eVolumeAct DECIMAL(19,2) DECLARE @ePriceOrRateAct DECIMAL(19,6) DECLARE @evolumestatus INTEGER DECLARE @epricestatus INTEGER DECLARE @ePKG INTEGER 10 DECLARE PackageCostsCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR SELECT PackageCosts.PCID, PackageCosts.PKG, 15 PackageCosts.STID, PackageCosts.CostLevel. PackageCosts.CostMID, PackageCosts.CostBasis, PackageCosts.CostRateOrAmount 20 FROM **PackageCosts** WHERE PackageCosts.PKG=ANY(SELECT PKG FROM Package,k WHERE 25 PackageGasMonth=@GasMonthx AND K.KID=Package.KID AND K.EntityCID=@EntityCIDx AND Package.PackageDBCR=@DBCRx) ORDER BY PackageCosts.PKG, 30 PackageCosts.STID DECLARE EngineCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR SELECT engine etid. 35 engine.volume, engine.priceorratenom, engine.volumeact. engine.priceorrateact, engine volumestatus, 40 engine.pricestatus, package.pkg **FROM** engine, gasinv. 45 package, WHERE package.pkg=gasinv.pkg AND k.kid=package.kid AND 50 k.entitycid=@entitycidx AND gasinv.gasmonth=@GasMonthx AND engine.tid=gasinv.tid AND gasinv.pricetype=1 AND gasinv.dbcr=@DBCRx 55 * Loop through each other package cost * involved with this calculation. 60 SELECT @zMessage = 'PSPriceCostAll Running To Calculate Other Costs for all Deals' EXECUTE usp_Message @zMessage OPEN PackageCostsCursor FETCH NEXT FROM PackageCostsCursor INTO @yPCID,@yPKG,@ySTID,@yCostLevel,@yCostMID,@yCostBasis,@yCostRateOrAmount WHILE @@FETCH_STATUS = 0 65 BEGIN **BEGIN TRANSACTION** 70

DECLARE @wGasInv_MID INTEGER



```
AND @yCostMID=@wGasInv_MID)
                                                                                     BEGIN
                                                                                     EXECUTE usp_PSPriceCost
  5
            @GasMonthx,@WhichPricex,@yPKG,@ySTID,@yPCID,
                       @wTID,@yCostLevel,@yCostBasis,@yCostRateOrAmount,
                       @zTotalVolume,@zMeterVolume
 10
                                                                                     END
                                                                FETCH NEXT FROM GasInvCursor INTO
            @wTID,@wNom,@wPipelineActuals,@wGasInv_MID
                                                      CLOSE GasInvCursor
 15
                                                      DEALLOCATE GasinvCursor
                                           END
                                 COMMIT WORK
                                 FETCH NEXT FROM PackageCostsCursor INTO
            @yPCID,@yPKG,@ySTID,@yCostLevel,@yCostMID,@yCostBasis,@yCostRateOrAmount
20
                      END
            CLOSE PackageCostsCursor
            DEALLOCATE PackageCostsCursor
25
            * Loop through and set the status flags
            * on the engine record IF the price or
            * volumes or amounts are different
            * between noms and actuals. Make
            * sure the logic exists to only calculate
30
            * those deals (purchases or sales)
            * within the correct WASP pool.
           IF @WhichPricex=1
35
                      BEGIN
                                 SELECT @zMessage = 'PSPriceCostAll Running To Set Price & Volume Variance Status
           Indicators...'
                                 EXECUTE usp_Message @zMessage
                                 OPEN EngineCursor
                                FETCH NEXT FROM EngineCursor INTO
40
           @eETID,@eVolume,@ePriceOrRateNom,@eVolumeAct,@ePriceOrRateAct,@eVolumeStatus,@ePriceStatus,@ePKG
WHILE @@FETCH_STATUS = 0
                                           BEGIN
                                                     EXECUTE usp_fGetWaspIndicator @ePKG,@zIncludeInWasp
45
           OUTPUT
                                                     IF (@includeInWaspx=") OR (@includeInWaspx=@zincludeInWasp)
                                                                BEGIN
50
                                                                * Check prices and volumes here.
                                                                SELECT @zVolumeStatus=0
                                                                SELECT @zPriceStatus=0
55
                                                                IF @eVolume<>@eVolumeAct
                                                                                    BEGIN
                                                                                     SELECT @zVolumeStatus=1
                                                                                    END
                                                                IF @ePriceOrRateNom<>@ePriceOrRateAct
60
                                                                                    BEGIN
                                                                                    SELECT @zPriceStatus=1
                                                                                    END
                                                                IF (@zVolumeStatus<>@eVolumeStatus) OR
           (@zPriceStatus<>@ePriceStatus)
65
                                                                                    BEGIN
                                                                                    UPDATE
                                                                                                          engine
                                                                                                          SET
70
                     volumestatus=@zVolumeStatus,
```

```
5
                        ETID=@eETID
                                                                                           END
                                                                    END
                                                         FETCH NEXT FROM EngineCursor INTO
             @eETID, @eVolume, @ePriceOrRateNom, @eVolumeAct, @ePriceOrRateAct, @eVolumeStatus, @ePriceStatus, @ePKG
10
                                              END
                                   CLOSE EngineCursor
                                   DEALLOCATE EngineCursor
                        END
            END
15
20
            GO
            SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
            GO
25
            SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
            GO
            CREATE PROCEDURE usp_PSPriceCreateActualEntries(
                                                                               @GasMonthx DATETIME
30
                                                                                          )
            AS
            BEGIN
            SET NOCOUNT ON
35
            Name: usp_PSPriceCreateActualEntries
            Description: This routine will clear out any existing links and pricing enties
            that may have already been setup for pipeline actuals. It will then copy the
40
            nominiation pricing and linking entries for pipeline actuals (within the given
            month). This process should only get invoked with the status of a given month
            within the gas control system goes from 'Sales' to 'Invoiced' at that point in time
            the accounting group will be responsible for any further modifications.
45
            GasMonthx (Gas Month to calculate),
            History:
50
            08/04/1999 JAMIE Original creation
            08/25/2000 JAMIE Modified to remove the PackageLinks delete and build
            logic (replaced by new routing structures).
55
            */
60
            * Declare all variables and cursors
            * that are needed by this process.
            DECLARE @zMessage VARCHAR(254)
DECLARE @yPKG INTEGER
65
            DECLARE @yETID INTEGER
            DECLARE @yEM_ETID INTEGER
70
            * Clear out the link and price entry
```


```
* structures for the specified month
            * here... These entries will be
            * recreated (from Nom side) in the
            * next step.
  5
            * Database triggers take care of the
            * individual pricing components in
            * the Engine_MasterPrice table.
10
           SELECT @zMessage = 'PSPriceCreateActualEntries, removing Engine_MasterPrice...'
           EXECUTE usp_Message @zMessage
           DECLARE Engine_MasterDeleteCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                      SELECT
15
                                DISTINCT
                                (Engine_Master.ETID)
                                FROM
                                           Engine_Master,
                                           Gaslnv,
20
                                           Engine_MasterPrice
                                WHERE
                                           GasInv.GasMonth=@GasMonthx AND
                                           GasInv.PriceType=1 AND
                                           GasInv.PKG=Engine Master.PID AND
25
                                           Engine_MasterPrice.ETID=Engine_Master.ETID AND
                                           Engine_MasterPrice.NomOrActual=1
           OPEN Engine_MasterDeleteCursor
           FETCH NEXT FROM Engine_MasterDeleteCursor INTO @yEM_ETID
           WHILE @@FETCH_STATUS = 0
30
                      BEGIN
                                BEGIN TRANSACTION
                                SELECT @zMessage = 'PSPriceCreateActualEntries, actual Engine_MasterPrice removed...'
                                EXECUTE usp_Message @zMessage
                                DELETE
35
                                           FROM
                                                     Engine_MasterPrice
                                          WHERE
                                                     ETID=@yEM_ETID AND
                                                     NomOrActual=1
40
                                COMMIT WORK
                                FETCH NEXT FROM Engine_MasterDeleteCursor INTO @yEM_ETID
                     END
           CLOSE Engine_MasterDeleteCursor
           DEALLOCATE Engine_MasterDeleteCursor
45
           * Now bulk populate the engine
           * pricing information. Taking nom
            pricing entries and creating actual
50
           * pricing entries.
           SELECT @zMessage = 'PSPriceCreateActualEntries, running GasInv cursor...'
           EXECUTE usp_Message @zMessage
           DECLARE GasinvCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
55
                     SELECT
                                DISTINCT
                                (Gasinv.PKG)
                                FROM
60
                                          Gaslnv
                                WHERE
                                          GasInv.GasMonth=@GasMonthx AND
                                          GasInv.PriceType=1
           OPEN GasInvCursor
           FETCH NEXT FROM GasInvCursor INTO @yPKG
65
           WHILE @@FETCH_STATUS = 0
                     BEGIN
                                BEGIN TRANSACTION
                                SELECT @zMessage = 'PSPriceCreateActualEntries, obtaining price entries for GasInv
70
           Package...'
```

		EXECUTE usp_Message @zMessage DECLARE Engine_MasterCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR SELECT	
	5	DISTINCT ° (ETID) FROM Engine_Master	
		WHERE	
	10	PID=@yPKG OPEN Engine_MasterCursor FETCH NEXT FROM Engine_MasterCursor INTO @yETID WHILE @@FETCH_STATUS = 0 BEGIN	
	15	SELECT @zMessage = 'PSPriceCreateActualEntries, inserting prices'	actual
	13	EXECUTE usp_Message @zMessage INSERT	
		INTO Engine_MasterPrice	
	20	(ETID,PriceTag,OperandVariable,PriceVariable,CreateUser,	
		CreateDate,LastUpdateUser,LastUpdateDate,SequenceNo,NomOrActuat) (SELECT	
	25	ETID, PriceTag, OperandVariable, PriceVariable, CreateUser, CreateDate, LastUpdateUser, LastUpdateDate,) sia a
		SequenceNo,1 FROM Engine_MasterP WHERE ETID=@yETID AND NomOrActual=0)	rice
U M		FETCH NEXT FROM Engine_MasterCursor INTO @yETID END	
	30	CLOSE Engine_MasterCursor DEALLOCATE Engine_MasterCursor COMMIT WORK FETCH NEXT FROM GasInvCursor INTO @yPKG	
□ ≟	35	END CLOSE GasInvCursor	
		DEALLOCATE GasinvCursor END	
] T	40		
IJ			
	45	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
		SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
	50	CREATE PROCEDURE usp_PSPriceMarkActualAdjustments(@GasMonthx DATETIME)	
	55	AS BEGIN SET NOCOUNT ON	
		<u></u>	
		Name: usp_PSPriceMarkActualAdjustments	
	60	Description: This routine will go through each inventory (and engine records) in order to identify and mark those records that had some sort of an actualization adjustment (price or volume). The invoice number for sales will get reset to a 'A' (last character) if it currently exists as an 'N'.	
	65	Inputs:	
		GasMonthx (Gas Month to calculate),	
	70	History:	

*/ 5 * Declare all variables and cursors * that are needed by this process. 10 DECLARE @zMessage VARCHAR(254) DECLARE @yAcctgldentifier VARCHAR(12) DECLARE @zAcctgldentifier VARCHAR(12) 15 DECLARE @zLastChar VARCHAR(1) DECLARE @zinvoiceLength INTEGER DECLARE @qTID INTEGER 20 * First set the modified by actuals flag * across the board for all gasinventory * items that have a price type of '1' 25 * (this includes 'Other Costs'. * The defaults is set to 'N' then go * and override with changes. 30 SELECT @zMessage = '**** STARTED PSPriceMarkActualAdjustments' EXECUTE usp_Message @zMessage DECLARE GasInv1Cursor CURSOR LOCAL STATIC FORWARD_ONLY FOR **SELECT** 35 TID FROM Gasinv WHERE GasMonth=@GasMonthx AND 40 PriceType = 1 OPEN GasInv1Cursor FETCH NEXT FROM GasInv1Cursor INTO @qTID WHILE @@FETCH_STATUS = 0 BEGIN 45 **BEGIN TRANSACTION UPDATE** Gaslnv SET ModifiedByActuals='N' 50 WHERE TID = @qTID COMMIT WORK FETCH NEXT FROM Gasinv1Cursor INTO @qTID **END** 55 CLOSE GasInv1Cursor **DEALLOCATE GasInv1Cursor** * At this point all of the gas inventory * items that have had some sort of 60 * modification done on them between * noms and actuals will have been * updated to a 'Y'. Now go and reset * the accounting identifier for each of 65 * these records. SELECT @zMessage = 'PSPriceMarkActualAdjustments, make any modifications' EXECUTE usp_Message @zMessage 70 DECLARE Gasinv2Cursor CURSOR LOCAL STATIC FORWARD_ONLY FOR

12/15/1999 JAMIE Original creation

	SELECT	STINCT	
	(G.	Acctgldentifier) OM	
5		GasInv AS G, Engine AS E	
	WH	IERE GasMonth=@GasMonthx A	ND
10		G.PriceType=1 AND E.TID=G.TID AND	
10	OPEN GasInv2Cursor	(E.PriceStatus<>0 OR E.Vo	lumeStatus<>0)
		v2Cursor INTO @yAcctgldentifier	
15	BEGIN	GIN TRANSACTION	
	/* ****	***************************************	
20		ake sure that it is a valid 6 digit voice number AND the sixth digit	
20	* cc	ontains an 'N' (for noms).	
	*m		
25	*/ SFI	.ECT @zInvoiceLength=LEN(RTRIM	((LTRIM/@vAcctaldentifier)))
		©zInvoiceLength=6 BEGIN	it i minites and in the second
30		SELECT @zAc	ctgldentifier=RTRIM(LTRIM(@yAcctgldentifier)) stChar=RIGHT(@zAcctgldentifier,1)
		IF @zLastChar BE	='N'
		SE	LECT @zAcctgldentifier=LEFT(@zAcctgldentifier,5)+'A' DATE
35			Gasinv SET
			ModifiedByActuals='Y',
40	AcctgIdentifier=	@zAcctg/dentifier	WHERE
	GasMonth=@G	asMonthx AND	
	AcctgIdentifier=(@yAcctgldentifier	
45		END ENI	0
	FET	MMIT WORK CH NEXT FROM Gasinv2Cursor IN	TO @yAcctgldentifier
50	END CLOSE GasInv2Cursor	•	
		FINISHED PSPriceMarkActualAdjus	tments'
ee.	EXECUTE usp_Message @ END	zmessage	
55			
60	GO,	OFF SET ANSI_NULLS ON	
	GO	017 0E17/H0I_H0EE0 0H	
	SET OLIOTED IDENTIFIER	OFF SET ANSI_NULLS ON	
65	GO	•	
65		_PSPricePopulateEngine(
65	GO	_PSPricePopulateEngine(@PIDx INTEGER, @WhichPricex INTEGER, @GasMonthx DATETIME,



```
* Modified on 01/27/2000 to delete engine
            * records off actuals IF there are no nom
            * numbers stored on the records...
  5
            IF @WhichPricex=0
                      BEGIN
                                 DELETE
                                           FROM
 10
                                                     Engine
                                           WHERE
                                                     TID=ANY(SELECT TID FROM GasInv WHERE PKG=@PIDx AND
            PriceType=1 AND DBCR=@DBCRx)
                      END
 15
            IF @WhichPricex=1
                      BEGIN
                                 DELETE
                                           FROM
                                                     Engine
20
                                           WHERE
                                                     TID=ANY(SELECT TID FROM Gasinv WHERE PKG=@PIDx AND
            PriceType=1 AND DBCR=@DBCRx) AND
                                                     PriceOrRateNom=0 AND
                                                     Volume=0 AND
25
                                                     Amount=0
                                UPDATE
                                           Engine
                                           SET
                                                     PriceOrRateAct=0,
30
                                                     VolumeAct=0.
                                                     AmountAct=0
                                           WHERE
                                                     TID=ANY(SELECT TID FROM GasInv WHERE PKG=@PIDx AND
           PriceType=1 AND DBCR=@DBCRx)
35
                      END
            * First, do a loop on all of the
            * Engine_Master records in order to
40
            * remove any that don't have any price
            * records associated to it... (Orphans)...
            * A commit point is placed here in order to
            * insure that subsequent cursor activity
            * only picks up valid price records.
45
           DECLARE Engine_MasterCursor1 CURSOR LOCAL STATIC FORWARD_ONLY FOR
                      SELECT
                                em.ETID,
50
                                em.Effective.
                                em.STID,
                                em.VolLevel,
                                em.VolGroup,
                                em.VarFixed,
55
                                em.MMBtuMCF,
                                em.TierThreshold
                                FROM
                                           Engine_Master AS em
                                WHERE
60
                                          (em.PID=@PIDx)
                                ORDER BY
                                           em.Effective
           OPEN Engine_MasterCursor1
           FETCH NEXT FROM Engine_MasterCursor1 INTO
           @yETID,@yEffective,@ySTID,@yVolLevel,@yVolGroup,@yVarFixed,@yMMBtuMCF,@yTierThreshold
65
           WHILE @@FETCH_STATUS = 0
                      BEGIN
                                IF ISNULL((SELECT count(*) FROM Engine_MasterPrice WHERE ETID=@yETID),0) < 1
                                          BEGIN
70
                                                     DELETE
```

FROM

Engine_Master

WHERE

ETID=@yETID

```
5
                                             END
                                  FETCH NEXT FROM Engine_MasterCursor1 INTO
            @yETID.@yEffective.@ySTID.@yVolLevel,@yVolGroup.@yVarFixed.@yMMBtuMCF,@yTierThreshold
                       END
            CLOSE Engine_MasterCursor1
 10
            DEALLOCATE Engine_MasterCursor1
            * Now loop through the existing
            *Engine_Master records. These are the
15
            * actual price entries that were input
            * by the user. There can be a record
            * PER DAY or a single record for the
            * entire month. Only 1 entry PER
            * Effective date will be stored within
20
            * the Engine table. That is why the
            * tmpPrevEffective is used within the
            * cursor process.
25
            SELECT @tmpPrevEffective='01-01-1900'
            DECLARE Engine_MasterCursor2 CURSOR LOCAL STATIC FORWARD_ONLY FOR
                       SELECT
                                  em.ETID,
                                  em.Effective,
30
                                  em.STID.
                                  em.VolLevel,
                                  em.VolGroup,
                                  em.VarFixed,
                                  em.MMBtuMCF.
35
                                  em.TierThreshold
                                  FROM
                                             Engine_Master AS em
                                  WHERE
                                             (em.PID=@PIDx)
40
                                  ORDER BY
                                             em.Effective
            OPEN Engine_MasterCursor2
            FETCH NEXT FROM Engine_MasterCursor2 INTO
            @yETID,@yEffective,@ySTID,@yVolLevel,@yVolGroup,@yVarFixed,@yMMBtuMCF,@yTierThreshold
45
            WHILE @@FETCH_STATUS = 0
                       BEGIN
                                  * Check for daily index entries... If they
                                  * are found then go and calculate the
50
                                  * end date for which to insert engine
                                  * records (automating a daily price
                                  * entry to the engine for each day of
                                  the month up thru the end of the month
55
                                  * or to the next effective date.
                                  * This will also check for index basket
                                  * monthly entries. If the index basket
                                  * contains daily indices then populate
60
                                  * each day of the month just as if it
                                  * was a daily index.
                                 IF @yEffective<>@tmpPrevEffective
65
                                            BEGIN
                                                        EXECUTE usp_fLastDay @GasMonthx,@tmpEndDate OUTPUT
                                                        SELECT @tmpDailyIndexCount=0
                                                        DECLARE DailyCheckCursor CURSOR LOCAL STATIC
            FORWARD_ONLY FOR
70
                                                                   SELECT
```

				p.PriceEnt emp.Price	
5				WHERE	Engine_MasterPrice AS emp, PriceComponents AS p
				WILKE	(emp.ETID=@yETID) AND
10	(emp.NomOrActual=@WhichPrice p.PriceEntryType='Basket IDX')	ex) AND			(p.PriceTag=emp.PriceTag) AND (p.PriceEntryType='Daily IDX' OR
15	, , , ,	EXT FROM D	DFETCH_ST BEGIN	ursor INTO (FATUS = 0	@dPriceEntryType,@dPriceVariable
	(@tmpDailyIndexCount=0)		IF (@dPrice	eEntryType=	'Daily IDX') AND
20					BEGIN SELECT @tmpDailyIndexCount=1 END
	(@tmpDailyIndexCount=0)		IF (@dPrice	eEntryType=	Basket IDX') AND
25	ISNULL((SELECT count(*) FROM IndexBasket	tLink,IndexRe	f		SELECT @tmpDailyIndexCount =
	WHERÊ (I	IndexBasketL	ink.IndexBas	ketID=@dP	riceVariable) AND
30			(IndexRef.li	ndexiD=Inde	exBasketLink.IndexID) AND
			•)ailyIndex=1	END
35	@dPriceEntryType,@dPriceVariable		END		ailyCheckCursor INTO
40		DEALLOCA	ilyCheckCur ATE DailyCh ilyIndexCoui BEGIN	eckCursor	
		ELSE	END	SELECT @	htmpEndEffectiveDate=@yEffective
45	@tmpEndEffectiveDate=ISNULL((SELECT DA	TEADD(day,-	BEGIN 1,MIN(em.ef	SELECT (ective)) FR(OM Engine_Master AS em
	WHERE (em.PID=@PIDx) AND (el	m.Effective>@		@tmpEndD	ate)
50		/* ************	END	**********	
		* These inse	t the new En erts will be b	ased on a lo	ор
55		* Engine_M * field tmpE: * provide for	aster record ndEffectiveD r the 'prolifer price entrie	and the terr late. This w ation' of	p .
60	•	* engine). (* if there is s	Only insert er some sort of pelineActual	ngine record volume	
65	,	* not autom * is first mad * record is a	actuals then atically happ le to see if the lready there	en. A check ne engine 	
70		*/ SELECT @			

70

WHILE @tmpUseEffective <= @tmpEndEffectiveDate BEGIN DECLARE GasInventoryCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR 5 SELECT DISTINCT g.TID FROM Gasinv 10 AS g, GasinvD AS gd WHERE 15 (gd.TID=g.TID) AND (g.PID=@PIDx) AND (g.GasMonth=@GasMonthx) AND 20 (g.PriceType=1) AND (g.DBCR=@DBCRx) AND 25 (gd.GasDay>=@tmpUseEffective) AND ((gd.Nom<>0) or(gd.PipelineActuals<>0)) OPEN GasInventoryCursor FETCH NEXT FROM GasInventoryCursor INTO @yTID WHILE @@FETCH_STATUS = 0 30 BEGIN IF (SELECT count(*) FROM Engine WHERE TID=@yTID AND STID=@ySTID AND 35 Effective=@tmpUseEffective AND VolLevel=0)=0 **BEGIN** INSERT 40 INTO Engine (TID,STID,Effective,VolLevel,VolGroup,MMBtuMCF,EM_ETID) 45 **VALUES** (@yTID, @ySTID, @tmpUseEffective, 0, @yVolGroup, @yMMBtuMCF, @yETID)END 50 **ELSE BEGIN UPDATE** 55 Engine SET EM_ETID=@yETID 60 WHERE TID=@yTID AND 65 STID=@ySTID AND

END

Effective=@tmpUseEffective AND

VoiLevel=0

	GasInventoryCursor iNTO @yTiD
5	END CLOSE GasinventoryCursor DEALLOCATE GasinventoryCurso
	SELECT @tmpUseEffective=DATEADD(day,1,@tmpUseEffective) END
10	END SELECT @tmpPrevEffective=@yEffective FETCH NEXT FROM Engine_MasterCursor2 INTO @yETID,@yEffective,@ySTID,@yVolLevel,@yVolGroup,@yVarFixed,@yMMBtuMCF,@yTierThreshold END
15	CLOSE Engine_MasterCursor2 DEALLOCATE Engine_MasterCursor2 END
20	
25	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO
30	SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO CREATE PROCEDURE usp_PSPriceTransportAll(@GasMonthx DATETIME,
35	@WhichPricex INTEGER, @PKGx INTEGER, @PKGx INTEGER, @EntityCIDx VARCHAR(12)
40	AS BEGIN /* Name: usp_PSPriceTransportAll
45	Description: This is the main process for calculating the transport costs for all transport entries within the gas inventory database. These are identified in the gas inventory database as PriceType=3 purchase and sale entries (DBCR=0 or 1).
50	The recalculation of costs will only be allowed to occur when the gas month status has been set to the appropriate month. Inputs:
55	GasMonthx - Gas Month to calculate WhichPricex - 0=Nominations, 1=Actualizations PKGx - either 0 for all or a specific package (deal) number EntityClDx - owning company id
	History:
60	06/30/1999 JAMIE Orignal Creation.
65	03/22/2000 JAMIE Modified to move the Divie process to the main module. In addition, modified to handle the new routing table (LegDetail) and build routing records based on the routing rules within this table.
	05/24/2000 JAMIE Modified to be aware of entity and product types and services. In addition, modifications made to calculate based on new routing structure
70	*/ /*

	* Declare all variables and cursors
	* that are needed by this process.


5	*/
•	DECLARE @zMessage VARCHAR(254)
	O V ,
	DECLARE @zPackage INTEGER
	DECLARE @zRecTID INTEGER
	DECLARE @zDeiTID INTEGER
10	DECLARE @zVolume DECIMAL(19,2)
	DECLARE @zAmount DECIMAL(19,2)
	DECLARE @zRate DECIMAL(19,8)
	DECLARE @zLastDay DATETIME
15	DECLARE @yTID INTEGER
	DECLARE @yGasDay DATETIME
	DECLARE @yDelMID INTEGER
	DECLARE @yRecMID INTEGER
20	DECLARE @yLID INTEGER
20	DECLARE @yReceipt DECIMAL(19,2)
	DECLARE @yFuelOrOther DECIMAL(19,2)
	DECLARE @yDelivered DECIMAL(19,2)
	DECLARE @yTransportationRate DECIMAL(19,8)
25	DECLARE @yGatheringRate DECIMAL(19,8)
25	DECLARE @yGatheringrate DECIMAL(19,8) DECLARE @yFuelPercent DECIMAL(19,8)
	DECLARE (Wyrtterrettent DECIMAL (19,0)
	DECLARE @yPlantVolReduction DECIMAL(19,8)
	DECLARE @yKID INTEGER
20	DECLARE @yRMeterPipe VARCHAR(12)
30	DECLARE @yRMeterMeter VARCHAR(14)
	DECLARE @yDMeterPipe VARCHAR(12)
	DECLARE @yDMeterMeter VARCHAR(14)
	DECLARE @yCID VARCHAR(12)
0.5	DECLARE @yKProductID INTEGER
35	DECLARE @yKServiceID INTEGER
	DECLARE @yPurchasePKG INTEGER
	/*
40	* First,intialize any existing volumes for
40	* this month on the gas inventory table
	* to a zero. In addition, set the
	* appropriate volume amounts and price
	* amounts on the 'Engine' table to zeros.

45	1
	EXECUTE usp_fLastDay @GasMonthx,@zLastDay OUTPUT
	SELECT @zMessage = 'PSPriceTranportAll, Initializing Gas Inventory and Engine Information'
	EXECUTE usp_Message @zMessage
	DECLARE GasInvCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
50	SELECT
	Gasinv.TID
	FROM
	Gaslny,
	K
55	WHERE
	GasInv.GasMonth=@GasMonthx AND
	Gasinv.PriceType=3 AND
	K.KID=Gasiny.KID AND
	K.EntityCID=@EntityCIDx
60	OPEN GasinvCursor
00	FETCH NEXT FROM GasinvCursor INTO @yTID
	BEGIN TRANSACTION
	WHILE @@FETCH_STATUS = 0
	BEGIN
65	•
00	IF @WhichPricex=0 BEGIN
	UPDATE
	GasinvD
70	SET
70	Nom=0,


			WHERE	
-				TID=@yTID AND GasDay BETWEEN @GasMonthx AND
5	@zLastDay	UPDATE		•
		UPDATE	Engine	
			SET	
40				Volume=0,
10				Amount=0, PriceOrRateNom=0
			WHERE	FIICEOINZIENOIII-O
				TID=@yTID
15	END IF @WhichPricex=1			
13	BEGIN			
		UPDATE		
			GasInvD SET	
20			SEI	PipelineActuals=0
			WHERE	·
				TID=@yTID AND GasDay BETWEEN @GasMonthx AND
	@zLastDay			Gasbay BETWEEN @Gaswonlink AND
25		UPDATE		
			Engine SET	
			SET	VolumeAct=0.
00				AmountAct=0,
30			WHERE	PriceOrRateAct=0
			****	TID=@yTID
	END EETCH NEVT EDOM (CaalauCuma	· INTO AUT	ID.
35	FETCH NEXT FROM C	oasinvourso	г нүто шут	lo
	SELECT @zMessage = 'PSPriceTranportAll, Fi	inished initia	lizing Gas In	ventory and Engine Information'
	EXECUTE usp_Message @zMessage COMMIT WORK			
	CLOSE GasInvCursor			
40	DEALLOCATE GasInvCursor			
	/* 			
	* Now loop through each of leg detail			
15	* records for the month for this entity			
45	* and determine appropriate transportation * rates.			
	•			
	* Gas Inventory (PriceType=3) records will			
50	* be created (along with package if needed).			
	* Engine records will also be created.			
	•/			
	SELECT @zMessage = 'PSPriceTranportAll, Ar	nalyzing Rou	iting (legdeta	ail) cursor'
55	EXECUTE usp_Message @zMessage			•
	DECLARE LegDetailCursor CURSOR LOCAL S SELECT	TATIC FOR	WARD_ONL	Y FOR
	LD.GasDay,			
60	LD.DelMID,			
60	LD.RecMID, LD.LID,			
	LD.Receipt,			
	LD.FuelOrOther, LD.Delivered,			
65	LD.TransportationRate,			
	LD.GatheringRate,			
	LD.FuelPercent, LD.PlantVolReduction,			
	LD.PurchasePKG,			
70	RMeter.PipeField,			


EstAct=0

```
RMeter.Meter.
                                 DMeter.PipeFleld,
                                 DMeter.Meter.
                                 LegRef.KID
 5
                                 FROM
                                            LegDetail AS LD.
                                            LegRef,
                                            Meter AS RMeter.
                                            Meter AS DMeter
10
                                 WHERE
                                            LegRef.LID=LD.LID AND
                                            RMeter.MID=LD.RecMID AND
                                            DMeter.MID=LD.DeIMID AND
                                            LD.PurchasePointTID IN (SELECT TID FROM GasInv, Package, K WHERE
15
            Package.PKG=Gasinv.PKG AND K.KID = Package.KID AND
                                                                                       GasInv.GasMonth=@GasMonthx
           and GasInv.DBCR=0 and GasInv.PriceType=1 and K.EntityCID=@EntityCIDx) AND LD.GasMonth=@GasMonthx AND
                                            LD.GasDay>=@GasMonthx AND
20
                                            LD.GasDay<=@zLastDay AND
                                            LD.NomOrActuals=@WhichPricex AND
                                            LD.LID<>0 AND
                                           (LD.TransportationRate<>0 OR LD.GatheringRate<>0 OR LD.FuelPercent<>0 OR
            LD.PlantVolReduction<>0)
25
                                 ORDER BY
                                           LegRef.LID
            OPEN LegDetailCursor
           FETCH NEXT FROM LegDetailCursor INTO @yGasDay,@yDelMID,@yRecMID,@yReceipt,@yFuelOrOther,
30
                      @yDelivered,@yTransportationRate,@yGatheringRate,@yFuelPercent,@yPlantVolReduction,@yPurchaseP
           KG.
           @yRMeterPipe,@yRMeterMeter,@yDMeterPipe,@yDMeterMeter,@yKID WHILE @@FETCH_STATUS = 0
35
                      BEGIN
                                 BEGIN TRANSACTION
                                 * First check to see if a transportation
40
                                 * package has been setup for this
                                  contract/company... If not, then set
                                 * it up... A commit is immediately
                                 * performed here in order to 'preserve'
                                 * the package information (and its
45
                                 * associated ID).
                                 SELECT @yKProductID=KProductID,@yKServiceID=KServiceID FROM Package where
           PKG=@yPurchasePKG
50
                                 SELECT @yCID=CID FROM K WHERE KID = @yKID
                                 SELECT @zPackage=ISNULL((SELECT PKG FROM Package WHERE KID=@yKID AND
           PackageGasMonth=@GasMonthx AND
                                                                                      KProductID=@yKProductiD AND
           KServiceID=@yKServiceID),")
55
                                 IF (@zPackage=") OR (@zPackage IS NULL)
                                                      SELECT @zPackage=(SELECT max(PKG) FROM package) + 1
                                                      INSERT
                                                                 INTO
60
                                                                           Package
                      (PKG,StartDate,EndDate,Description,Package_Create,KID,CID,PackageGasMonth,PackageStatus,Package
            _CreateBy,
65
                      LastUpdateBy,LastUpdateDate,KProductID,KServiceID)
                                                                 VALUÉS
                      (@zPackage,@GasMonthx,@zLastDay,'TRANSPORT
           DEAL', getdate(), @yKID, @yCID, @GasMonthx, 'Created', user_name(),
```



		•	'inventory items have '(created if needed). 'the volume to the Ga	Now go and					
	5		// F @WhichPricex=0 BEGIN		•				
				UPDATE	GaslnvD				
	10				SET	nom=(no	m+@yReceipt)		
					WHERE				
	15						RecTID AND @yGasDay		
	15			UPDATE	GasinvD				
				`	SET	nom=(nor	n+@yDelivered))	
	20				WHERE	TID=@zD	eITID AND		
			END				@yGasDay		
		II	= @WhichPricex=1 BEGIN						
	25			UPDATE	GasInvD				
					SET	Oineline A	-t	A -4da . 6	Duffereigt)
	-30				WHERE		ctuals=(Pipeline	ACIUAIS+(укесеірі)
u a	.30						ecTID AND @yGasDay		
Ī				UPDATE	GasInvD				
	35				SET				
H		PipelineActua	ls=(PipelineActuals+(@yDelivered)	WHERE				
9							eITID AND @yGasDay		
U (T)	40	<i>r</i> •	END			•	-, .		
		•	Any transport costs he						
	45	•	(engine transaction IC) is 3)					
F		*/ IF	@yTransportationRa	ate<>0					
		·	BEGIN	SELECT @	zPata−@vT	mnenodati	nnPate		
	50			SELECT @	zVolume=@	yReceipt	:Rate*@zVolum	o) 2)	
		AND Effective=@GasMon	the AND STID-21 OL	IF ISNULL(M Engine WHE)zRecTID
	E E	AND Ellective-@Gastrion	uix ANU 3110-31,0) •	` I	BEGIN	.			
	55				IF @Which	Pricex=U	BEGIN		
							INSERT		INTO
	60	Engine							
		(TID,Effective,	STID,VolLevel,VolGro	oup,MMBtuM(CF,Engine_l	JT,Engine_	_UU,Volume,Am	ount,Price	OrRateNo
		m)			-	-			VALUES
	65	(@zRecTID,@	GasMonthx,3,0,@zP	ackage,1,get	date(),user_	name(),@z	Volume,@zAmo	ount,@zR	ate)
		, <u>-</u>	_	-	IF @Which!		END	-	•
	70				J	•	BEGIN INSERT		
	. 5								





IF @yFuelPercent<>0 **BEGIN** 5 SELECT @zRate=@yFuelPercent SELECT @zVolume-@yReceipt*@zRate IF ISNULL((SELECT count(*) FROM Engine WHERE TID=@zRecTID AND Effective=@GasMonthx AND STID=5),0) < 1 **BEGIN** 10 IF @WhichPricex=0 **BEGIN** INSERT INTO 15 Engine (TID,Effective,STID,VolLevel,VolGroup,MMBtuMCF,Engine_UT,Engine_UU,Volume,Amount,PriceOrRateNo m) **VALUES** 20 (@zRecTID,@GasMonthx,5,0,@zPackage,1,getdate(),user_name(),@zVolume,0,@zRate) **END** IF @WhichPricex=1 **BEGIN** INSERT 25 INTO Engine 30 $(TID, Effective, STID, VolLevel, VolGroup, MMBtuMCF, Engine_UT, Engine_UU, VolumeAct, AmountAct, PriceOrR$ ateAct) **VALUES** (@zRecTID,@GasMonthx,5,0,@zPackage,1,getdate(),user_name(),@zVolume,0,@zRate) 35 **END** ELSE **BEGIN** IF @WhichPricex=0 40 BEGIN **UPDATE** Engine SET 45 Volume=(Volume+@zVolume) WHERE TID=@zRecTID AND 50 Effective=@GasMonthx AND STID=5 END IF @WhichPricex=1 55 BEGIN **UPDATE** Engine SET 60 VolumeAct=(VolumeAct+@zVolume) WHERE TID=@zRecTID AND 65 Effective=@GasMonthx AND ` STID=5 **END END** 70 END


		END
	5	END COMMIT WORK FETCH NEXT FROM LegDetailCursor INTO
		@yGasDay,@yDelMID,@yRecMID,@yLID,@yReceipt,@yFuelOrOther,
	10	@y Delivered, @y Transportation Rate, @y Gathering Rate, @y Fuel Percent, @y Plant VolReduction, @y Purchase PKG,
		@yRMeterPipe,@yRMeterMeter,@yDMeterPipe,@yDMeterMeter,@yKID
	15	END CLOSE LegDetailCursor DEALLOCATE LegDetailCursor SELECT @zMessage = 'PSPriceTranportAll, Finished' EXECUTE usp_Message @zMessage
	20	END
	20	
	25	
		60
	30	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO
<u>a</u> J	35	SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO
	33	CREATE PROCEDURE usp_PSPriceWASPCalc(
		@GasMonthx DATETIME, @WhichPricex INTEGER,
5	40	@EntityCIDx VARCHAR(12)
) J		AS BEGIN **
) D	45	Name: usp_PSPriceWaspCalc
	50	Description: This is the main process for calculating the WASP price information for a particular gas month and type of price (nom's or pipeline actuals). The end result of this process is to post updated price amounts within the engine. The WASP calculation has also been modified to perform the calculations pooled by entity (passed to this routine), within entity by product (Oil/Gas/Liguids) and service (marketing/passthrough/etc.).
		Inputs:
	55	GasMonthx (Gas Month to calculate), WhichPricex (0=Nominations, 1=Actualizations) EntityClDx (which company is being calculated (owner company))
	00	History:
	60	06/22/99 JAMIE Original creation
	65	07/22/99 JAMIE Include 3rd party deals within the calcualtion process. They WILL NOT BE included within the WASP calculations and will be treated the same as "Dedicated" (sanctioned sales) deals. This will ensure they are not affecting any other pricing component.
	70	05/01/00 JAMIE Modifications to utilize the new routing structure as part of the calculation. A check is made to see if any 'routing' entries are made to the new structures (for the month). If so, then this routine will invoke the new routines.

05/24/2000 JAMIE Modifications to add the EntityCIDx component to the calculation (passed to this routine by the calling program). In addition, modifications were made to calculate 5 all WASP pricing within each unique product and service. 08/25/2000 JAMIE Modified to remove all of the old routing routines. 10 */ * Declare all variables and cursors * that are needed by this process. 15 DECLARE @zMessage VARCHAR(254) DECLARE @yKProductID INTEGER DECLARE @yKProductName VARCHAR(50) 20 DECLARE @yKServiceID INTEGER DECLARE @yKServiceName VARCHAR(50) DECLARE ProductTypesCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR 25 SELECT ProcessingCodeID, ShortDescription FROM SEProcessingCodes WHERE CodeType='CONTRPRODS' 30 ORDER BY ProcessingCodeID SELECT @zMessage = 'PSPriceWASPCalc, Running for Entity '+@EntityCIDx+'...' EXECUTE usp_Message @zMessage 35 * Outermost loop is on product type... 40 OPEN ProductTypesCursor FETCH NEXT FROM ProductTypesCursor INTO @yKProductID,@yKProductName WHILE @@FETCH_STATUS = 0 BEGIN SELECT @zMessage = 'PSPriceWASPCalc, Running for Product '+@yKProductName+'...' 45 EXECUTE usp_Message @zMessage * Next loop is on service type... 50 DECLARE ServiceTypesCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR ProcessingCodeID, ShortDescription 55 **FROM** SEProcessingCodes WHERE CodeType='CONTRSRVS' ORDER BY ProcessingCodeID OPEN ServiceTypesCursor FETCH NEXT FROM ServiceTypesCursor INTO @yKServiceID,@yKServiceName 60 WHILE @@FETCH_STATUS = 0 BEGIN BEGIN TRANSACTION SELECT @zMessage = 'PSPriceWASPCalc, Running for Service 65 '+@yKServiceName+'...' EXECUTE usp_Message @zMessage * Now populate the waspresolvedrouting 70 * tables with all sales and transport

Otherwise, the old routines are invoked.


		totals that were linked to purchaswithin the route process.	es
		**************************************	••
5	@GasMonthx,@WhichPricex,@EntityClDx,@yh		cSalesN
		COMMIT WORK FETCH NEXT FROM ServiceType	sCursor INTO
10	@yKServiceID,@yKServiceName END		
10	CLOSE ServiceTypesC DEALLOCATE Service FETCH NEXT FROM F		uctiD,@yKProductName
15	END CLOSE ProductTypesCursor DEALLOCATE ProductTypesCursor /*		

20	 Finished. A later routine will take the well prices to the actual engine table (PSPriceAll for Purchases). A commit takes place right here just to 		
25	 make sure we limit our recovery window if problems later. Also, don't want to hold locks for an extended amount of time. 		
	*/		
30	, SELECT @zMessage = 'PSPriceWASPCalc, Fi EXECUTE usp_Message @zMessage END	nished with Entity '+@EntityCIDx+'	
35			
	GO		
40	SET QUOTED_IDENTIFIER OFF SET ANSI. GO	_NULLS ON	
40	SET QUOTED_IDENTIFIER OFF SET ANSIGO	_NULLS ON	
	CREATE PROCEDURE usp_PSPriceWASPCa	lcResolveDriver(00 14 " 01757045
45			@GasMonthx DATETIME, @WhichPricex INTEGER, @EntityCIDx VARCHAR(12),
			@IncludeInWaspx VARCHAR(10))
50	AS BEGIN /*		,
	Name: usp_PSPriceWaspCalcResolveDriver	***************************************	
55	Description: This is the main process that control of sales amounts back to their respective purcha		
	Inputs:		
60	GasMonthx (Gas Month to calculate), WhichPricex (0=Nominations, 1=Actualizations) EntityCIDx (which company is being calculated IncludeInWaspx ('Common', 'None' or 'Dedicated	(owner company))	
65	History:	•	
	•		
	07/28/2000 JAMIE Original creation		
70	***************************************	***************************************	



DEALLOCATE ServiceTypesCursor FETCH NEXT FROM ProductTypesCursor INTO @yKProductID,@yKProductName

	END	CID, WYNF1000CUVame
5	CLOSE ProductTypesCursor DEALLOCATE ProductTypesCursor SELECT @zMessage = 'PSPriceWASPCalcResolveDriver, Finished with Entity '+@E '+@IncludeInWaspx+'' EXECUTE usp_Message @zMessage	intityClDx+',Pool
	END	
10		
15	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
20	SET QUOTED_IDENTIFIER ON SET ANSI_NULLS ON GO	
	CREATE PROCEDURE usp_PSPriceWASPCalcResolveN(
25		@GasMonthx DATETIME, @WhichPricex INTEGER, @EntityCIDx VARCHAR(12), @KProductIDx INTEGER, @KServiceIDx INTEGER, @IncludeInWaspx VARCHAR(10)
30	AS BEGIN	,
	/	
35	Name: usp_PSPriceWASPCalcResolveN	
00	Description: This particular stored procedure is responsible for looping through and chasing all volumes back from purchase points back to the respective meter locations that originally contained the purchase volumes.	
40	History:	
	05/01/2000 JAMIE Original Creation.	
45	05/24/2000 JAMIE Modified to include the entity, product and service.	
40	07/28/2000 JAMIE Modified to include the IncludeInWaspx parameter so that the calculations can be run in a specified WASP order	
50	08/17/2000 JAMIE Removed the call to PSWASPCalcPostPurchaseN. This was done based on all wasp calculation entries being setup in the WASPResolvedRouting table.	
55	*/ /*	
	* Declare all variables and cursors * that are needed by this process.	
60	*/ DECLARE @zMessage VARCHAR(254)	
	SELECT @zMessage = 'PSPriceWASPCalcResolveN Has Started for pool '+@Include EXECUTE usp_Message @zMessage	elnWaspx+''
65	<i>I</i> *	
	* Now invoke the routine that will chase * the volumes, prices and amounts back to	
70	* the purchase points.	



5	12/05/2000 JAMIE Modified to ensure that the receipt amount will not be exceeded when determining the volume to use. This situation only arose when certain unresolved records were ordered a certain way (during the resolution ritual). Confusing, I know, but that is the best I can do The field zTempLeft contains this information
10	*/ /*
	* Declare all variables and cursors * that are needed by this process.
15	*/ DECLARE @zTempLeft DECIMAL(19,2) DECLARE @zRound INTEGER DECLARE @zMessage VARCHAR(254) DECLARE @zAnyUpdates VARCHAR(1)
20	DECLARE @zResolvedReceipt DECIMAL(19,2) DECLARE @zResolvedReceiptAmt DECIMAL(19,2) DECLARE @zResolvedDelivered DECIMAL(19,2) DECLARE @zResolvedDeliveredAmt DECIMAL(19,2)
25	DECLARE @zReceiptLeft DECIMAL(19,2) DECLARE @zReceiptAmtLeft DECIMAL(19,2) DECLARE @zPercentToApply DECIMAL(19,6) DECLARE @zSumDelivered DECIMAL(19,2) DECLARE @zPercentReceipt DECIMAL(19,6)
30	DECLARE @zUseVolume DECIMAL(19,2) DECLARE @zUseAmount DECIMAL(19,2) DECLARE @zAmount DECIMAL(19,2) DECLARE @zNewAmount DECIMAL(19,2) DECLARE @zNewAmount DECIMAL(19,6)
35	DECLARE @zTempVolume DECIMAL(19,2) DECLARE @zTempAmount DECIMAL(19,2) DECLARE @zVolumeDispersed DECIMAL(19,2) DECLARE @zAmountDispersed DECIMAL(19,2) DECLARE @zDifference DECIMAL(19,2)
40	DECLARE @zResolvedIndicator VARCHAR(1) DECLARE @zLinkUpdate VARCHAR(1) DECLARE @zDeliveredLeft DECIMAL(19,2)
45	DECLARE @yDelMID INTEGER DECLARE @yRecMID INTEGER DECLARE @yReceipt DECIMAL(19,2) DECLARE @yFuelOrOther DECIMAL(19,2) DECLARE @yFuelOrOther DECIMAL(19,2) DECLARE @yTransportAmount DECIMAL(19,2) DECLARE @yTransportAmount DECIMAL(19,2)
50	DECLARE @yGatheringAmount DECIMAL(19,2) DECLARE @yAmount DECIMAL(19,2) DECLARE @yDedicatedPurchasePKG INTEGER DECLARE @yPrice DECIMAL(19,6) DECLARE @yResolvedReceipt DECIMAL(19,2)
55	DECLARE @yIncludeinWasp VARCHAR(10) DECLARE @yResolvedDelivered DECIMAL(19,2) DECLARE @yResolvedID INTEGER DECLARE @yResolvedReceiptAmt DECIMAL(19,2) DECLARE @yResolvedDeliveredAmt DECIMAL(19,2)
60	DECLARE @IDeIMID INTEGER DECLARE @IRecMID INTEGER DECLARE @IReceipt DECIMAL(19,2) DECLARE @IFuelOrOther DECIMAL(19,2) DECLARE @IDelivered DECIMAL(19,2)
65	DECLARE @ITransportAmount DECIMAL(19,2) DECLARE @IGatheringAmount DECIMAL(19,2) DECLARE @IGatheringAmount DECIMAL(19,2) DECLARE @IAmount DECIMAL(19,2) DECLARE @IDedicatedPurchasePKG INTEGER DECLARE @IPrice DECIMAL(15,6)
70	DECLARE @IResolvedReceipt DECIMAL(19,2)

```
DECLARE @lincludeinWasp VARCHAR(10)
           DECLARE @IResolvedDelivered DECIMAL(19,2)
           DECLARE @IResolvedID INTEGER
           DECLARE @IResolvedReceiptAmt DECIMAL(19,2)
  5
           DECLARE @IResolvedDeliveredAmt DECIMAL(19,2)
           * This loop will iterate until no more
10
            * gas can be distributed to various
            * sales meters within the
            * WaspResolvedRouting table.
15
           SELECT @zRound = ISNULL((SELECT TypeLimit FROM SEProcessingCodes WHERE ProcessingCodeID =
           @KProductIDx),0)
           SELECT @zMessage = 'PSPriceWASPCalcResolveSalesN, starting iterative process...'
           EXECUTE usp_Message @zMessage
           SalesMeterIterationLoop:
20
                      BEGIN
                                SELECT @zAnyUpdates='N'
                                DECLARE WASPResolvedSalesCursor CURSOR LOCAL DYNAMIC FORWARD_ONLY FOR
                                          SELECT
                                                     DelMID,
25
                                                     RecMID.
                                                     Receipt,
                                                     FuelOrOther.
                                                     Delivered,
                                                     TransportAmount,
30
                                                     GatheringAmount,
                                                    Amount,
                                                    DedicatedPurchasePKG,
                                                    Price,
                                                    ResolvedReceipt.
35
                                                    IncludeInWasp,
                                                    ResolvedDelivered.
                                                    ResolvedID.
                                                    ResolvedReceiptAmt,
                                                    ResolvedDeliveredAmt
40
                                                    FROM
                                                               WASPResolvedRouting
                                                    WHERE
                                                               (GasMonth=@GasMonthx AND
                                                               NomOrActual=@WhichPricex AND
                                                               IncludeInWasp=@IncludeInWaspx AND
45
                                                               ResolvedIndicator<>'Y' AND
                                                               ResolvedReceipt<>Receipt AND
                                                               ResolvedType<>'P' AND
                                                               Amount<>0 AND
50
                                                               Price<>0 AND
                                                               Delivered<>0 AND
                                                               EntityCID=@EntityCIDx AND
                                                               KProductID=@KProductIDx AND
                                                               KServiceID=@KServiceIDx)
55
                                                    ORDER BY
                                                               IncludeInWasp,
                                                               DedicatedPurchasePKG.
                                                               DelMID
                                OPEN WASPResolvedSalesCursor
                               FETCH NEXT FROM WASPResolvedSalesCursor INTO @yDelMID,
60
                     @yRecMID,@yReceipt,@yFuelOrOther,@yDelivered,@yTransportAmount,@yGatheringAmount,@yAmount
           .@yDedicatedPurchasePKG.
65
                     @yPrice,@yResolvedReceipt,@yIncludeInWasp,@yResolvedDelivered,@yResolvedID,
                     @yResolvedReceiptAmt,@yResolvedDeliveredAmt
                               WHILE @@FETCH_STATUS = 0
                                          BEGIN
70
```

5	* Loop through each of the legs that * have the delivery meter the same as * the receipt meter for the given * month and class
10	*/ SELECT @zVolumeDispersed=0 SELECT @zAmountDispersed=0 SELECT @zLinkUpdate='N' DECLARE WASPResolvedLinkCursor CURSOR LOCAL DYNAMIC
	FORWARD_ONLY FOR
15	SELECT DelMID, RecMID, Receipt, FuelOrOther,
20	Delivered, TransportAmount, GatheringAmount, Amount, DedicatedPurchasePKG,
25	Price, ResolvedReceipt, IncludeInWasp, ResolvedDelivered, ResolvedID, ResolvedReceiptAmt,
30	Resolved Delivered Amt FROM WASPResolved Routing
	WHERE (GasMonth=@GasMonthx AND
35	NomOrActual=@WhichPricex
00	IncludeInWasp=@yIncludeInWasp AND
	AND
40	DedicatedPurchasePKG=@yDedicatedPurchasePKG AND
40	DeIMID=@yRecMID AND ResolvedID<>
45	AND EntityCID=@EntityCIDx AND KProductID=@KProductIDx AND KServiceID=@KServiceIDx AND ResolvedType<>'S' AND ResolvedDelivered <delivered)< td=""></delivered)<>
	OPEN WASPResolvedLinkCursor
50	FETCH NEXT FROM WASPResolvedLinkCursor INTO @IDelMID,
	@IRecMID,@IReceipt,@IFuelOrOther,@IDelivered,@ITransportAmount,@IGatheringAmount,@IAmount,@I DedicatedPurchasePKG,
55	@IPrice,@IResolvedReceipt,@IIncludeInWasp,@IResolvedDelivered,@IResolvedID,
	@IResolvedReceiptAmt,@IResolvedDeliveredAmt WHILE @@FETCH_STATUS = 0 BEGIN /*
60	*Determine the total volume of gas * where this gas came from (based on * delivery meterid being equal to
65	 the receipt meter id and all WASP pool and dedicated purchase package information being identical).
70	* The zUseVolume field contains the * amount of volume from the delivery * meter to apply backward.

5		* The zUseAmount field contains the * dollar amount from the delivery meter * that should be applied backward.		
3		* The zPercentToApply field contains the * volume weighted percentage to use.		
10	O-Decelor d Decelot Ambre Ov Decelor d Decelot Ambre	*/ SELECT @zResolvedReceipt=@yResolvedReceipt SELECT		
	@zResolvedReceiptAmt=@yResolvedReceiptAmt	SELECT @zPercentReceipt=1		
15		/* Determine total receipt volume available to apply*/ /* This is based on percentage of delivered that may have*/ /* already been applied. In addition, determine the*/ /* amount that is available*/		
20	AND (@yDelivered>@yResolvedDelivered)	IF (@yDelivered<>0) AND (@yResolvedDelivered<>0)		
		BEGIN SELECT		
25	@zPercentReceipt=(@yResolvedDelivered/@yDelivered)	END		
		/* Incorporated this logic to ensure that no		
20	more than */	/* the original receipt can be sent back to		
30	previous */	/* meter 12/05/2000 */		
	@zReceiptLeft=ROUND((@yReceipt*@zPercentReceipt),@	SELECT		
35		SELECT @zTempLeft=(@yReceipt -		
	@yResolvedReceipt) @zPercentReceipt),@zRound);	SELECT @zTempLeft=Round((@zTempLeft *		
40	@zreicent/ccept/j,@zr/cund/,	IF @zTempLeft < @zReceiptLeft BEGIN		
	@zReceiptLeft=@zTempLeft	SELECT		
45	@yResolvedReceiptAmt),2)	END SELECT @zReceiptAmtLeft=ROUND((@yAmount-		
	apply and RecMiD<>DelMiD */	/* Determine percentage of the volumes and amounts to		
50		SELECT @zPercentToApply=1 SELECT @zSumDelivered=ISNULL((SELECT		
	SUM(Delivered) FROM WASPResolvedRouting	WHERE		
55	GasMonth=@GasMonthx AND NomOrActual=@WhichPrice			
33	DedicatedPurchasePKG=@yDedicatedPurchaseAND	sePKG AND DelMid=@yRecMID AND ResolvedType<>'S'		
60	EntityCID=@EntityCIDx AND KProductID=@KF	ProductIDx AND KServiceID=@KServiceIDx),0)		
00		IF (@zSumDelivered<>0) AND (@IDelivered<>0) BEGIN SELECT		
65	@zPercentToApply=ROUND((@IDelivered/@zSumDelivered			
		ELSE BEGIN SELECT @zPercentToApply=0		
70		END		

	leg*/	, Jaioulula Tolamo la C	.,,,	-
5	@zUseVolume=ROUND((@zReceiptLeft*@zPercentToAppl @IResolvedDelivered	SELECT y),@zRound) SELECT @zDeliveredL	_eft=@IDelivered-	
10		IF @zUseVolume>@zi	DeliveredLeft BEGIN SELECT	
	@zUseVolume=@zDeliveredLeft		END	
15	@zResolvedReceipt=@zResolvedReceipt+@zUseVolume	SELECT SELECT		
	@zVolumeDispersed=@zVolumeDispersed+@zUseVolume			
20	particular leg*/	/* Calculate dollar amou	unt to apply backwards fo	r this
	@zUseAmount=ROUND((@zReceiptAmtLeft*@zPercentToA	SELECT Apply),2) SELECT		
25	@zResolvedReceiptAmt=@zResolvedReceiptAmt+@zUseA	mount SELECT		
	@zAmountDispersed=@zAmountDispersed+@zUseAmount		*********	
30		* Now update the meter * this delivery point with * information just poster *	the	
35		* The amount is calcula * on the previous value * the amount being pos * the delivery meter. The * price is derived based * receipt volume into the	plus ted from ne on	
40		* Since we are not forci * to balance then calcul * based solely on the vo * on delivery.	ate the price	
45		*/	*********	
40		IF (@zUseVolume>0) A	AND (@zUseAmount<>0)	
		BEGIN	SELECT	
50	@zResolvedDelivered=@lResolvedDelivered+@zUseVolum	e	SELECT	
	@zResolvedDeliveredAmt=@lResolvedDeliveredAmt+@zUs	eAmount	mount SELECT	
	@zNewAmount=ROUND((@IAmount+@zUseAmount),2)		IF (@zResolvedDelivere	edAmt<>0)
55	AND (@IReceipt<>0)		. , (0	BEGIN
	CELECT @=Nov-Dries=BOUND//@=Nov-A	MOIDonning 4)		oco
00	SELECT @zNewPrice=ROUND((@zNewAmour	iv@ikeceipt),4)	E1.05	END
60			ELSE	BEGIN
	SELECT @zNewPrice=0			END
65			UPDATE	END
	WASPResolvedRouting			SET
70	ResolvedIndicator='N',			

	ResolvedDelivered=@zResolvedDelivered,		
_	ResolvedDeliveredAmt=@zResolvedDeliveredAmt,		
5	Amount=@zNewAmount,		
	Price=@zNewPrice		
10	WHERE		
	ResolvedID=@IResolvedID SELECT @zAnyUpdates='Y'		
	SELECT @zLinkUpdate='Y'		
15	FETCH NEXT FROM WASPResolvedLinkCursor INTO @IDelMID.		
	@IRecMID,@IReceipt,@IFuelOrOther,@IDelivered,@ITransportAmount,@IGatheringAmount,@IAmount,@I		
20	DedicatedPurchasePKG,		
20	@IPrice, @IResolvedReceipt, @IIncludeInWasp, @IResolvedDelivered, @IResolvedID,		
	@IResolvedReceiptAmt,@IResolvedDeliveredAmt		
25	END CLOSE WASPResolvedLinkCursor		
	DEALLOCATE WASPResolvedLinkCursor /*		
	* After looping through all of the		
30	* meters that can possible associate * with this sale, go ahead and update		
	 * the original sales meter information * to reflect the total volume 		
35	* passed on to subsequent meters.		
	*/ IF @zLinkUpdate='Y'		
	BEGIN UPDATE		
40	WASPResolvedRouting SET		
	ResolvedReceipt=ResolvedReceipt+@zVolumeDispersed,		
45	ResolvedReceiptAmt=ResolvedReceiptAmt+@zAmountDispersed.		
40	ResolvedIndicator='Y'		
	WHERE		
50	ResolvedID=@yResolvedID END END		
	FETCH NEXT FROM WASPResolvedSalesCursor INTO @yDelMID,		
	@yRecMID,@yReceipt,@yFuelOrOther,@yDelivered,@yTransportAmount,@yGatheringAmount,@yAmount ,@yDedicatedPurchasePKG,		
55	@yPrice,@yResolvedReceipt,@yIncludeInWasp,@yResolvedDelivered,@yResolvedID,		
	@yResolvedReceiptAmt,@yResolvedDeliveredAmt		
60	END CLOSE WASPResolvedSalesCursor		
	DEALLOCATE WASPResolvedSalesCursor		
	* If no more volume was chased backward		
65	* then get out of the iterative loop. * At this point all volumes have been		
	* sent back to all meters and weighted * costs should be available at each.		
70	***************************************		
70	•1		

IF @zAnyUpdates<>'N' BEGIN

GOTO SalesMeterIterationLoop

5	END END	END Salesiweientera	ниопьсоср		
10					
15					
20	GO SET QUOTED_IDENTIFIER OFF GO SET QUOTED_IDENTIFIER OFF	_			
25	GO CREATE PROCEDURE usp_PSPrice CREATE PROCEDURE usp_PSPrice CREATE PROCEDURE usp_PSPrice CREATE PROCEDURE usp_PSPrice	coMASDCaleSalochi/			
30	CREATE PROCEDURE 039_F 3FIR	cevinor dalisalesin(@GasMonthx DATETIME, @WhichPricex INTEGER, @EntityCIDx VARCHAR(12), @KProductIDx INTEGER, @KServiceIDx INTEGER		
	AS BEGIN				
35	/* Name: usp_PSPriceWASPCalcSale	sN	****		
40	Description: This process will build all of the meters within the WASPResolvedRouting table for all of the deals within the gas month. Only those meters that had actual transport volume will be moved. A different routine will iterate through the volumes posted here in order to calculate all of the prices.				
45	Inputs:				
.0	GasMonthx - Gas Month WhichPricex - 0=Nominations, 1=Ac EntityClDx - Entity being calculated (KProductlDx - Product type being ca	(owning company)			
50	KServiceIDx - Service type being cal				
	History: 05/02/2000 JAMIE Original Creation				
55	05/02/2000 JAMIE Onginal Creation. 05/24/2000 JAMIE Modified to add the Entity, product and service types to be parameters to this procedure. This will ensure that gas, oil, etc amongst the various types of companies (entities) being serviced do not get intermixed.				
60	07/20/2000 JAMIE Modified in order all records that get added to the WA	to initialize new resolved amount fie SPResolvedRouting table.	lds for		
65	08/18/2000 JAMIE Modified to go an items on the table to include them in WASPResolvedRouting table will co database). Purchase points thru Sale	ntain ALL entries (see 'Type' field on			
70	10/03/2000 JAMIE Modified to incorpinto the Resolved table total calculate	porate the 'Other Cost' amount totals ion.	ı		

```
5
           * Declare all variables and cursors
           * that are needed by this process.
10
           DECLARE @zMessage VARCHAR(254)
           DECLARE @zincludeinWasp VARCHAR(10)
           DECLARE @zVolume DECIMAL(19,2)
15
           DECLARE @zType VARCHAR(1)
           DECLARE @zPrice DECIMAL(19,6)
           DECLARE @zAmount DECIMAL(19,2)
           DECLARE @zOtherCostAmount DECIMAL(19,2)
           DECLARE @zDedicatedPurchasePKG INTEGER
20
           DECLARE @zGatheringAmount DECIMAL(19,2)
           DECLARE @zTransportationAmount DECIMAL(15,2)
           DECLARE @zAmountWithCosts DECIMAL(19,2)
           DECLARE @zLastDay DATETIME
           DECLARE @zPrevSalePKG INTEGER
25
           DECLARE @zPrevSaleMID INTEGER
           DECLARE @yPurchasePKG INTEGER
           DECLARE @yRecMID INTEGER
           DECLARE @yDelMID INTEGER
30
           DECLARE @ySalesPKG INTEGER
           DECLARE @yReceipt DECIMAL(19,2)
           DECLARE @yLDIDPrev INTEGER
           DECLARE @yGasDay DATETIME
           DECLARE @yPurchasePointTID INTEGER
35
           DECLARE @yStep INTEGER
           DECLARE @xPriceOrRateNom DECIMAL(19,6)
           DECLARE @xPriceOrRateAct DECIMAL(19,6)
           DECLARE @qPurchasePKG INTEGER
40
           DECLARE @qLID INTEGER
           DECLARE @qRecMID INTEGER
           DECLARE @qDelMID INTEGER
DECLARE @qReceipt DECIMAL(19,2)
           DECLARE @qDelivered DECIMAL(19,2)
45
           DECLARE @qFuelOrOther DECIMAL(19,2)
           DECLARE @qTransport DECIMAL(19,2)
           DECLARE @qGathering DECIMAL(19,2)
50
           SELECT @zMessage = 'PSPriceWASPCalcSalesN Has Started...'
           EXECUTE usp_Message @zMessage
55
           * Delete any pre-existing resolved entries
           * that may exist in the database... These
           * records are the ones related to the
           * entity, product and service tyeps.
60
           SELECT @zMessage = 'PSPriceWASPCalcSalesN, Deleting existing entries off WASPResolvedRouting...'
           EXECUTE usp_Message @zMessage
           DELETE
                     FROM
65
                              WASPResolvedRouting
                    WHERE
                               GasMonth=@GasMonthx AND
                              NomOrActual=@WhichPricex AND
                              EntityCID=@EntityCIDx AND
70
```

01/09/2000 JAMIE For consistency. Modified the rounding (on the prices to two decimal places (for all months previous to December 2000).

```
KProductID=@KProductIDx AND
                                  KServiceID=@KServiceIDx
            SELECT @zMessage = 'PSPriceWASPCalcSalesN, Finished deleting existing entries off WASPResolvedRouting...'
            EXECUTE usp_Message @zMessage
 5
            * Initially loop through the sales links
            * found on the legdetail table (high level
            * loop)... Only looping through those
            * items that are associated with this
10
            * entity and product/service type.
            SELECT @zPrevSalePKG=0
15
            SELECT @zPrevSaleMID=0
           EXECUTE usp_fLastDay @GasMonthx,@zLastDay OUTPUT DECLARE LegDetailSaleCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                      SELECT
                                 PurchasePKG,
20
                                 RecMiD.
                                 DelMID
                                 SalesPKG,
                                 Receipt.
                                 LDIDPrev,
25
                                 GasDay,
                                 PurchasePointTID,
                                 Step
                                 FROM
                                            LegDetail
30
                                 WHERE
                                            LegDetail.PurchasePointTID IN (SELECT DISTINCT TID FROM Gasinv, Package,
           K WHERE GasInv.PKG=Package.PKG AND k.kid = Package.KID AND GasInv.GasMonth=@GasMonthx AND
           GasInv.DBCR=0 AND GasInv.PriceType=1 and Package.KProductID = @KProductIDx and Package.KServiceID =
           @KServiceIDx AND K.EntityCID = @EntityCIDx) AND
35
                                            LegDetail.GasDay>=@GasMonthx AND
                                            LegDetail.GasDay<=@zLastDay AND
                                            LegDetail.GasMonth=@GasMonthx AND
                                            LegDetail.NomOrActuals=@WhichPricex AND
                                            LegDetail.LID=0 AND
40
                                            LegDetail.PurchasePKG>0 AND
                                            LegDetail.SalesPKG>0
                                 ORDER BY
                                            LegDetail.SalesPKG,
                                            LegDetail.RecMID,
45
                                            LegDetail.PurchasePointTID,
                                            LegDetail.GasDay,
                                            LegDetail.PurchasePKG
           SELECT @zMessage = 'PSPriceWASPCalcSalesN, opening main sales cursor (LegDetailSaleCursor)...'
           EXECUTE usp_Message @zMessage
50
           OPEN LegDetailSaleCursor
           SELECT @zMessage = 'PSPriceWASPCalcSalesN, finished opening main sales cursor (LegDetailSaleCursor)...'
           EXECUTE usp_Message @zMessage
           FETCH NEXT FROM LegDetailSaleCursor INTO @yPurchasePKG,
55
                      @yRecMID,@yDelMID,@ySalesPKG,@yReceipt,@yLDIDPrev,@yGasDay,@yPurchasePointTID,@yStep
           WHILE @@FETCH_STATUS = 0
                      BEGIN
60
                                 * Determine the classification of the
                                  purchase deal attached to this sales
                                  volume right here...
65
                                 EXECUTE usp_fGetWaspIndicator @yPurchasePKG,@zIncludeInWasp OUTPUT
                                 IF @zIncludeInWasp='Common'
                                           BEGIN
                                                       SELECT @zDedicatedPurchasePKG=0
                                            END
70
                                 ELSE
```

SELECT @zDedicatedPurchasePKG=@yPurchasePKG **END** 5 * If sales package has changed OR * the meter within a sales package * has changed then (amongst other * things) sum up any/all other costs 10 * for the meter (this ensures that only * one instance of other cost entries * are totaled for a given sales deal * at a given meter). 15 SELECT @zOtherCostAmount=0 IF (@ySalesPKG<>@zPrevSalePKG) OR (@yRecMID<>@zPrevSaleMID) **BEGIN** SELECT @zPrevSalePKG=@ySalesPKG 20 SELECT @zPrevSaleMID=@yRecMID IF @WhichPricex=0 **BEGIN SELECT** @zOtherCostAmount=ISNULL((SELECT SUM(Engine.Amount) FROM GasInv,Engine WHERE 25 GasInv.PKG=@ySalesPKG GasInv.GasMonth=@GasMonthx AND GasInv.PriceType=1 AND Engine.TID=GasInv.TID AND GasInv.GasInv_MID=@yRecMID AND Engine.STID<>9),0) 30 IF @WhichPricex=1 **BEGIN SELECT** @zOtherCostAmount=ISNULL((SELECT SUM(Engine.AmountAct) FROM GasInv,Engine WHERE Gastnv.PKG=@ySalesPKG 35 GasInv.GasMonth=@GasMonthx AND GasInv.PriceType=1 AND Engine.TID=GasInv.TID AND GasInv.GasInv_MID=@yRecMID AND Engine.STID<>9),0) **END** 40 * Calculate the price and amount for the * sales item here (utilizing the Engine * calculation). The beginning volume is * the amount pulled off the sales association 45 * on the database... Break from this * loop once the first price record has been * obtained (for this day)... 50 SELECT @zPrice=0 SELECT @zAmount=0 SELECT @zVolume=0 DECLARE EngineCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR 55 SĚLECT Engine.PriceOrRateNom, Engine.PriceOrRateAct FROM Gasinv, 60 Engine WHERE Gasinv.PKG=@ySalesPKG AND GasInv.PriceType=1 AND Engine.TID=GasInv.TID AND Gasinv.Gasinv_MID=@yRecMID AND 65 Engine.Effective<=@yGasDay AND Engine.STID=9 ORDER BY Engine.Effective DESC 70 **OPEN EngineCursor**

BEGIN

IF @@FETCH_STATUS = 0 BEGIN IF @zPrice=0 5 **BEGIN** IF @WhichPricex=0 **BEGIN** IF @GasMonthx < '12/01/2000' 10 **BEGIN** SELECT @zPrice=ROUND(@xPriceOrRateNom,2) **END** ELSE 15 **BEGIN SELECT** @zPrice=ROUND(@xPriceOrRateNom,4) **END END** 20 **ELSE BEGIN** IF @GasMonthx < '12/01/2000' BEGIN 25 **SELECT** @zPrice=ROUND(@xPriceOrRateAct,2) **END** ELSE **BEGIN** 30 **SELECT** @zPrice=ROUND(@xPriceOrRateAct,4) END **END** SELECT @zVolume=@yReceipt 35 SELECT @zAmount=(@zVolume*@zPrice) **END** CLOSE EngineCursor = DEALLOCATE EngineCursor 40 m * Sum the other cost entry on the N * amount brought back for the Ø production volume amount. The 45 * other cost entry will only have a * non zero value the first time a * sales meter is encountered. Make * sure to reset the price entry. 50 IF @zOtherCostAmount<>0 **BEGIN** SELECT @zAmount=@zAmount+@zOtherCostAmount IF (@zAmount<>0) AND (@zVolume<>0) 55 BEGIN **SELECT** @zPrice=ROUND((@zAmount/@zVolume),4) **END END** 60 * Post a sales entry into the resolved * table here.. (LID=0)... This will be * the starting point once the routing 65 * interative process begins...


FETCH NEXT FROM EngineCursor INTO @xPriceOrRateNom,@xPriceOrRateAct

AND RecMID=@yRecMID AND DelMID=@yDelMID AND

IF ISNULL((SELECT count(*) FROM WASPResolvedRouting WHERE GasMonth=@GasMonthx

	5	NomOrActual=@WhichPricex AND IncludeInWasp=@zIncludeInWASP AND DedicatedPurchasePKG=@zDedicatedPurchasePKG AND ResolvedType='S' AND LID=0 AND EntityCID=@EntityCIDx AND KProductID=@KProductIDx AND KServiceID=@KServiceIDx),0) < 1 BEGIN INSERT INTO	
nati ile ije tandi ennil tindi tindi tindi tindi		WASPResolvedRouting	
	10	$(GasMonth, RecMID, DelMID, NomOrActual, Receipt, FuelOrOther, Delivered, TransportAmount, \\nt, Amount,$	GatheringAmou
	15	Include In Wasp, Dedicated Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Receipt, Resolved Indicator, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted Purchase PKG, Price, Resolved Ted PtG, PkG, PkG, PkG, PkG, PkG, PkG, PkG, Pk	ype,LID,Resolv
		EntityCID,KProductID,KServiceID,ResolvedReceiptAmt,ResolvedDeliveredAmt) VALUES	
	00	(@GasMonthx,@yRecMID,@yDelMID,@WhichPricex,@zVolume,0,@zVolume,0,0,@zAmou	ınt,
	20	@zlncludeInWASP,@zDedicatedPurchasePKG,@zPrice,0,'N','S',0,0,	
		@EntityClDx,@KProductlDx,@KServicelDx,0,0) END	
	25	ELSE BEGIN	
		IF (@zAmount<>0) AND (@zVolume<>0) BEGIN	
	30	UPDATE WASPResolvedRo SET	uting
		Receipt=(Receipt+@zVolume),	
	35	Delivered=(Delivered+@zVolume),	
		·Amount=(Amount+@zAmount),	
		Price=ROUND(((Amount+@zAmount)/(Receipt+@zVolume)),4)	
	40	WHERE	
		GasMonth=@GasMonthx AND RecMil	D=@yRecMID
4ml 4ml	45	AND)=@yDelMID
-	. •	AND	. (6) 555
1		NomOrActual=@WhichPricex AND	
	50	IncludeInWasp=@zincludeInWASP AND	
		DedicatedPurchasePKG=@zDedicatedPurchasePKG AND	adTuno='C'
	55	AND	edType='S'
	55	LID=0	AND
		EntityCID=@EntityCIDx AND	
	60	KProductID=@KProductIDx AND	
		KServiceID=@KServiceIDx END	
		END FETCH NEXT FROM LegDetailSaleCursor INTO @yPurchasePKG,	
	65	@yRecMID,@yDelMID,@ySalesPKG,@yReceipt,@yLDIDPrev,@yGasDay,@yPurchasePoin	tTID,@yStep
		END CLOSE LegDetailSaleCursor	
	70	DEALLOCĂTE LegDetailSaleCursor /*	

```
* Once all of the sales meters have been
            * inserted then it is time to insert the
            * transportation routing leg entries. THese
  5
            * are summarized entries. No day-to-day
            * cursor processing is required only the
            * sum of the unique days.
            * Transport legs (type 'T') and purchase
10
            * points (type 'P') are posted here...
           DECLARE LegDetailChaseCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
15
                                 LegDetail.PurchasePKG,
                                 LegDetail.LID,
                                 LegDetail.RecMID,
                                 LegDetail.DelMID,
                                 SUM(LegDetail.Receipt),
                                 SUM(LegDetail.Delivered),
20
                                 SUM(LegDetail.FuelOrOther),
                                 ROUND(SUM(LegDetail.Receipt*LegDetail.TransportationRate),2),
                                 ROUND(SUM(LegDetail.Receipt*LegDetail.GatheringRate),2)
                                 FROM
25
                                           LegDetail
                                 WHERE
                                           LegDetail.PurchasePointTID IN (SELECT DISTINCT TID FROM GasInv, Package,
           K WHERE GasInv.PKG=Package.PKG AND k.kid = Package.KID AND GasInv.GasMonth=@GasMonthx AND
           GasInv.DBCR=0 AND GasInv.PriceType=1 and Package.KProductID = @KProductIDx and Package.KServiceID =
30
            @KServiceIDx AND K.EntityCID = @EntityCIDx) AND
                                           LegDetail.GasMonth=@GasMonthx AND
                                           LegDetail.GasDay>=@GasMonthx AND
                                           LegDetail.GasDay<=@zLastDay AND
                                           LegDetail.NomOrActuals=@WhichPricex AND
35
                                           LegDetail.SalesPKG=0
                                 GROUP BY
                                           LegDetail.PurchasePKG.
                                           LegDetail.LID,
                                           LegDetail.RecMID.
40
                                           LegDetail.DelMID
           SELECT @zMessage = 'PSPriceWASPCalcSalesN, running query to create transportation legs...'
           EXECUTE usp_Message @zMessage
           SELECT @zPrevSalePKG=0
           SELECT @zPrevSaleMID=0
           SELECT @zMessage = 'PSPriceWASPCalcSalesN, opening cursor (LegDetailChaseCursor)...'
45
           EXECUTE usp_Message @zMessage
           OPEN LegDetailChaseCursor
           SELECT @zMessage = 'PSPriceWASPCalcSalesN, finished opening cursor (LegDetailChaseCursor)...'
           EXECUTE usp_Message @zMessage
50
           FETCH NEXT FROM LegDetailChaseCursor INTO
           @qPurchasePKG,@qLID,@qRecMID,@qDeIMID,@qReceipt,@qDelivered,@qFuelOrOther,
                                                                                      @qTransport,@qGathering
           WHILE @@FETCH_STATUS = 0
                      BEGIN
55
                                 * Determine the classification of the
                                 purchase deal attached to this transort
                                 * volume right here...
60
                                IF (@qPurchasePKG<>@zPrevSalePKG) OR (@QLID<>@zPrevSaleMID)
                                           BEGIN
                                                      SELECT @zPrevSalePKG=@qPurchasePKG
65
                                                      SELECT @zPrevSaleMID=@qLID
                                           END
                                EXECUTE usp_fGetWaspIndicator @qPurchasePKG,@zIncludeInWasp OUTPUT
                                IF @zincludeinWasp='Common'
                                           BEGIN
70
                                                      SELECT @zDedicatedPurchasePKG=0
```



	5	DedicatedPurchasePKG=@zDedicatedPurchasePKG AND	ResolvedType=@zType AND LID=@qLID AND EntityCID=@EntityCIDx AND KProductID=@KProductIDx AND KServiceID=@KServiceIDx
	10	END	-
		FETCH NEXT FROM LegDetailChaseCursor IN @qPurchasePKG,@qLID,@qRecMID,@qDelMID,@qReceipt,@qDeliver	TO ed,@qFuelOrOther,
	15	@qTransport,@qGathering END CLOSE LegDetailChaseCursor DEALLOCATE LegDetailChaseCursor SELECT @zMessage = 'PSPriceWASPCalcSalesN Has Finished'	
	20	EXECUTE usp_Message @zMessage END	
	25		
ita thail annii Thail tanii tanii tanii	30		
	35	GO SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON GO	
	40	SET QUOTED_IDENTIFIER ON SET ANSI_NULLS ON GO	
1		CREATE PROCEDURE usp_PSPriceWASPClearMonth(@GasMonthx DATETIME
	45	AS BEGIN SET NOCOUNT ON /*	,
	50	Name: usp_PSPriceWaspClearMonth	
		Description: This routine will represents the common 'clean up' routine the will purge anything on the database that can be purged.	at
	55	The tables cleared include the following:	
		GasInvD (zero volume days for EstAct, Nom, PipelineActuals) LegDetail (zero volume routing entries)	
	60	Inpuţs:	
		GasMonthx (gas month to calculate),	
		History:	
	65	06/30/1999 JAMIE Original creation	
	70	08/04/1999 JAMIE Modifications to not delete the entries in the WASPPurchaseMeterTotals table. This is becuase this table contains the information necessary to calculate the margins on a deal. All other	

```
supporting table entries will be deleted.
           10/12/1999 JAMIE Modifications to procedure to go out and delete any
           daily gas inventory entries that contain no data. Again, since this procedure
 5
           is only executed when the gas month gets marked as completed there
           should be no repurcussions except fewer database records to administer.
           Anything of historical relevance will be retained (ie., if any volume whatsoever).
           03/30/2000 JAMIE Modifications made in the procedure to remove the zero entry
10
           routing records from the database (prior deletion of the daily gas inventory
           items should have deleted all of these (based on triggers). However,
           this is for any/all other residuals.
           08/25/2000 JAMIE Modified in order to remove obsolete cleanup tables
15
           such as old routing tables/etc.
           DECLARE @zMessage VARCHAR(254)
20
           DECLARE @zLastDay DATETIME
           DECLARE @wTID INTEGER
           DECLARE @wGasDay DATETIME
25
           DECLARE @qLDID INTEGER
           SELECT @zMessage = '**** STARTED, PSPriceWASPClearMonth'
           EXECUTE usp_Message @zMessage
           EXECUTE usp_fLastDay @GasMonthx,@zLastDay OUTPUT
30
           * Remove daily inventory items that
           * are now zero...
35
           DECLARE GasinvDCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                      SELECT
                                 Gasinv.TID,
                                 GasInvD.GasDay
40
                                 FROM
                                           Gasinv,
                                           GasinvD
                                 WHERE
                                           GasinvD.TID = Gasinv.TID AND
45
                                           GasInv.GasMonth=@GasMonthx AND
                                           GasInvD.EstAct = 0 AND
                                           GasInvD.Nom = 0 AND
                                           GasInvD.PipelineActuals = 0
                                 ORDER BY
50
                                           GasInv.TID.
                                           GasInvD.GasDav
           SELECT @zMessage = ' PSPriceWASPClearMonth, Started removing ZEROd out Inventory Items...'
           EXECUTE usp_Message @zMessage
           OPEN GasinvDCursor
55
           FETCH NEXT FROM GasinvDCursor INTO @wTID, @wGasDay
           WHILE @@FETCH_STATUS = 0
                      BEGIN
                                 BEGIN TRANSACTION
                                 DELETE FROM GasInvD WHERE TID=@wTID AND GasDay=@wGasDay
60
                                 FETCH NEXT FROM GasinvDCursor INTO @wTID, @wGasDay
                      END
           CLOSE GasInvDCursor
           DEALLOCATE GasInvDCursor
65
           SELECT @zMessage = ' PSPriceWASPClearMonth, Finished removing ZEROd out Inventory Items...'
           EXECUTE usp_Message @zMessage
```

* no entries within them.

* Remove any routing items that had

70

```
DECLARE LegDetailCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR
                        SELECT
  5
                                   LDID
                                  FROM
                                             LegDetail
                                  WHERE
                                             GasMonth=@GasMonthx AND
10
                                             Receipt=0 AND
                                             Delivered=0 AND
                                             Balance=0 AND
                                             FuelOrOther=0
                                   ORDER BY
15
                                             PurchasePointTID
            SELECT @zMessage = ' PSPriceWASPClearMonth, Started removing ZEROd out Routing (LegDetail) Items...'
            EXECUTE usp_Message @zMessage
            OPEN LegDetailCursor
            FETCH NEXT FROM LegDetailCursor INTO @qLDID
            WHILE @@FETCH_STATUS = 0
20
                       BEGIN
                                  BEGIN TRANSACTION
                                  DELETE FROM LegDetail WHERE LDID=@qLDID
                                  COMMIT WORK
25
                                  FETCH NEXT FROM LegDetailCursor INTO @qLDID
                       END
            CLOSE LegDetailCursor
            DEALLOCATE LegDetailCursor
            SELECT @zMessage = ' PSPriceWASPClearMonth, Started removing ZEROd out Routing (LegDetail) Items...'
            EXECUTE usp_Message @zMessage SELECT @zMessage = '*** FINISHED, PSPriceWASPClearMonth'
30
            EXECUTE usp_Message @zMessage
            END
35
            GO
            SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
40
            GO
            SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
45
            CREATE PROCEDURE usp_PSPriceWASPDivieOutProceedsN(
                                                                             @GasMonthx DATETIME,
                                                                             @WhichPricex INTEGER,
                                                                             @EntityCIDx VARCHAR(12)
50
            AS
            BEGIN
            Name: usp_PSPriceWASPDivieOutProceeds
55
            Description:
            This procedure will get executed during the WASP calculation in order
            to credit the financial proceeds (gain or loss) from one deal to another.
60
            These proceed designations are setup on the package table
            (FinancialPKG and FinancialMID field contains either a deal id
           or a common wasp meter pool point that is to receive the proceeds).
            These fields are mutually exclusive on the deal table.
65
            The default for all deals is the deal itself (for owning the proceeds). Only
           if the FinancialPKG or FinancialMID field has been entered will it be
            distributed elsewhere. The distribution amount (if any) will be posted
            on the from deal record (either in the FinancialNomAmount or
70
            FinancialActAmount field, dependant on which price is calculating).
```

is equal to 'None'). The reason for this is because these are the only types of deals where we know the actual margin ('Common' (Wasp) 5 and sanctioned sales (Dedicated) are netback calculated deals. For all FinancialPKG/MID entries this procedure will: 1. Calculate the margin (purchase price and purchase meter price). 10 2. Reduce the purchase meter amounts by the amount calculated. 3. Post the dollar amount to the proceed purchase meter(s) based on their respective volume weightings to the deal. Inputs: 15 GasMonthx - Gas Month WhichPricex - 0=Nominations, 1=Actuals EntityCIDx - owning company/entity 20 History: 07/27/1999 JAMIE Original Creation. 10/13/1999 JAMIE Modified to cast the distribution amounts to decimal(18,4). 25 This is because of bug receiving correct amount to distrubute when dividing two integers. 03/30/2000 JAMIE Modified the program to not use the 'PackageLinks' table but to use the FinancialPKG field stored on the deal table. This 30 was done as part of the integration with linking and the new route process. 05/24/2000 JAMIE Modified to include the owning company/entity. 35 07/28/2000 JAMIE Modified in order to post the updates of what is being distributed back to the Package table (for the 'from' deal) and then post the amounts to the WASP Purchase Meter table (for deals) or WASP Legs for meters. This change was done in order to facilitate the reordering of the calculations. 40 08/07/2000 JAMIE Modified so that even if diving to a specific deal IF that deal is a wasp deal then all deals that share the same original purchase point meters as the deal being divied to (in the 'Common' pool) will share in the divie. 45 08/18/2000 JAMIE Modified so that if diving to a specific deal then the amount will go to the WASPResolvedRouting table versus the obsolete WASPPurchaseMeterTable. 50 */ * Declare all variables and cursors 55 * that are needed by this process. DECLARE @zMessage VARCHAR(254) DECLARE @zLastDay DATETIME 60 DECLARE @zPurchasePrice DECIMAL(19,6) DECLARE @zincludeInWasp VARCHAR(10)
DECLARE @zTotalVolume INTEGER DECLARE @zGrandTotalDistributed DECIMAL(19,2) DECLARE @zTempVolPercent DECIMAL(19,4) DECLARE @zAmountToDistribute DECIMAL(19,2) 65 DECLARE @zMarginPrice DECIMAL(18,4) DECLARE @zMarginAmt DECIMAL(19,2) DECLARE @zFoundDedicated VARCHAR(1) DECLARE @zSumofFBOPKGCreditMeters INTEGER 70 DECLARE @zAmountToCredit DECIMAL(19,2)

This procedure works for 3rd party deals only (deal classification rule


DECLARE @zSumofFBOPKGMeters INTEGER **DECLARE @yPKG INTEGER** DECLARE @yFinancialPKG INTEGER 5 DECLARE @yKProductID INTEGER DECLARE @yKServiceID INTEGER DECLARE @yFinancialMID INTEGER DECLARE @yWASPReceipt DECIMAL(19,2) 10 DECLARE @yWASPAmount DECIMAL(19,2) DECLARE @yWASPPrice DECIMAL(19,6) DECLARE @yWASPResolvedID INTEGER DECLARE @yWASPCreditReceipt DECIMAL(19,2) 15 DECLARE @yWASPCreditAmount DECIMAL(19,2) DECLARE @yWASPCreditPrice DECIMAL(19,2) DECLARE @yWASPCreditResolvedID INTEGER DECLARE @qDelivered DECIMAL(19,2) DECLARE @qAmount DECIMAL(19,2) 20 DECLARE @qPrice DECIMAL(19,6) DECLARE @qResolvedID INTEGER SELECT @zMessage = 'PSPriceWASPDivieOutProceedsN, ***STARTED*** 25 EXECUTE usp_Message @zMessage EXECUTE usp_fLastDay @GasMonthx,@zLastDay OUTPUT * At this point we want to loop 30 * through all of the packages * (deals) on the system that had * requested that the proceeds * be divied to other deals. 35 DECLARE ProceedsCursor CURSOR LOCAL STATIC FORWARD ONLY FOR **SELECT** PKG. 40 FinancialPKG. KProductiD, KServiceID, FinancialMID **FROM** 45 Package, WHERE (K.KID=Package.KID) AND (K.EntityCID=@EntityCIDx) AND 50 (StartDate BETWEEN @GasMonthx AND @zLastDay) AND (((FinancialPKG IS NOT NULL) AND (FinancialPKG<>0)) OR ((FinancialMID IS NOT NULL) AND (FinancialMID<>0))) ORDER BY 55 OPEN ProceedsCursor FETCH NEXT FROM ProceedsCursor INTO @yPKG,@yFinancialPKG,@yKProductID,@yKServiceID,@yFinancialMID WHILE @@FETCH_STATUS = 0 BEGIN 60 **BEGIN TRANSACTION** SELECT @zMessage = 'PSPriceWASPDivieOutProceedsN, Proceeds divied from deal...' + CAST(@yPKG as VARCHAR(12)) EXECUTE usp_Message @zMessage 65 * Get the agreed upon purchase * price from the engine for the * 'from' purchase deal. The total * volume across all days is also 70 obtained here (for all meters).


-	* Base the price on the weighted * averages for all entries within * the Engine table.
5	This yields the single weighted average cost across all wells and days.
10	* This price should be the price * that was found PRIOR to diving * out any adjusments.
15	*/ IF @WhichPricex=0 BEGIN
	SELECT @zPurchasePrice=ROUND(ISNULL((SELECT SUM(Engine.Amount)/SUM(Engine.Volume) FROM Engine,GasInv
20	WHERE (GasInv.GasMonth=@GasMonthx AND GasInv.PKG=@yPKG) AND (Engine.TID=GasInv.TID) AND (Engine.STID=8) AND
25	Engine.Amount>0 and Engine.Volume>0),0),4) SELECT @zTotalVolume=ISNULL((SELECT SUM(Engine.Volume)
25	FROM Engine, GasInv WHERE (GasInv. GasMonth=@GasMonthx AND GasInv. PKG=@yPKG) AND (Engine. TID=GasInv. TID) AND (Engine. STID=8) AND
	Engine.Amount>0 and Engine.Volume>0).0)
30	END IF @WhichPricex=1
	BEGIN SELECT @zPurchasePrice=ROUND(ISNULL((SELECT
35	SUM(Engine.AmountAct)/SUM(Engine.VolumeAct) FROM Engine,GasInv WHERE
	(GasInv.GasMonth=@GasMonthx AND GasInv.PKG=@yPKG) AND (Engine.TID=GasInv.TID) AND (Engine.STID=8) AND
40	Engine.AmountAct>0 and Engine.VolumeAct>0),0),4) SELECT @zTotalVolume=ISNULL((SELECT SUM(Engine.VolumeAct) FROM Engine,GasInv WHERE (GasInv.GasMonth=@GasMonthx AND GasInv.PKG=@yPKG) AND
	(Engine.TID=GasInv.TID) AND (Engine.STID=8) AND
45	Engine.AmountAct>0 and Engine.VolumeAct>0),0)
	END
	*Only continue if the purchase
50	* price (average) for this deal * could be calculated (ie there * was a volume and there was
F.F.	* a price entry.
55	* Now loop through each of the * meters to determine how much * to reduce each meter by
60	*/ SELECT @zGrandTotalDistributed=0 IF (@zPurchasePrice>0) BEGIN
	IF @zTotalVolume<>0
65	BEGIN (**)
	amounts*/ /* This cursor is for determining proceed
70	DECLARE WASPResolvedRoutingDebitCursor CURSOR LOCAL STATIC FORWARD_ONLY FOR

		SELECT
		receipt, amount,
5		price, ResolvedID
_		FROM
	WASPResolvedRouting	
10		WHERE
	GasMonth=@GasMonthx AND	
	DedicatedPurchasePKG=@yPKG AND	
15	NomOrActual=@WhichPricex AND	
	EntityCID=@EntityCIDx AND	
20	KProductID=@yKProductID AND	
20	KServiceiD=@yKServiceID AND	
	ResolvedType='P' AND	
25	AND	. LID=0
	RecMID=DelMID	
	FF	OPEN WASPResolvedRoutingDebitCursor ETCH NEXT FROM WASPResolvedRoutingDebitCurso
30	INTO @yWASPReceipt,@yWASPAmount,	
	@yWASPPrice,@yWASPResolvedID	WALLE CONFERENCE OF ATTIC - 0
25		WHILE @@FETCH_STATUS = 0 BEGIN
35	@zMarginPrice=ROUND((@yWASPPrice-@zPurchasePrice),4)	
	@zMarginAmt=ROUND((@zMarginPrice*@zTotalVolume),2)	SELECT
40		IF @yWaspReceipt>0 BEGIN
	SELECT @zTempVolPercent=ROUND((@yWaspR	leceipt/@zTotalVolume),4)
	SELECT @zAmountToDistribute=ROUND((@zTem	npVolPercent*@zMarginAmt),2)
45	SELECT @zGrandTotalDistributed=@zGrandTotall	Distributed+@zAmountToDistribute
	UPDATE	
50	WASPResolvedRouting	
	SET	
	Amount=Amount+(@zAmo	uunttoDintributo* 1)
55	, -	untropisaloute -1)
	WHERE	
	ResolvedID=@yWASPRes	olvedID
60	UPDATE	
	WASPResolvedRouting	
65	SET	
00	Price=(Amount/Receipt)	
	WHERE	
70	ResolvedID=@yWASPRes	olvedID AND

Receipt<>0 AND

5	Amount<>0			END .
	MASCDB analyzed Bouting Dobit Curror INTO @viWASDB against @viAMASDA		ETCH NE	XT FROM
	WASPResolvedRoutingDebitCursor INTO @yWASPReceipt,@yWASPAm			
10	@yWASPPrice,@yWASPResolvedID		END	
		CLOSE WAS	PResolved	lRoutingDebitCursor
	WASPResolvedRoutingDebitCursor	DEALLOCAT	E	
15	END END			
13	/*			
20	* At this point, if there has been any * proceeds distributed from the * purchase deal then go and distribute * the amount back to the deal where * that is receiving credit. This is * based on the volume weighting			
25	* distribution at the target 'to' meter.			
30	* The field zGrandTotalDistributed contains * the total dollar amount to be credited * the the meters (based on volume * weighting.			
30	*			
	IF @zGrandTotalDistributed<>0 BEGIN			
0.5	/*			
35	* Post the 'from' deal with * appropriate distributed a * This is the total amount * the entire deal and is sto	the mount. across		
40	* the deal record to provide * audit of how much was o	le an diverted.		
45	IF @WhichPricex=0			
40	BEGIN L	JPDATE		
50			ackage SET	
30	FinancialNomAmount=@zGrandTotalDistributed	٧	VHERE	_
55	END IF @WhichPricex=1 BEGIN			PKG=@yPKG
	ι		ackage ET	
60	, FinancialActAmount=@zGrandTotalDistributed	14	VILEDE	
	•	V	VHERE	PKG=@yPKG
65	* If diving to another deal			
70	* perform this Adjustme * made to the WASPReso * table. There is no need * adjustments to the Engin	ents are olvedRouting to post		





WHERE

5	ResolvedID=@yWASPCreditResolvedID AND			
		Amount<>0 AND		
10		Receipt<>0		
10	END			
	FETCH NEXT FROM WASPResolv @yWASPCreditReceipt,	edRoutingCreditDedicatedCursor INTO		
15	wywhol orealisteesipt,			
	@yWASPCreditAmount,@yWASPCreditPrice,@yWASPCre	ditResolvedID		
20	END			
20	${\tt CLOSE\ WASPResolvedRoutingCreditDedicatedCursor}$			
	DEALLOCATE WASPResolvedRoutingCreditDedicatedCurs	or END		
25)*		
	***************************************	* if wasp deal to post the		
30		* credit to then		
	***************************************	"		
		IF @zincludeInWasp='Common' BEGIN		
35				
	/* This cursor is for posting proceeds to a common meter put	chase point*/		
40	DECLARE WASPResolvedRoutingCreditWASPCursor CURSOR LOCAL STATIC FORWARD_ON			
	SELECT			
45	wp.receipt,			
45	wp.amount,			
	wp.price,			
50	wp.ResolvediD			
	FROM			
55	WASPResolvedRouting	AS wp,		
	Gasinv AS g			
	WHERE			
60	g.GasMonth=@GasMo	nthx AND		
	g.PKG=@yFinancialPK			
65	g.Gasinv_MID=wp.Rec			
	wp.GasMonth=@GasM			
	wp.DedicatedPurchase			
70	wp.includelnWasp='Co	nmon' AND		



@yWASPCreditReceipt,

price,

FROM

70

ResolvedID

FETCH NEXT FROM WASPResolvedRoutingCreditWASPCursor INTO

5	WHERE	
3	GasMonth=@GasMonthx AND	
	NomOrActual=@WhichPricex AND	
10	EntityCID=@EntityCIDx AND	
	KProductiD=@yKProductiD AND	
4.5	KServiceID=@yKServiceID AND	
15	DelMID=@yFinancialMID AND	
	LID<>0 AND	
20	IncludeInWasp='Common' AND	
	delivered>0	
05	WASPResolvedRoutingCreditCursor OPEN	·
25	$WASPResolved Routing Credit Cursor\ INTO\ @qDelivered, @qAmount, @qPrice, @qResolved ID$	FETCH NEXT FROM
	@@FETCH_STATUS = 0	WHILE
30	/*	BEGIN
	<i></i>	
35	* Determine the percent to post	
33	* here	
	11 01 5	
40	•1	
	, SELECT @zTempVolPercent=ROUND((@qDelivered/@zSumofFBOPKGCreditMeter	re)
45	SELECT @zAmountToCredit=ROUND((@zTempVolPercent*@zGrandTotalDistribute	
	IF @zAmountToCredit<>0	·•/,-/
	BEGIN	
50	UPDATE	
	WASPResolvedRouting	
55	SET	
	Amount=(Amount+@zAmountToCre	dit)
	WHERE	
60	. ResolvedID=@qResolvedID	
	END	
65	FETCH NEXT FROM WASPResolvedRoutingCreditCursor INTO @qDelivered,@qArr	nount,
	@qPrice,@qResolvedID	END

WASPResolvedRouting

KServiceIDx - service GasMonthx - Current gas month

rReturnValue - OUTPUT return value


70

WASPResolvedRoutingCreditCursor

WASPResolvedRoutingCreditCursor

CLOSE

DEALLOCATE



40

45

50

```
END
           ELSE
                      BEGIN
                                SELECT @yWorkValue=Price FROM WASPResolvedRouting
 5
                                         WHERE RecMID=@ymid AND DelMID=@ymid AND LID=0 AND ResolvedType='P'
                                                    AND gasmonth=@ygasmonth AND IncludeInWasp='Common' AND
           NomOrActual=@NomOrActualx AND EntityCID=@EntityCIDx
                                                              AND KProductID=@KProductiDx AND
           KServiceID=@KServiceIDx
10
                     END
           * If some sort of price was found then
           * return with it... Otherwise zeros
15
           * are returned (no price calculated).
           •/
           SELECT @message = 'WASP Price' +
20
                                         CAST(@yWorkValue AS VARCHAR(12)) +
                                          for meter id ' +
                                         CAST(@ymid AS VARCHAR(12))
           EXECUTE usp_message @message
25
           IF @yWorkValue IS NOT NULL
                     BEGIN
                               SELECT @rReturnValue=@yWorkValue
                     END
           END
30
           GO
           SET QUOTED_IDENTIFIER OFF SET ANSI_NULLS ON
35
           GO
```

ADDITIONAL FEATURES

The present invention has been disclosed, illustrated, and described in relation to a client-server application that facilitates pricing and distribution of fuel to a customer. Although centralized data storage and manipulation is preferred in regard to the version of the system that has been provided, the inventors contemplate other applications and enhancements that certainly are within the scope of the present invention. For example, the present invention relies on data inputs and feeds from a variety of entities such as producers, transporters, etc. Although such data inputs are often entered manually into the systems provided by the present invention, such data inputs could be automatically delivered and stored within data store 106 (FIG. 2). For example, transporters controlling actual meters along a gas pipeline, for

example, could be outfitted with remote sensors and transmitters that provide shipment volume, etc. details directly to the systems provided by the present invention. Moreover, data inputs such as indexing datum used to drive pricing, etc. may be similarly obtained. And, since such data inputs can come from a variety of sources, modern communications technologies such as the Internet, wireless technologies, etc. could all be used to couple an operator of the systems and methods provided by the present invention with such sources. Accordingly, the present invention is not limited to any particular data retrieval system, topology, method, or paradigm. Those skilled in the art will be immediately able to adapt and modify the underlying data collection capabilities of the systems and methods provided by the present invention to incorporate such new and modern technologies and techniques.

Finally, it should be noted that the present invention contemplates and provides for an elaborate reporting capability as provided within the software contained on the attached compact disc. Those skilled in the art of computer programming and those familiar with fuel deal management will immediately understand that any number of report may be prepared to suit and satisfy management requirements. The database tables maintained by the present invention certainly support all types of relational type queries that such reports may require.

25

30

5

10

15

20

Thus, having fully described the present invention by way of example with reference to the attached drawing figures, it will be readily appreciated that many changes and modifications may be made to the invention and to any of the exemplary embodiments shown and/or described herein without departing from the spirit or scope of the invention which is defined in the appended claims.